

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

| <b>Wildfire Information Section (All fires, even if reported on a 209)</b> |                  |             |     |               |               |                   |                   |                 |              |            |            |
|--|------------------|-------------|-----|---------------|---------------|-------------------|-------------------|-----------------|--------------|------------|------------|
| Agency   | State-Unit       | Fire Danger | P/L | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Uncntrl'd A-B-C | Uncntrl'd D+ | Fires (Rx) | Acres (Rx) |
| BIA  | ID-FHA           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | UT-SPA (UT-CDC)  | VH          | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | UT-SPA (UT-RFC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | UT-UOA (UT-UBC)  | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>BIA</b>   |                  |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| BLM  | AZ-ASD           | VH          | 2   | 1             | 0.1           | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-BOD (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-BOD (ID-PAC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-COD           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-IFD (ID-CIC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-IFD (ID-EIC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-TFD           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 1          |
|  | NV-BMD           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | NV-CCD           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | NV-EKD           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | NV-SND           | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | NV-WID (NV-CNC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | NV-WID (NV-SFC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | UT-CPD (UT-CDC)  | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | UT-CPD (UT-RFC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | UT-DRD           | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| UT-WDD (UT-RFC)  | L                | 1           | 0   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          |            |
| <b>BLM</b>   |                  |             |     | <b>1</b>      | <b>0.1</b>    | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>1</b>   |
| BOR  | NV-LCL           | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>BOR</b>   |                  |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| C&L  | ID-10BN (ID-CIC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|  | ID-1AX           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

| Agency | State-Unit       | Fire Danger | P/L | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Uncntrld A-B-C | Uncntrld D+ | Fires (Rx) | Acres (Rx) |
|--------|------------------|-------------|-----|---------------|---------------|-------------------|-------------------|----------------|-------------|------------|------------|
| C&L    | ID-1GX           | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-1PX           | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-1VX (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-1VX (ID-CIC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-1WX (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-2CX           | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-6BX           | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-ADX (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-CUX (ID-CIC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-ELX (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-LEX           | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-LG49 (ID-CIC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | ID-OWX (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-BCFX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-CARX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-CCFX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-CHUX (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-CLRX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-ECFX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-ESMX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-EURX (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-EURX (NV-EIC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-HFDX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-HUMX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-LANX (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-LANX (NV-EIC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |
|        | NV-LVFX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0              | 0           | 0          | 0          |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

| Agency         | State-Unit       | Fire Danger | P/L | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Uncntrl'd A-B-C | Uncntrl'd D+ | Fires (Rx) | Acres (Rx) |
|----------------|------------------|-------------|-----|---------------|---------------|-------------------|-------------------|-----------------|--------------|------------|------------|
| C&L            | NV-MCFX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-MFRX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-MVFX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-NLVX          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-NYEX (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-NYEX (NV-LIC) | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-PERX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-STOX          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-TMFX (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-WASX (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | WY-LIX (WY-TDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| WY-TDX         | L                | 1           | 0   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          |            |
| <b>C&amp;L</b> |                  |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| DOD            | ID-MHQ (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-NAFQ          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-NTE           | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>DOD</b>     |                  |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| DVF            | AZ-A1S (UT-CDC)  | VH          | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>DVF</b>     |                  |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| FS             | ID-BOF (ID-BDC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 1          | 160        |
|                | ID-CTF           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | ID-PAF           | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | ID-SCF (ID-CIC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | ID-STF (ID-SCC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 1          |
|                | NV-HTF (NV-CNC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-HTF (NV-EIC)  | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                | NV-HTF (NV-LIC)  | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

| Agency     | State-Unit      | Fire Danger | P/L | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Uncntrl'd A-B-C | Uncntrl'd D+ | Fires (Rx) | Acres (Rx) |
|------------|-----------------|-------------|-----|---------------|---------------|-------------------|-------------------|-----------------|--------------|------------|------------|
| FS         | NV-HTF (NV-SFC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 1          | 10         |
|            | UT-ASF          | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-DIF          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 1          |
|            | UT-FIF          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-MLF (UT-RFC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | WY-BTF          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>FS</b>  |                 |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>2</b>   | <b>172</b> |
| FWS        | ID-BLR          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | ID-CSR          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-AMR          | H           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-DSR          | H           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-FLR          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-MVR          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-PRR          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-RLR          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-SWR          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-OWR          | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | WY-NER          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>FWS</b> |                 |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| NPS        | AZ-GLP          | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | CO-DSP (UT-UBC) | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-LAP (NV-LIC) | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-LAP (UT-CDC) | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | NV-TSP          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-BRP          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-CBP          | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-CRP          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | UT-ZIP          | VH          | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | WY-FBP          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | WY-GTP          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|            | <b>NPS</b>      |             |     |               | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| OTHR       | NV-DVT          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

| Agency              | State-Unit      | Fire Danger | P/L | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Uncntrl'd A-B-C | Uncntrl'd D+ | Fires (Rx) | Acres (Rx) |
|---------------------|-----------------|-------------|-----|---------------|---------------|-------------------|-------------------|-----------------|--------------|------------|------------|
| OTHR                | NV-PRI (NV-LIC) | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>OTHR</b>         |                 |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| SF                  | WY-WYS (WY-TDC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>SF</b>           |                 |             |     | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| ST                  | ID-EIS (ID-CIC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | ID-IDNG         | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | ID-OYNG         | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | ID-SIS          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | ID-SWS          | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | NV-NNS (NV-EIC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | NV-NSS (NV-LIC) | M           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | NV-NWS (NV-CNC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | NV-NWS (NV-SFC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | UT-NES (UT-UBC) | M           | 2   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | UT-SCS (UT-RFC) | L           | 1   | 0             | 0             | 0                 | 0                 | 0               | 0            | 0          | 0          |
|                     | UT-SWS          | M           | 2   | 1             | 15            | 0                 | 0                 | 0               | 0            | 0          | 0          |
| <b>ST</b>           |                 |             |     | <b>1</b>      | <b>15</b>     | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>0</b>   | <b>0</b>   |
| <b>Grand Total:</b> |                 |             |     | <b>2</b>      | <b>15.1</b>   | <b>0</b>          | <b>0</b>          | <b>0</b>        | <b>0</b>     | <b>2</b>   | <b>173</b> |

### Count of Units at Fire Danger Level:

| Low | Medium | High | Very High | Extreme |
|-----|--------|------|-----------|---------|
| 78  | 32     | 2    | 4         | 0       |

### Year-to-Date - Wildland Fire Activity & Rx Fire Activity:

| Agency | State-Unit      | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Total (Fires) | Total (Acres) | Fires (Rx) | Acres (Rx) |
|--------|-----------------|---------------|---------------|-------------------|-------------------|---------------|---------------|------------|------------|
| BIA    | ID-FHA          | 2             | 2.4           | 0                 | 0                 | 2             | 2.4           | 0          | 0          |
|        | UT-UOA (UT-UBC) | 7             | 142.5         | 1                 | 0                 | 8             | 142.5         | 0          | 0          |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

## Year-to-Date - Wildland Fire Activity & Rx Fire Activity:

| Agency          | State-Unit       | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Total (Fires) | Total (Acres) | Fires (Rx) | Acres (Rx)     |
|-----------------|------------------|---------------|---------------|-------------------|-------------------|---------------|---------------|------------|----------------|
| <b>BIA</b>      |                  | <b>9</b>      | <b>144.9</b>  | <b>1</b>          | <b>0</b>          | <b>10</b>     | <b>144.9</b>  | <b>0</b>   | <b>0</b>       |
| BLM             | AZ-ASD           | 4             | 1             | 0                 | 0                 | 4             | 1             | 0          | 0              |
|                 | ID-BOD (ID-BDC)  | 8             | 228           | 0                 | 0                 | 8             | 228           | 4          | 7,621          |
|                 | ID-IFD (ID-CIC)  | 0             | 0             | 0                 | 0                 | 0             | 0             | 2          | 52             |
|                 | ID-IFD (ID-EIC)  | 6             | 4.5           | 0                 | 0                 | 6             | 4.5           | 2          | 335            |
|                 | ID-TFD           | 0             | 0             | 0                 | 0                 | 0             | 0             | 3          | 349.6          |
|                 | NV-BMD           | 1             | 0.8           | 0                 | 0                 | 1             | 0.8           | 3          | 650.5          |
|                 | NV-CCD           | 1             | 0.1           | 0                 | 0                 | 1             | 0.1           | 6          | 141            |
|                 | NV-EKD           | 1             | 0.5           | 0                 | 0                 | 1             | 0.5           | 0          | 0              |
|                 | NV-ELD           | 1             | 69.6          | 5                 | 0.5               | 6             | 70.1          | 5          | 310            |
|                 | NV-SND           | 15            | 3.2           | 0                 | 0                 | 15            | 3.2           | 0          | 0              |
|                 | NV-WID (NV-CNC)  | 5             | 0.8           | 0                 | 0                 | 5             | 0.8           | 0          | 0              |
|                 | UT-CPD (UT-CDC)  | 10            | 1             | 3                 | 0.3               | 13            | 1.3           | 1          | 108            |
|                 | UT-CPD (UT-RFC)  | 1             | 0.1           | 0                 | 0                 | 1             | 0.1           | 0          | 0              |
|                 | UT-CYD (UT-MFC)  | 0             | 0             | 0                 | 0                 | 0             | 0             | 2          | 35             |
|                 | UT-DRD           | 9             | 3             | 4                 | 0                 | 13            | 3             | 3          | 196.1          |
|                 | UT-GRD (UT-MFC)  | 1             | 3             | 0                 | 0                 | 1             | 3             | 0          | 0              |
|                 | UT-GRD (UT-UBC)  | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 0              |
| UT-WDD (UT-NUC) | 2                | 0             | 0             | 0                 | 2                 | 0             | 0             | 0          |                |
| <b>BLM</b>      |                  | <b>65</b>     | <b>315.6</b>  | <b>12</b>         | <b>0.8</b>        | <b>77</b>     | <b>316.4</b>  | <b>32</b>  | <b>9,798.2</b> |
| C&L             | NV-CCFX          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 4              |
|                 | NV-CLRX          | 2             | 36            | 0                 | 0                 | 2             | 36            | 0          | 0              |
|                 | NV-HUMX          | 2             | 0.6           | 0                 | 0                 | 2             | 0.6           | 0          | 0              |
|                 | NV-LANX (NV-CNC) | 1             | 1             | 0                 | 0                 | 1             | 1             | 0          | 0              |
|                 | NV-LINX          | 1             | 50            | 0                 | 0                 | 1             | 50            | 0          | 0              |
|                 | NV-MCFX          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 2              |
|                 | NV-MVFX          | 1             | 0             | 0                 | 0                 | 1             | 0             | 1          | 2              |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

## Year-to-Date - Wildland Fire Activity & Rx Fire Activity:

| Agency         | State-Unit      | Fires (Human) | Acres (Human) | Fires (Lightning) | Acres (Lightning) | Total (Fires) | Total (Acres) | Fires (Rx) | Acres (Rx)      |
|----------------|-----------------|---------------|---------------|-------------------|-------------------|---------------|---------------|------------|-----------------|
| C&L            | NV-PERX         | 2             | 20.1          | 0                 | 0                 | 2             | 20.1          | 0          | 0               |
|                | NV-STOX         | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 2.5             |
| <b>C&amp;L</b> |                 | <b>9</b>      | <b>107.7</b>  | <b>0</b>          | <b>0</b>          | <b>9</b>      | <b>107.7</b>  | <b>4</b>   | <b>10.5</b>     |
| DOD            | UT-HIAQ         | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 40              |
| <b>DOD</b>     |                 | <b>0</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>0</b>      | <b>0</b>      | <b>1</b>   | <b>40</b>       |
| DVF            | AZ-A1S (UT-CDC) | 1             | 2.8           | 0                 | 0                 | 1             | 2.8           | 0          | 0               |
| <b>DVF</b>     |                 | <b>1</b>      | <b>2.8</b>    | <b>0</b>          | <b>0</b>          | <b>1</b>      | <b>2.8</b>    | <b>0</b>   | <b>0</b>        |
| FS             | ID-BOF (ID-BDC) | 0             | 0             | 0                 | 0                 | 0             | 0             | 5          | 851             |
|                | ID-CTF          | 1             | 5.4           | 0                 | 0                 | 1             | 5.4           | 4          | 482             |
|                | ID-PAF          | 2             | 0.5           | 0                 | 0                 | 2             | 0.5           | 5          | 1,968           |
|                | ID-SCF (ID-CIC) | 2             | 68.6          | 0                 | 0                 | 2             | 68.6          | 3          | 753             |
|                | ID-STF (ID-SCC) | 0             | 0             | 0                 | 0                 | 0             | 0             | 4          | 49.8            |
|                | NV-HTF (NV-LIC) | 2             | 0             | 0                 | 0                 | 2             | 0             | 2          | 216             |
|                | NV-HTF (NV-SFC) | 2             | 0.2           | 2                 | 0.2               | 4             | 0.4           | 18         | 849             |
|                | UT-ASF          | 1             | 5.4           | 0                 | 0                 | 1             | 5.4           | 2          | 71              |
|                | UT-DIF          | 3             | 2.2           | 2                 | 0.2               | 5             | 2.4           | 7          | 1,453           |
|                | UT-FIF          | 3             | 0.3           | 0                 | 0                 | 3             | 0.3           | 4          | 4,192.5         |
|                | UT-MLF (UT-MFC) | 0             | 0             | 0                 | 0                 | 0             | 0             | 6          | 2,105           |
|                | UT-UWF          | 2             | 0             | 0                 | 0                 | 2             | 0             | 6          | 136             |
|                | WY-BTF          | 0             | 0             | 0                 | 0                 | 0             | 0             | 4          | 1,080           |
| <b>FS</b>      |                 | <b>18</b>     | <b>82.6</b>   | <b>4</b>          | <b>0.4</b>        | <b>22</b>     | <b>83</b>     | <b>70</b>  | <b>14,206.3</b> |
| FWS            | ID-BLR          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 2               |
|                | ID-CSR          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 35              |
|                | NV-AMR          | 1             | 0             | 0                 | 0                 | 1             | 0             | 0          | 0               |
|                | NV-SWR          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 2,680           |
|                | WY-NER          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 147             |
| <b>FWS</b>     |                 | <b>1</b>      | <b>0</b>      | <b>0</b>          | <b>0</b>          | <b>1</b>      | <b>0</b>      | <b>4</b>   | <b>2,864</b>    |
| NPS            | NV-LAP (NV-LIC) | 7             | 1.1           | 0                 | 0                 | 7             | 1.1           | 1          | 14              |
|                | UT-BRP          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 1               |
|                | UT-CRP          | 0             | 0             | 0                 | 0                 | 0             | 0             | 1          | 0.3             |

# GACC Summary Situation Report - by Protection

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

## Year-to-Date - Wildland Fire Activity & Rx Fire Activity:

| Agency              | State-Unit      | Fires (Human) | Acres (Human)  | Fires (Lightning) | Acres (Lightning) | Total (Fires) | Total (Acres)  | Fires (Rx) | Acres (Rx)      |
|---------------------|-----------------|---------------|----------------|-------------------|-------------------|---------------|----------------|------------|-----------------|
| NPS                 | UT-ZIP          | 2             | 0.6            | 0                 | 0                 | 2             | 0.6            | 0          | 0               |
| <b>NPS</b>          |                 | <b>9</b>      | <b>1.7</b>     | <b>0</b>          | <b>0</b>          | <b>9</b>      | <b>1.7</b>     | <b>3</b>   | <b>15.3</b>     |
| ST                  | ID-IDNG         | 0             | 0              | 0                 | 0                 | 0             | 0              | 1          | 6               |
|                     | ID-OYNG         | 28            | 10             | 0                 | 0                 | 28            | 10             | 1          | 18              |
|                     | ID-SIS          | 1             | 0              | 0                 | 0                 | 1             | 0              | 0          | 0               |
|                     | ID-SWS          | 6             | 12             | 0                 | 0                 | 6             | 12             | 1          | 20              |
|                     | NV-NWS (NV-SFC) | 0             | 0              | 0                 | 0                 | 0             | 0              | 16         | 90.1            |
|                     | UT-BRS          | 21            | 658            | 0                 | 0                 | 21            | 658            | 4          | 1,550           |
|                     | UT-NES (UT-NUC) | 4             | 2              | 0                 | 0                 | 4             | 2              | 1          | 100             |
|                     | UT-NES (UT-UBC) | 31            | 125.7          | 1                 | 0                 | 32            | 125.7          | 0          | 0               |
|                     | UT-NWS (UT-NUC) | 12            | 39             | 1                 | 0                 | 13            | 39             | 5          | 53              |
|                     | UT-SCS (UT-RFC) | 6             | 77.6           | 0                 | 0                 | 6             | 77.6           | 5          | 1,422           |
|                     | UT-SES          | 8             | 1              | 0                 | 0                 | 8             | 1              | 0          | 0               |
| UT-SWS              | 13              | 68.9          | 0              | 0                 | 13                | 68.9          | 3              | 12         |                 |
| <b>ST</b>           |                 | <b>130</b>    | <b>994.2</b>   | <b>2</b>          | <b>0</b>          | <b>132</b>    | <b>994.2</b>   | <b>37</b>  | <b>3,271.1</b>  |
| <b>Grand Total:</b> |                 | <b>242</b>    | <b>1,649.5</b> | <b>19</b>         | <b>1.2</b>        | <b>261</b>    | <b>1,650.7</b> | <b>151</b> | <b>30,205.4</b> |

## Remarks by Reporting Office:

| Reporting Office | Remarks   |
|------------------|---|
| ID-EIC           | More rain.  |
| ID-PAC           | No activity.  |
| NV-CNC           | No fires to report today. Thank you!  |
| NV-EIC           | No new fires  |
| UT-CDC           | Two new starts today for a total of 15.1 acres, and a prescribed fire for a total of 1 acres. No needs. Weather is partly sunny with gusts of wind. |
| UT-UBC           | Overcast, high winds.   |



## **GACC Summary Situation Report - by Protection**

**Report Date: May 15, 2025**

**Geographic Area: Great Basin Coordination Center**

**Preparedness Level: I**

### **Large Incidents:**

**No Large Incidents to Report**

### **Total Committed Resources to Large Fire:**

**No Committed Resources found for the above Large Incidents.**