MONTROSE DISPATCH CENTER
PERFORMANCE RATING

INSTRUCTIONS: The immediate job supervisor will prepare this form for each subordinate. It will be delivered to the planning section before the rater leaves the fire. Rating will be reviewed with employee who will sign at the bottom

PERFORMANCE RATING who will sign at the			m.				-				5 .					1	,		
THIS RA	TING IS TO BE USED ONLY FOR	R DETE	RMINI	ING A	N INI	DIVID	UAL'S	PERF	ORM	ANCE									
1. Name	2. Fire Name and Number																		
3. Home Unit (address)	4. Location of Fire (address)																		
5. Fire Position	6. Date of Assignment From: To:	1		7. Acres Burned							8. Fuel Type(s)								
	Evaluation																		
Enter <b>X</b> under appropriate rating numb					cato	gony	listo	4 D	ofinit	ion fo	or oo	ob re	ating	num	hor f	ollova	(C)		
0 - Deficient. Does not meet minimum in DEFICIENCIES MUST BE IDENTIFI	requirements of the indivi	dual	elem	ent.				u. D		ЮПТС	Ji ea	J1116	aurig	num	Deri	OllOvv	73.		
1 - Needs to improve. Meets some or m IDENTIFY IMPROVEMENT NEEDS		of the	e indiv	/idua	ıl ele	men	ıt.												
2 - Satisfactory. Employee meets all red																			
3 Superior. Employee consistently exc							Δ.	CI			DO0								
Rating Factors				Initial Attack				Aircraft				ROSS & Logistics				Supervision			
Knowledge of the job		0	1	2	3	0	1	2	3	0	1	2	3	0	1	2	3		
Supervision Skills																			
Attitude																			
Manage Multiple Tasks																			
Initiative																			
Ability to Interact with Managemer	nt & Operations																		
Obtain necessary equipment and supplies																			
Dispatch Computer Software Applications Competency																			
Safety																			
Specialized Skill & Competencies - Attack & Aviation	Supervise Initial																		
Other Specify – Use of AFF and FF p	protocols																		
Other Specify- Demobing incident	resources																		
11. Employee (signature) This rating has been 13. Rated By (signature)	en discussed with me	15. F	Position	n of F	ire							12. [							

ICS 225 NFES 1576