

Version 1.0	Revision Date 04/16/2015	Print Date 12/08/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	BZ7573 ZEP IND PRPL CL ZU0856128 4/1G
Material number	:	0000000001047494
Manufacturer or supplier's o	leta	lils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers				
For SDS Information	:	Compliance Services 1-877-428-9937		
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded		
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.		
Emergency		In the District of Columbia 202-483-7616		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	purple, clear
Odour	mild, characteristic

GHS Classification

Flammable liquids Skin corrosion Serious eye damage	: Category 4 : Category 1A : Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H227 Combustible liquid. H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT



Version 1.0	Revision Date 04/16/2015	Print Date 12/08/2015
	 induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take immediately all contaminated clothing. Rinse skin with wate shower. P304 + P340 + P310 IF INHALED: Remove victim to fresh and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously water for several minutes. Remove contact lenses, if prese and easy to do. Continue rinsing. Immediately call a POISO CENTER or doctor/ physician. P363 Wash contaminated clothing before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. Disposal: P501 Dispose of contents/container in accordance with loc regulation. 	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with unl	
OSHA	2-butoxyethanol No component of this product present equal to 0.1% is identified as a carcino carcinogen by OSHA.	
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
sodium hydroxide	1310-73-2	>= 1 - < 5
2-butoxyethanol	111-76-2	>= 1 - < 5
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	68439-57-6	>= 1 - < 5
Alcohols, C10-14, ethoxylated	66455-15-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area.



Version 1.0	Revision Date 04/16/2015	Print Date 12/08/2015
	Show this safety data sheet to the or Do not leave the victim unattended.	loctor in attendance.
If inhaled	: If unconscious place in recovery po advice. Consult a physician after significant	
In case of skin contact	 Wash off immediately with plenty of minutes. If on clothes, remove clothes. Get medical attention immediately i 	
In case of eye contact	 Remove contact lenses. Protect unharmed eye. Rinse immediately with plenty of ware to be a series of the series of th	
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an If symptoms persist, call a physician DO NOT induce vomiting unless dir physician or poison control center. Take victim immediately to hospital. 	n. ected to do so by a

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Carbon dioxide (CO2) Water spray jet Alcohol-resistant foam Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.



Version 1.0

Revision Date 04/16/2015

Print Date 12/08/2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	E F E	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions :	F It	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. f the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	(a V	Neutralise with acid. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, <i>e</i> rmiculite) and place in container for disposal according to ocal / national regulations (see section 13). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Avoid exposure - obtain special instructions before use. Take precautionary measures against static discharges. Dispose of rinse water in accordance with local and national regulations. Do not breathe vapours or spray mist.
Conditions for safe storage	:	No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Store and keep away from, oxidizing agents and acids.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
sodium hydroxide	1310-73-2	С	2 mg/m3	ACGIH



Version 1.0	Revision	Date 04/16/20	015	Print Date 12/08/2015	
	I	C	2 mg/m3	NIOSH REL	
		TWA	2 mg/m3	OSHA Z-1	
		С	2 mg/m3	OSHA P0	
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH	
		TWA	5 ppm 24 mg/m3	NIOSH REL	
		TWA	50 ppm 240 mg/m3	OSHA Z-1	
		TWA	25 ppm 120 mg/m3	OSHA P0	

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-BUTOXYETHANOL	111-76-2	Butoxyacetic	Urine	End of	200 mg/g	ACGIH BEI
		acid (BAA)		shift (As		
				soon as		
				possible		
				after		
				exposure		
				ceases)		
Remarks: Creatinine				•		

Personal protective equipme		
Respiratory protection	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrat that exposures are within recommended exposure guidelin	
Hand protection		
Remarks	The suitability for a specific workplace should be discussed with the producers of the protective gloves.	ţ
Eye protection	Ensure that eyewash stations and safety showers are clos the workstation location. Safety glasses	e to
Skin and body protection	impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work plac	e.
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: purple, clear
Odour	: mild, characteristic
Odour Threshold	: no data available

SAFETY DATA SHEET



BZ7573 ZEP IND PRPL CL ZU08561284/1G

Version 1.0	Revision Date 04/16/2015	Print Date 12/08/2015
рН	: 13 - 14	
Melting point/freezing point	: no data available	
Boiling point	: 98.9 °C	
Flash point	: > 88 °C Method: closed cup	
Evaporation rate	: 1	
Upper explosion limit	: not applicable	
Lower explosion limit	: not applicable	
Vapour pressure	: not determined	
Relative vapour density	: no data available	
Density	: 1.055 g/cm3	
Solubility(ies)		
Water solubility	: soluble in cold water, soluble in hot	t water
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable No decomposition if stored and applied as directed.
Chemical stability	:	Stable under normal conditions. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
		Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Extremes of temperature and direct sunlight.
		Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents Metals Acids
Hazardous decomposition products	:	Carbon oxides



Version 1.0

Revision Date 04/16/2015

Print Date 12/08/2015

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Product:		
Acute oral toxicity		Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity		Acute toxicity estimate : > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity		Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:		
sodium hydroxide: Acute dermal toxicity	:	Acute toxicity estimate rabbit: 1,350 mg/kg
Skin corrosion/irritation		

Product:

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation

Product:

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

sodium hydroxide: 2-butoxyethanol: Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts: Alcohols, C10-14, ethoxylated:

STOT - single exposure

no data available

STOT - repeated exposure



BZ/5/3ZEP IND PRPL C	L 2008561284/1G	
Version 1.0	Revision Date 04/16/2015	Print Date 12/08/2015
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data available		
SECTION 12. ECOLOGICAL INFORM	MATION	
Ecotoxicity		
no data available		
Persistence and degradability		
no data available Bioaccumulative potential		
Product:		
Partition coefficient: n- : octanol/water	Remarks: no data available	
Mobility in soil		
no data available		
Other adverse effects		
no data available Product:		
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR a + B).	fined by the U.S.
Additional ecological : information	no data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container.	



Version 1.0	Revision Date 04/16/2015	Print Date 12/08/2015
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch o 	n, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IMDG (Vessel): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Cargo Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: IATA (Passenger Air): UN3266, Corrosive liquid, basic, inorganic, n.o.s., (SODIUM HYDROXIDE), 8, II

Transportation Regulation: TDG (Canada): UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (SODIUM HYDROXIDE), 8, II

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 311/312 Hazards	:	Acute Health Hazard Fire Hazard
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop 65		This product does not contain any chemicals known to State of



ersion 1.0	Revision Date 04/16/2015	Print Date 12/08/2015
	California to cause cancer, birth defec reproductive harm.	ts, or any other
The component	ts of this product are reported in the following inve	entories:
TSCA	On TSCA Inventory	
DSL	This product contains one or several compone Canadian DSL nor NDSL.	ents that are not on the
AICS	Not in compliance with the inventory	
NZIoC	Not in compliance with the inventory	
PICCS	Not in compliance with the inventory	
IECSC	Not in compliance with the inventory	
Inventory Acro	nym and Validity Area Legend:	
AICS (Australia)	, DSL (Canada), IECSC (China), REACH (European U	Inion), ENCS (Japan), ISHI

(Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

Hazard pictograms	
Signal w ord Hazard statements Precautionary statements	 Danger: Combustible liquid. Causes severe skin burns and eye damage. Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/eye protection/face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with w ater/ show er. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foamfor extinction.

SAFETY DATA SHEET



BZ7573 ZEP IND PRPL CL ZU08561284/1G

Version 1.0

Revision Date 04/16/2015

Print Date 12/08/2015

Storage: Store in a well-ventilated place. Keep cool. Store locked up. **Disposal:** Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical[™], Selig[™], Misty®, Next Dimension[™], Petro®, i-Chem®, TimeMist®, TimeWick[™], MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National[™], FC Forward Chemicals®,Rexodan®, Mykal[™], and a number of private labeled brands.