# SAFETY DATA SHEET

Revision Date 29-Apr-2015

Version 1

# 1. IDENTIFICATION

Product identifier

**Product Name** 

RT-8-A RUST TREATMENT 80Z BO

Other means of identification

**Product Code** Synonyms

81775

None

Recommended use of the chemical and restrictions on use

**Recommended Use** 

Rust preventative

Uses advised against

No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Distributor

ITW Permatex

**ITW Permatex Canada** 35 Brownridge Road, Unit 1

10 Columbus Blvd. Hartford, CT 06106 USA

Halton Hills, ON Canada L7G 0C6

Telephone: (800) 924-6994

Company Phone Number

1-87-Permatex

(877) 376-2839

24 Hour Emergency Phone Number Chem-Tel: 800-255-3924

International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address

mail@permatex.com

#### 2. HAZARDS IDENTIFICATION

#### Classification

**OSHA Regulatory Status** 

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Label elements

**Emergency Overview** 

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance White

Physical state Liquid

Odor Mild

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable.

Unknown acute toxicity

37.1403% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
WATER	7732-18-5	30 - 60	*
VINYLIDENE-ACRYLIC COPOLYMER (MIXTURE)		15 - 40	*
BARIUM SULFATE	7727-43-7	5 - 10	*
PROPYLENE GLYCOL	57-55-6	1-5	*
2-BUTOXYETHANOL	111-76-2	1-5	*
ORGANIC ACID	1401-55-4	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### Description of first aid measures

General advice Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN:. Wash skin with soap and water. If skin imitation persists, call a physician.

Wash contaminated clothing before reuse.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media

None.

Specific hazards arising from the chemical

None in particular.

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.

Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system. See Section 12 for additional

ecological information.

# Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

Prevention of secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.

# Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep from freezing.

Incompatible materials

Strong oxidizing agents, Bases

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
BARIUM SULFATE 7727-43-7	TWA: 5 mg/m³ inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### **Appropriate engineering controls**

**Engineering Controls** 

**Showers** 

Eyewash stations Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eyelface protection

Wear safety glasses with side shields (or goggles).

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of

Remarks • Method

Butyl acetate = 1

Air = 1

equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state **Appearance** Odor

Liquid White Mild

Odor threshold

No information available

**Property** 

<u>Values</u>

2.4-3.5

pН Melting point / freezing point

No information available

Boiling point / boiling range

100 °C / 212 °F

Flash point

None

**Evaporation rate** 

<1

Flammability (solid, gas)

No information available

Flammability Limit in Air

Upper flammability limit:

No information available

Lower flammability limit: Vapor pressure

No information available

Vapor density

24 mm Hg

>1

Relative density

1.22

Water solubility

Soluble in water

Solubility in other solvents

No information available No information available

Partition coefficient Autoignition temperature **Decomposition temperature** 

No information available No information available No information available

Kinematic viscosity Dynamic viscosity Explosive properties

No information available No information available No information available

Oxidizing properties

Other Information

No information available No information available

Molecular weight **VOC Content (%)** 

2.0%

**Density Bulk density** 

Softening point

No information available No information available

# 10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Bases

**Hazardous Decomposition Products** 

Carbon oxides Hydrogen chloride

# 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation

May cause irritation of respiratory tract.

Eye contact

Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

Skin contact

May cause skin irritation and/or dermatitis.

Ingestion

Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
WATER 7732-18-5	> 90 mL/kg (Rat)		
PROPYLENE GLYCOL 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg ( Rabbit )	•
2-BUTOXYETHANOL 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
ORGANIC ACID 1401-55-4	= 2260 mg/kg (Rat)	-	•

#### Information on toxicological effects

**Symptoms** 

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
2-BUTOXYETHANOL	A3	Group 3	-	-
111-76-2				
ORGANIC ACID		Group 3		
1401-55-4				

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

May cause adverse effects on the bone marrow and blood-forming system. May cause

adverse liver effects.

**Target Organ Effects** 

Chronic toxicity

Blood, Central nervous system, Eyes, Hematopoietic System, kidney, Liver, Respiratory

system, Skin.

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)

2599 mg/kg

ATEmix (dermal)

32766 mg/kg

ATEmix (inhalation-dust/mist) ATEmix (inhalation-vapor)

8.1 mg/l 14113 mg/l

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

47.7188% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
PROPYLENE GLYCOL 57-55-6	19000: 96 h Pseudokirchneriella subcapitala mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50
2-BUTOXYETHANOL 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
ORGANIC ACID 1401-55-4	*	37: 96 h Gambusia affinis mg/L LC50	-

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

No information available,

Chemical Name	Partition coefficient
2-BUTOXYETHANOL	0.81
111-76-2	İ

# Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

**US EPA Waste Number** 

Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
BARIUM SÜLFATE	Toxic soluble
7727-43-7	

# 14. TRANSPORT INFORMATION

DOT

Proper shipping name:

Not regulated

IATA

Proper shipping name:

Not regulated

<u>IMDG</u>

Proper shipping name:

Not regulated

Not Listed.

# 15. REGULATORY INFORMATION

International Inventories
TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Not Listed.
ENCS Not Listed.
IECSC Complies
KECL Complies
PICCS Complies

Legend:

**AICS** 

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS - Japan Existing and New Chemical Substances** 

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
BARIUM SULFATE - 7727-43-7	1,0
2-BUTOXYETHANOL - 111-76-2	1.0

# SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	
BARIUM SULFATE 7727-43-7	X	X	X	
PROPYLENE GLYCOL 57-55-6	Х	•	X	
2-BUTOXYETHANOL 111-76-2	X	X	и Х	
SODIUM SULFATE 7757-82-6	III.	Х	X	

U.S. EPA Label Information

**EPA Pesticide Registration Number** Not applicable

NFPA HMIS Health hazards 2 Health hazards 2

Flammability 0
Flammability 0

Instability 0

Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

29-Apr-2015

# **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**