

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **Slime Super Duty Tire Sealant**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.

- Application of the substance / the mixture Sealant

- 1.3 Details of the supplier of the Safety Data Sheet

• **Manufacturer/Supplier:**
(North America)
ITW Global Tire Repair, Inc.
125 Venture Drive, Suite 210, San Luis Obispo, CA 93401
Tel (805) 489-0490

(Europe)
ITW Global Tire Repair, Europe GmbH
Carl-Benz Str. 10, 88696 Owingen, Germany
Tel 0049 7551-9200-100



Only representative of a non-Community manufacturer
H2 Compliance
Rubicon Building, CIT Campus, Bishopstown, Cork, Ireland
Tel +353 21 486 8122
E-Mail info@h2compliance.com

- Further information obtainable from: Product Safety Department

- 1.4 Emergency telephone number:
ChemTel Inc.
(800)255-3924, +1 (813)248-0585

Poison Control Centres:
In the United Kingdom: 844 892 0111
In Australia: 131126
In New Zealand: +0800 764 766

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
The product is not classified as hazardous according to the CLP regulation.
- Additional information:
There are no other hazards not otherwise classified that have been identified.
0 % of the mixture consists of component(s) of unknown toxicity.

-
- 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008 Not Regulated
 - Hazard pictograms Not Regulated
 - Signal word Not Regulated
 - Hazard statements Not Regulated

(Cont'd. on page 2)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 1)

· NFPA ratings (scale 0 - 4)



Health = 0
Fire = 1
Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0
Fire = 1
Reactivity = 0

- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	25-50%
CAS: 12174-11-7 EC number: 601-805-5	Attapulgate (Palygorskite) ⚠ Carc. 2, H351	2,5-10%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	≤ 2,5%
CAS: 14808-60-7	quartz substance with a Community workplace exposure limit	≤ 2,5%

· Additional information:

For the wording of the listed Hazard Statements refer to section 16.

For the listed ingredient(s), the identity and exact percentages are being withheld as a trade secret.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Remove contact lenses if worn.
- After swallowing:

Unlikely route of exposure.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Cont'd. on page 3)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** None.
- **5.2 Special hazards arising from the substance or mixture**
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information** Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Allow to solidify. Pick up mechanically.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
No special measures required.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store receptacle in a well ventilated area.
- **7.3 Specific end use(s)** No further relevant information available.

(Cont'd. on page 4)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 3)

SECTION 8: Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see section 7.

· 8.1 Control parameters

· **Ingredients with limit values that require monitoring at the workplace:**

56-81-5 glycerol

PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.
EL (Canada)	Long-term value: 10* 3** mg/m ³ *mist; **mist, respirable
EV (Canada)	Long-term value: 10 mg/m ³

9004-34-6 Cellulose

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Long-term value: 10* 3** mg/m ³ *total dust, **respirable fraction
EV (Canada)	Long-term value: 10 mg/m ³ paper fibre, total dust

14808-60-7 quartz

PEL (USA)	see Quartz listing
REL (USA)	Long-term value: 0,05* mg/m ³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0,025* mg/m ³ *as respirable fraction
EL (Canada)	Long-term value: 0,025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0,10* mg/m ³ *respirable fraction

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· **Respiratory protection:** Not required.

· **Protection of hands:**

No chemical-protective gloves required.

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

· **Material of gloves:** Strong material gloves

· **Eye protection:** Not required.

(Cont'd. on page 5)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 4)

· Body protection: Not required.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Structurally viscous

Colour:

Different according to colouring

· Odour:

Mild

· Odour threshold:

Not determined.

· pH-value:

8,8 ± 1,0

· Change in condition

Melting point/Melting range:

Not Determined.

Boiling point/Boiling range:

104,4 °C (220 °F)

· Flash point:

>93,3 °C (>200 °F)

· Flammability (solid, gaseous):

Product is not flammable.

· Auto/Self-ignition temperature:

371 °C (700 °F) (Estimation)

· Decomposition temperature:

>100 °C (>212 °F)

· Self-igniting:

Product is not self-igniting.

· Danger of explosion:

Product does not present an explosion hazard.

· Explosion limits:

Lower:

Not determined.

Upper:

Not determined.

· Vapour pressure:

Not determined.

· Density at 20 °C (68 °F):

1,138 ± 0,05 g/cm³ (9,497 ± 0,417 lbs/gal)

· Relative density

Not determined.

· Vapour density

Not determined.

· Evaporation rate

Not determined.

· Solubility in / Miscibility with water:

Emulsifiable.

· Partition coefficient (n-octanol/water):

Not determined.

· Viscosity:

Dynamic:

Not determined.

Kinematic:

Not determined.

· 9.2 Other information

No further relevant information available.

(Cont'd. on page 6)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with strong oxidising agents.
Reacts with strong acids.
- **10.4 Conditions to avoid** Store away from oxidising agents.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
Possible in traces.
Carbon monoxide and carbon dioxide
Hydrocarbons
Nitrogen oxides

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:** None.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
- **Germ cell mutagenicity**
Based on available data, the classification criteria are not met.
- **Carcinogenicity**
Based on available data, the classification criteria are not met.
- **Reproductive toxicity**
Based on available data, the classification criteria are not met.
- **STOT-single exposure**
Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard**
Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- **12.3 Bioaccumulative potential** Does not accumulate in organisms.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Generally not hazardous for water
This statement was deduced from products with a similar structure or composition.
Due to the consistence of the product a disperse distribution into the environment is not possible.

(Cont'd. on page 7)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 6)

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
Smaller quantities can be disposed of with household waste.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to local official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.2 UN proper shipping name | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.3 Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Not Regulated |
| · 14.4 Packing group | |
| · DOT, ADR, IMDG, IATA | Not Regulated |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of
Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Not Regulated |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 8)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 7)

• **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

• **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

• **Proposition 65 (California):**

• **Chemicals known to cause cancer:**

References to chemical components listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

12174-11-7	Attapulgit (Palygorskite)
------------	---------------------------

14808-60-7	quartz
------------	--------

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

• **Carcinogenic Categories**

• **EPA (Environmental Protection Agency)**

None of the ingredients are listed.

• **IARC (International Agency for Research on Cancer)**

12174-11-7	Attapulgit (Palygorskite)	2B
------------	---------------------------	----

14808-60-7	quartz	1
------------	--------	---

• **TLV (Threshold Limit Value established by ACGIH)**

14808-60-7	quartz	A2
------------	--------	----

• **NIOSH-Ca (National Institute for Occupational Safety and Health)**

14808-60-7	quartz
------------	--------

• **Canada**

• **Canadian Domestic Substances List (DSL)**

All ingredients are listed.

• **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients are listed.

• **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients are listed.

• **Directive 2012/18/EU**

• **Named dangerous substances - ANNEX I**

None of the ingredients are listed.

• **Other regulations, limitations and prohibitive regulations**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

(Cont'd. on page 9)

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA
GHS

Printing date 05.08.2015

Revision: 05.08.2015

Trade name: Slime Super Duty Tire Sealant

(Cont'd. from page 8)

· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients are listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H351 Suspected of causing cancer.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Carc. 2: Carcinogenicity, Hazard Category 2

100

100

100

100