

Color Country Fire Management

Bureau of Land Management AZ Bureau of Land Management UT
Dixie National Forest Zion and Bryce National Parks
Utah, Forestry, Fire, and State Lands Bureau of Indian Affairs



To: Type 3, 4 and 5 Incident Commanders May 28, 2026
From: Agency Administrators within Color Country Interagency Fire Dispatch Zone
Subject: Delegation of Authority and Letter of Expectations for Type 3, 4 and 5 Incident Commanders

We delegate the authority to manage wildland fires within the Color Country Interagency Fire Management Area (CCIFMA) to all Color Country Type 3, 4 and 5 Incident Commanders (IC), to include out of area resources assisting within Color Country. This delegation carries with it the full authority for the management of the resources (personnel and equipment) and expenditure of funds directly associated with Type 3, 4 or 5 incidents within the Color Country Interagency Fire Dispatch Zone. This delegation primarily applies to short duration or emerging incidents, an incident specific delegation of authority may be initiated if the situation warrants. **As an IC, you must keep firefighter and public safety your highest priority on every fire.** Additionally, you should manage the incident cost-efficiently and with as little environmental damage as possible while committing resources only when there is a reasonable expectation of success in protecting life and critical values at risk.

We further want to convey our expectations about your responsibilities. The following list of expectations and responsibilities will guide you to achieving your mission:

- Develop and implement viable strategies and tactics for the incident utilizing the risk management process and monitor their effectiveness. Reassess if the chosen strategies and tactics cannot be implemented in a manner that minimizes risk and exposure to responders and the public.
- Give thorough and complete briefings (see the Incident Response Pocket Guide).
- Establish a unified command quickly when appropriate (multi-jurisdictional situations).
- Follow established guidance and protocols for special areas of concern contained in the CCIFMA Annual Operating Plan.
- For Type 3 ICs, do not assume any collateral duties.

We have the utmost respect for your knowledge and professionalism. You serve an extremely important leadership role. Please understand that your actions will be supported in any cases where you take appropriate precautions to safeguard firefighters and the public.

This delegation will remain in effect unless revised or revoked



USFS, Dixie National Forest
Forest Supervisor

Josh Tibbetts

Josh Tibbetts (Jun 10, 2026 14:30:17 MDT)
DOI-USWFS, Great Basin Unit-13
Unit Fire Chief

Danon Hulet

Utah Division of Forestry, Fire & State Lands
Southwest Area Manager

Brandon Davis

Brandon Davis (Jun 10, 2026 14:35:03 MDT)
DOI-USWFS, Great Basin Unit-14
Unit Fire Chief

COLOR COUNTRY

Version 2026 v1



Great Basin
Incident
Organizer



Incident Name	
Fire Code	
Unit	
IC Name, Time & Date	
Incident Complexity (Type)	
Actual Containment Date & Time	
Actual Control Date & Time	
Actual Out Date & Time	
Final Size	
Protecting Agency at Origin	

Directions and Intent:

- Intended to provide the IC with a format and focal point to begin processing an incident that is emerging. (Start to plan your actions – delegate – instead of engaging directly and possibly losing your situational awareness as IC.)
- Use until an Incident is out or operating on an IAP.
- Serves as an Incident Workbook when used in conjunction with the IRPG
- **Red-blocked items are required to be filled in for 30-mile accident prevention (Forest Service).**

IC Print Name: _____

IC Signature: _____

The final IC will submit the Incident Organizer along with all other associated documentation to the appropriate agency contact OR to
CCIFC – 1770 W Kittyhawk, Cedar City, UT 84721 Phone: 435-865-4600
No Later Than 5 days after the fire is called out.

YES	NO	IC's CHECKLIST
		Incident complexity analysis completed.
		Risk management process completed
		Hazard mitigations in place.
		IRPG Briefing checklist used for all incoming resources and documented
		Work/Rest Guidelines reviewed and tracked
		Personnel are qualified for positions.
		Type 3 IC accepts no collateral duties except for unfilled command and general staff positions.
		After action review performed and documented by IC

Initial Fire Size-Up (Complete immediately upon arrival)									
Fire Name:				IC Name:					
Descriptive Location:									
Coordinates AT ORIGIN:		Geographic:		Lat.		Long.			
		Legal:		Twn.		Rng.		Sec.	
Estimated Size(acres):				Elevation (feet):					
Apparent Cause:		☐ Natural ☐ Human		--> Fire investigator Name:					
Are structures threatened?		☐ No ☐ Yes(specify)							
Additional resources needed?		☐ No ☐ Yes(specify)							
Additional Resources needed: Type: Number:									
Expanded Fire Size-Up (Complete within 15 minutes of arrival)									
Any control problems?		☐ No ☐ Yes(specify)							
Any other values threatened?		☐ No ☐ Yes(specify)							
Unified Command?		☐ No ☐ Yes(specify)							
Ground Hazards:									
Aerial Hazards:									
Fire Complexity		☐ Type III ☐ Type IV ☐ Type V							
Estimated Containment:		Date		Time					
Estimated Control:		Date		Time					
Spread Potential		☐ 1. Low ☐ 2. Moderate ☐ 3. High ☐ 4. Extreme							
Fire Behavior		☐ 1. Smoldering ☐ 3. Running ☐ 5. Torching ☐ 7. Crown/Spotting							
		☐ 2. Creeping ☐ 4. Spotting ☐ 6. Crowning ☐ 8. Erratic							
Flame Length									
Slope at head of fire		☐ 1. 0-25% ☐ 2. 26-40% ☐ 3. 41-55% ☐ 4. 56-75% ☐ 5. 76+%							
Position on Slope		☐ 1. Ridge Top ☐ 4. Middle 1/3 of slope ☐ 7. Valley Bottom							
		☐ 2. Saddle ☐ 5. Lower 1/3 of slope ☐ 8. Mesa/Plateau							
		☐ 3. Upper 1/3 of slope ☐ 6. Canyon Bottom ☐ 9. Flat or rolling							
Aspect		☐ 0. Flat ☐ 2. NE ☐ 4. SE ☐ 6. SW ☐ 8. NW							
		☐ 1. N ☐ 3. E ☐ 5. S ☐ 7. W ☐ 9. Ridgetop							
Fuel Type		☐ 1. Short Grass (1 ft) ☐ 5. Brush (2 ft) ☐ 10. Timber (litter & understory)							
		☐ 2. Timber w/ Grass ☐ 6. Dormant Brush ☐ 11. Light Logging Slash							
		☐ 3. Tall Grass (3 ft) ☐ 8. Closed Timber Litter ☐ 12. Medium Logging Slash							
		☐ 4. Chaparral Brush (6 ft) ☐ 9. Hardwood Litter ☐ 13. Heavy Logging Slash							
Wind Speed (mph):				Gusts (mph):					
Wind		☐ 0. Calm ☐ 2. NE ☐ 4. SE ☐ 6. SW ☐ 8. NW							
Direction		☐ 1. N ☐ 3. E ☐ 5. S ☐ 7. W ☐ 9. Erratic							
Current Weather Conditions:									
LCES in Place (Refer to IRPG)				☐ No ☐ Yes					
Today's ERC or BI for FDRA				ERC:		BI:			

Final Fire Report				
Fire Numbers:		DOI:		State:
		USFS:		SO#:
Descriptive Location:				
Discovery Date:		Time:		☐ Estimated ☐ Actual
Initial Attack Date:		Time:		☐ Estimated ☐ Actual
Coordinates at Origin:		Geographic: Lat.		Long.
		UTM (nad83): E.		N.
		Legal: Tn.		Rg. Sec. ¼ Sec.
Elevation(ft):		Slope(%):		County:
General Cause:		☐ Lightning ☐ Smoking ☐ Equipment ☐ Firearms/Weapons ☐ Railroad ☐ Camping ☐ Incendiary ☐ Utilities ☐ Debris/Open Burning ☐ Other Human Cause		
Specific Cause:		☐ Accident/Derailment ☐ Debris/Trash Burning ☐ Matches ☐ Aerial Luminaries ☐ Ditch/Fence Burning ☐ Motor Vehicle ☐ Agricultural ☐ Drug Ops/ Paraphernalia ☐ Mowing ☐ Aircraft ☐ Dump Burning ☐ Other _____ ☐ Ammunition ☐ Exhaust System Particle ☐ Portable Stove ☐ Arson ☐ Exploding Targets ☐ Power Gen/Trans ☐ Ash Disposal ☐ Farm Equipment ☐ Power Tools ☐ Barrel ☐ Field Burning ☐ Rail/Track Grinding ☐ Blasting ☐ Fire Play ☐ Right of Way ☐ Bonfire ☐ Fireworks ☐ Signal Flares ☐ Brake Shoe Particle ☐ Flue Sparks ☐ Smoke Out Bees/Game ☐ Broadcast/Prescribed Burn ☐ Glass Refract/Magnification ☐ Smoking ☐ Campfire ☐ Grazing/Habitat Improvement ☐ Spontaneous Combustion ☐ Ceremonial/Cultural ☐ Heavy Equipment ☐ Structure ☐ Cigar/Cigarette ☐ Incendiary Device ☐ Turbocharger ☐ Cooking/Cook Fire ☐ Lighter ☐ Warming Fire ☐ Cutting/Welding ☐ Logging Equipment ☐ Wheel Bearing Failure		
Fuel Group:		☐ Grass (GR) ☐ Grass – Shrub (GS) ☐ Shrub (SH) ☐ Timber – Understory (TU) ☐ Timber Litter (TL) ☐ Slash – Blowdown (SB)		
Fire Behavior Fuel Model:		☐ GR1 Short, Sparse Dry Climate Grass ☐ GR2 Low Load, Dry Climate Grass ☐ GR3 Low Load, Very Coarse, Humid Climate Grass ☐ GR4 Moderate Load, Dry Climate Grass ☐ GR5 Low Load, Humid Climate Grass ☐ GR6 Moderate Load, Humid Climate Grass ☐ GR7 High Load, Dry Climate Grass ☐ GR8 High Load, Very Coarse, Humid Climate Grass ☐ GR9 Very High Load, Humid Climate Grass ☐ GS1 Low Load, Dry Climate Grass-Shrub ☐ GS2 Moderate Load, Dry Climate Grass-Shrub ☐ GS3 Moderate Load, Humid Climate Grass-Shrub ☐ GS4 High Load, Humid Climate Grass-Shrub ☐ SH1 Low Load Dry Climate Shrub ☐ SH2 Moderate Load Dry Climate Shrub ☐ SH3 Moderate Load, Humid Climate Shrub ☐ SH4 Low Load, Humid Climate Timber-Shrub ☐ SH5 High Load, Dry Climate Shrub ☐ SH6 Low Load, Humid Climate Shrub ☐ SH7 Very High Load, Dry Climate Shrub ☐ SH8 High Load, Humid Climate Shrub ☐ SH9 Very High Load, Humid Climate Shrub ☐ TU1 Low Load Dry Climate Timber-Grass-Shrub ☐ TU2 Moderate Load, Humid Climate Timber-Shrub ☐ TU3 Moderate Load, Humid Climate Timber-Grass-Shrub ☐ TU4 Dwarf Conifer With Understory ☐ TU5 Very High Load, Dry Climate Timber-Shrub ☐ TL1 Low Load Compact Conifer Litter ☐ TL2 Low Load Broadleaf Litter ☐ TL3 Moderate Load Conifer Litter ☐ TL4 Small downed logs ☐ TL5 High Load Conifer Litter ☐ TL6 Moderate Load Broadleaf Litter ☐ TL7 Large Downed Logs ☐ TL8 Long-Needle Litter ☐ TL9 Very High Load Broadleaf Litter ☐ SB1 Low Load Activity Fuel ☐ SB2 Moderate Load Activity Fuel or Low Load Blowdown ☐ SB3 High Load Activity Fuel or Moderate Load Blowdown		

After Action Review		
INCIDENT NAME:		IC:
DATE:	Incident Complexity:	
CRITIQUED BY: (Names of attendees)		
What was planned? What actually happened? What was the difference, if any, between questions one and two? What can you do different next time to meet objectives?		
AAR Leader Signature:		Date:
Reviewed by:		Date:
COMMENTS:		

Incident Objectives		
1. SAFETY of firefighters and public.		
2.		
3.		
4.		
Your goal is to manage the incident and not create another.		

Radio Frequencies		
Net	Frequency	Tone
Command	<i>Rx</i>	
	<i>Tx</i>	
Air-to-Ground	<i>Rx</i>	
	<i>Tx</i>	
Tac	<i>Rx</i>	
	<i>Tx</i>	
Tac	<i>Rx</i>	
	<i>Tx</i>	

Risk Management		
Maintain your situational awareness. Ensure compliance with the 10 Standard Firefighting Orders and LCES. Continually monitor the 18 Situations and apply appropriate mitigation. As the incident progresses, continually re-evaluate your situation. When hazards are identified mitigate them or change tactics and or strategy. Refer to the green pages in the IRPG.		
YES	NO	Decision Points
		Controls in place for identified hazards? If no reassess your situation
		Are selected tactics based on expected fire behavior? If no reassess your situation
		Are the current strategy and tactics working? If no reassess your situation
Incident Risk Analysis (215a)		
Division/Group or Segment	Hazardous Actions or Conditions	Mitigations/Warnings/Remedies
OPERATIONAL PERIOD VALID		

RESOURCE SUMMARY					
Resource ID	Resource Type	Personnel	On Shift	Assignment	Briefed Y/N
Date: _____					
Date: _____					
Date: _____					

Document Briefing for all Incoming Resources.

Date:	Time:	Incident Number:	Incident Name:	Unit:
Incident Type:	Operational Period:	Incident Commander:	IC Type (1-5)	
Justification				
Name of Individual(s) or Crew:				
Description of Situation: (Y)				
Shifts in excess of 16 hours on _____ was due to:				
☐ Travel Time not administratively controllable. ☐ Mobilization and travel of resources to incident location or relocation to incident facilities. ☐ Establishing and maintaining administrative, planning, and logistical support for incident. ☐ Evacuation, triage, structure protection, or emergency rescue. ☐ Establishing initial control of lines of the fire. ☐ Extended attack efforts to control potentially devastating incident activity. ☐ Incident unable to provide personnel with adequate food and lodging. ☐ Other/Additional:				
Extended hour(s)	Date:	Work Hours:	Total Hours:	
Rational: (Y)				
☐ Emergency mobilization of resources to and from incident or facilities. ☐ Efforts required setting up, supporting, and undertaking incident control actions. ☐ Imperative operational defensive actions to prevent loss of life, resources and property damage. ☐ Extenuating circumstances resulted in personnel being left on-location without food and lodging. ☐ Other/Additional:				
Mitigation Measures				
Actions taken to reduce impact on firefighter safety and reduce fatigue: (Y)				
☐ Rest extended into the following operational period. Hours adjusted _____ On shift by: ☐ Other:				
Mitigation hour(s)	Date:	Hours:	Total Hours:	

Agency Line Officer or Duty Officer

Work Rest Ratio Documentation Worksheet

This worksheet is designed to help the IC document and calculate amount of rest required to meet the Work/Rest guidelines.

- ◆ For every 2 hours of work or travel provide 1 hour of sleep or rest.
- ◆ IC must justify and document work shifts exceeding 16 hours and those that do not meet the 2:1 work/rest guidelines -- see below.

Date	Resource Identifier	Operational Period Start Time	Operational Period Stop Time	Total Hours Worked	Rest Time (document hours when resting)
Approval for shift lengths exceeding 16 hrs given by:				Date/ Time Approval Given:	
IC Signature:				Date:	

INCIDENT COMPLEXITY ANALYSIS (Type 3,4,5)

FIRE BEHAVIOR	YES*	NO
Fuels extremely dry and susceptible to long-range spotting or you are currently experiencing extreme fire behavior		
Weather forecast indicating no significant relief or worsening conditions.		
Current or predicted fire behavior dictates indirect control strategy with large amounts of fuel within planned perimeter.		
FIREFIGHTER SAFETY		
Performance of firefighting resources affected by cumulative fatigue		
Overhead overextended mentally and/or physically		
Communication ineffective with tactical resources or dispatch.		
ORGANIZATION		
Operations are at the limit of span of control		
Incident action plans, briefings, etc. missing or poorly prepared.		
Variety of specialized operations, support personnel or equipment.		
Unable to properly staff air ops.		
Limited local resources available for initial attack.		
Heavy commitment of local resources to logistical support.		
Existing forces worked 24 hours without success.		
Resources unfamiliar with local conditions and tactics.		
VALUES TO BE PROTECTED		
Urban interface; structures, developments, recreational facilities, or potential for evacuation.		
Fire burning or threatening more than on jurisdiction and potential for unified command with different or conflicting management objectives.		
Unique natural resources, special-designation areas, critical municipal watershed, T&E specials habitat, cultural value sites.		
Sensitive political concerns, media involvement, or controversial fire policy.		
* If you have checked "Yes" on 3-5 of the analysis boxes, consider requesting the next level of incident management support.		

The Wildland Fire Risk and Complexity Assessment should be used to evaluate firefighter safety issues, assess risk, and identify the appropriate incident management organization. Determining incident complexity is a subjective process based on examining a combination of indicators or factors. An incident's complexity can change over time; incident managers should periodically re-evaluate incident complexity to ensure that the incident is managed properly with the right resources.

Incident Commanders should complete Part A and Part B and relay this information to the Agency Administrator. If the fire exceeds initial **attack** or will be managed to accomplish resource management objectives, Incident Commanders should also complete Part C and provide the information to the Agency Administrator.

Evaluate the following items, mitigate as necessary, and note any concerns, mitigations, or other information.

Evaluate these items	Concerns, Mitigations, Notes
LCES	
Fire Orders and Watch Out Situation	
Multiple operational periods have occurred without achieving initial objectives	
Incident Personnel are overextended mentally and/or physically and are affected by cumulative fatigue.	
Communication is ineffective with tactical resources and/ or dispatch	
Operations are at the limit of span of control.	
Aviation operations are complex and/ or aviation oversight is lacking.	
Logistical support for the incident is inadequate or difficult.	

1. Name of Incident or Project			2. Control Agency:			3. Request Made			
						Date:		Time:	
4. Location: (Township, Range, Section)				5. Drainage Name:			6. Exposure / Aspect		
7. Size of Incident or Project (acres):				8. Elevation		9. Fuel Type:		10. Project On:	
				Top	Bottom				
11. Weather Conditions at Incident or Project or from RAWS:									
Place	Elev.	Observation Date/Time	Wind Direction/ Velocity		Temperature				Sky Condition
			20 ft.	Eye-level	Dry bulb	Wet bulb	RH	DP	
Date/Time:									
Discussion and Outlook:									

Part B: Relative Risk Assessment

Hazards				Notes/Mitigation
<u>B4. Fuel Conditions</u> Consider fuel conditions ahead of the fire and rank the element low, moderate, or high. Evaluate fuel conditions that exhibit high ROS and intensify for your area, such as those caused by invasive species or insect/disease outbreaks; continuity of fuels;	L	M	H	
<u>B5. Fire Behavior</u> Evaluate the current fire behavior and rank this element low, moderate, or high. Considerations: intensity , rates of spread; crowning, profuse or long range spotting.	L	M	H	
<u>B6. Potential Fire Growth</u> Evaluate the potential fire growth, and rank this element low, moderate, or high. Considerations: Considerations would include current and expected fire growth based on fire behavior analysis and the weather forecast and/or the ability to control the fire.	L	M	H	

#	ITEM	NFES#	AMOUNT	#	ITEM	NFES#	AMOUNT
63	File-Mill 8" Bastard	000351		105	Pumpkin (6000 gal.)	006031	
64	File-Mill 10" Bastard	000060		106	Pumpkin (4800-5000 gal.)	006030	
64	File- Mill 12" Bastard	001059		107	Pumpkin (3000 gal.)	000568	
66	File Handle Small	000358		108	Pumpkin (1800 gal.)	000668	
67	File Handle Large	000063		109	Pumpkin (1500 gal.)	000589	
68	Sleeping Pad	001566		110	Folding Tank (1000 gal.)	000661	
69	Sleeping Bag - Warm	001062		111	Folding Tank (1500 gal.)	000664	
70	Sleeping Bag - Cold	000022		112	Class A Foam Silvex (5 gal.)	001140	
71	Light Sticks - 12 hr * Color			113	Foam 5 gallon (Phoscheck)	001139	
72	Tent-2 person	000077		114	Cargo Net 12x12 3000 LB	000531	
73	Belt Weather Kit	001050		115	Cargo Net TUNA 300 Lb	000795	
74	Headlamp (Led)	000718		116	Lead Line 12 ft 3000 lb	000529	
75	Safety Glasses			117	Swivel 3000 Lb	000526	
76	Nomex Pants (Green BDU)			118	Swivel 6000 Lb	000286	
77	Nomex Shirt (yellow)			119	55 Gallon Blivet (yellow)	000437	
78	Gloves, Leather S	001294		120	75 gallon Blivet (orange)	000426	
79	Gloves, Leather M	001295		121	Fusees *Each or Full Case	000105	
80	Gloves, Leather L	001296		122	Toilet Paper (roll)	000142	
81	Gloves, Leather XL	001297		123	Disposable Wet Wash Cloth	000206	
82	Ear Plugs (pair)	001027		124	Bath in a Box (Wet Towel)	000712	
83	Fiber Tape (roll)	000222		125	Bath Towel Paper (Case)	001038	
84	Flagging (roll) Pink	002401		126	Trash Bag 33 gal.{ clear (box)	000021	
85	Flagging (roll) Orange	002398		127	Tent Fly Yellow 16x 24	000070	
86	Flagging (roll) Lime Green	002396		128	Parachute Cord - 100ft	001041	
87	Flagging (other)			129	Plastic Sheeting Clear 16x100	000143	
88	Flagging Perimeter Pennants	000534		130	Rags Wiping Cloth	000565	
89	Saw Bar (specify length/make)			131	Hand Sanitizer		
90	Saw Chain-(specify length)			132	Tarps (Specify Size)		
91	Spark Plug (Brand-Number)			133	Paper Towels # of Rolls	000240	
92	Air Cleaner (Saw Make-Model)			134	Trash Can 33 gallon		
93	2 Cycle Mix Oil, Specify Size			135	Clorox Wipes		
94	Bar Oil (Gallon)	001880		136	3 " Volume Pump	001222	
95	Felling Wedge (Specify Size)			137	Volume Pump Accessory Kit	001060	
96	File-Round 7/32"	000345		138	Pumpkin / Hydrant Plumbing Kit	NON NFES	
97	Chain Saw Kit	000340		139	P Cord Roll	000533	
98	6 " Flat File* not cache item	NON NFES		140	Pole Up Right Case 6	000083	
99	BIG ASS Cooler/ CUBE Cooler	NON NFES		141	Ridge pole	000089	
100	1000 Ft Garden Hose Pack	NON NFES		142	T post size varies		
101	500 Ft Garden Hose Pack	NON NFES		143	CDC Type 3 Support Trailer	NON NFES	
102	1600 ft 1 1/2 in Hose Kit	NON NFES		144	Tables	NON NFES	
103	3000 ft 1 1/2 in Hose kit	NON NFES		145	Chairs	NON NFES	
104	FS/BLM Hose Pack	NON NFES		146			

Item	Amount	Considerations
Saw Fuel and Bar oil	1 Gal. Fuel, 2 Qt. Oil per 4 Hours	Specify Fuel Mix Ratio 50:1 or Other
Pump Fuel	1 Gal. Fuel per 1Hour Mark 3 pump 5 Gal. per 8 Hours	Specify Fuel Mix Ratio for Pump Type (pg. 95 IRPG)
Hose and Appliances	Figure 100' of 1" Laterals for every 200' of 1 ½" Trunk line and 50' of ¾ " Laterals for every 100' of 1"	Remember: Gated Wyes, Reducers, Nozzles, Hose clamps, Port-a-tanks,

Place Supply and Meal orders to Dispatch by 1600 hours to receive orders the next operational period.

COLOR COUNTRY SUPPLY ORDER FORM 4/16/2026							
Incident Name		Incident Number		Management Code		Order #	
DATE & TIME ORDER WAS PLACED		DATE & TIME NEEDED		LOCATION & TIME FOR DELIVERY			
ORDER REQUESTED BY:				Sent to CDC Cache { }			
ORDER RECEIVED BY:				Sent to South Zone Cache { }			
ORDER TO BE DELIVERED BY (SEND COPY OF ORDER TO INCIDENT):							
#	ITEM	NFES#	AMOUNT	#	ITEM	NFES#	AMOUNT
1	Meals - Breakfast Hot/Cold	R/V		32	Mop Up Kit (3 wand)	000772	
2	Meals - Lunches Hot/Cold	R/V		33	Backpack Pump Complete	000909	
3	Meals - Dinners Hot/Cold	R/V		34	Backpack Pump Wand	000151	
4	MRE-Meals Ready to Eat (case)	001842		35	Hose-3/4" 50 Ft synthetic	001016	
5	Freeze Dried Breakfast (ea.)	NON NFES		36	Hose-1" 100 'nps synthetic	001238	
6	Freeze Dried Dinner (ea.)	NON NFES		37	Hose-1 1/2" 100' NH synthetic	001239	
7	Jet Boil Fuel Canister (Size)	NON NFES		38	Increaser-3/4"x 1"	002235	
8	Water 2.5 / 1 Gallon Cubies			39	Increaser-1"x 1 1/2"	000416	
9	Water-5 Gal Cubies * Full	000048		40	Reducer 1"x 3/4 "	000733	
10	Bottled Water (case)	NON NFES		41	Reducer-1 1/2"x 1 "	000010	
11	Sport Drink (case)	NON NFES		42	Reducer-2" x 1 1/2"	000417	
12	Electrolyte powder (Ind Pks)	NON NFES		43	Reducer-3" nps X2 1/2"nh	000685	
13	Coffee (Gallons)	NON NFES		44	Gated "Y"-3/4"	000904	
14	ICE number of bags	NON NFES		45	Gated "Y"-1"	000259	
15	Cooler Regular Cache Cooler	000557		46	Gated "Y"-1 1/2"	000231	
16	AA Batteries- Case PK5,may vary	000030		47	Shut-off Valve-3/4"	000835	
17	AAA Battery pg of 12 ea.	007471		48	Shut-off Valve-1"	001201	
18	D Cell Battery	000033		49	Shut-off Valve-1 1/2"	001207	
19	Tool-Shovel	000171		50	In-line Tee 1 1/2x 1 1/2 x 1	000731	
20	Tool-Pulaski	000146		51	Hydrant Gate Valve/Wrench		
21	Tool-Combi	001180		52	Nozzle-3/4" Brass	000136	
22	Tool-McLeod	000296		53	Nozzle-1" KK Alumn.	001081	
23	Tool-Felling Axe 3-5 lb	000383		54	Nozzle-1 1/2" KK Alumn.	001082	
24	Sigg Bottle	001535		55	Mark III Portable Pump Only	000148	
25	** Dolmar if available	000741		56	Mark 3 Accessory Kit	003870	
26	Fuel - Diesel Specify Amount	NON NFES		57	Adaptor 1 1/2 F NH x 1 1/2 M	000006	
27	Gasoline (5 Gallon) Vehicles	NON NFES		58	Adaptor 1 1/2 M NH x 1 1/2 F NPSH	000007	
28	Gasoline 91 oct. No Ethanol	NON NFES		59	Valved Tee 1 1/2 X 1 1/2 x 1	000230	
29	Drip Torch Mix Fuel (gallons)	NON NFES		60	Pump Other		
30	Safety Fuel Can(5 Gallon)	607/606		61	1.5 " Red Plastic Nozzle	000137	
31	Drip Torch	000241		62	1" Red Plastic Nozzle	000138	

Item	Amount	Considerations
MREs	1 Case per every 3 People	7 Cases per Crew
Water	2.5 Gal per Person	10 5 gal Cubies per Crew
Batteries (AA)	1 Box per every 2 Radios	24 boxes per flat
Toilet Facilities, and Garbage Bags	1 Porta-Potty per 10 People for 40 Hours, 1 wash station per location	Toilet Paper, Wash Stations, Garbage Bags.

Place Supply and Meal orders to Dispatch by 1000 hours to receive orders later that operational period.

Part B: Relative Risk Assessment

Probability					Notes/Mitigation
<u>B7. Time of Season</u> Evaluate the potential for a long-duration fire and rank this element low, moderate, or high. Considerations: time remaining until a season ending event.	L Late	M Mid	H Early		
<u>B8. Barriers to Fire Spread</u> Evaluate the barriers to fire spread and their potential to limit fire growth, and rank this element low, moderate, or high. Considerations: If many natural and/or human-made barriers are present, rank this element low. If some barriers are present, rank it moderate. If no barriers are present then rank it high.	L Many	M	H Few		
<u>B9. Seasonal Severity</u> Evaluate fire danger indices and rank this element low/moderate, high, or very high/extreme. Considerations: energy release component (ERC); drought status, live and dead fuel moistures; fire danger indices; adjective fire danger rating; geographical preparedness level.	L/M	H	VH/ E		
Enter the number of items circled for each column.					
Low	Majority of items are "Low", with a few items rated as "Moderate" and/or "High".				
Moderate	Majority of items are "Moderate" with a few items rated as "Low" and/or "High".				
High	Majority of items are "High"; A few items may be rated as "Low" or "Moderate".				

Part C: Organization

Relative Risk Rating (From Part B)					
Circle the Relative Risk Rating from Part B		L	M	H	
<u>C1. Potential Fire Duration</u> Evaluate the estimated length of time that the fire may continue to burn if no action is taken and amount of season remaining. Rank this element low, moderate, or high. Note: This will vary by geographic area.	N/A	L Short	M	H Long	
<u>C2. Incident Strategies (Course of Action)</u> Evaluate the level of firefighter and aviation exposure required to successfully meet the current strategy and implement the course of action. Rank this element as low, moderate, or high. Consider the likelihood that those resources will be effective; exposure of firefighters; reliance on aircraft to accomplish objectives; and whether there are clearly defined trigger points.	Very Low	L	M	H	
<u>C3. Functional Concerns</u> Evaluate the need to increase organizational structure to adequately and safely manage the incident, and rank this element very low (some resources committed), low (adequate) moderate (some additional support needed), or high (current capability inadequate). Considerations: Incident management functions (logistics, finance, operations, information, planning safety, and/or specialized personnel/equipment) are inadequate and needed; access to EMS support, heavy commitment of local resources to logistical support; substantial air operations which is not properly staffed; worked multiple operational periods without achieving initial objectives; incident personnel overextended mentally and/or physically; Incident Action Plans, briefings, etc. missing or poorly prepared; performance of firefighting resources affected by cumulative fatigue; and ineffective communications.	Very Low	L	M	H	

[illegible]

[illegible]

Socio/Political Concerns				
<u>C4. Objective Concerns</u> Evaluate the complexity of the incident objective and rank the element low, moderate, or high. Considerations: clarity; ability of current organization to accomplish; disagreement among cooperators; tactical/operational restrictions; complex objectives involving multiple focuses; objectives influenced by serious accidents or fatalities.	Very Low	L	M	H
<u>C5. External Influences</u> Evaluate the effect external influences will have on how the fire is managed and rank this element low, moderate, or high. Considerations: limited local resources available for initial attack; increasing media involvement, social/print/television media interest; controversial fire policy; threat to safety of visitors from fire and related operations; restrictions and/or closures in effect or being considered; preexisting controversies/ relationships; smoke management problems; sensitive political concerns/ interests.	Very Low	L	M	H
<u>C6. Ownership Concerns</u> Evaluate the effect ownership/ jurisdiction will have on how the fire is managed and rank the element low, moderate, or high. Considerations: disagreements over policy, responsibility, and/or management response; fire burning or threatening more than one jurisdiction; potential for unified command; different or conflicting management objectives; potential for claims (damages); disputes over suppression responsibility.	Very Low	L	M	H
Enter the number of items circled for each column.				

Part C: Organization (continued)

Recommended Organization (circle one):

Type 5	Majority of items rated as “Very Low”; a few items may be rated in other categories.
Type 4	Majority of items rated as “Low” with some items rated as “Very Low” and a few items rated as “Moderate” or “High”.
Type 3	Majority of items rated as “Moderate”, with a few items rated in other categories.
Type 2	Majority of items rated as “Moderate”, with a few items rated as “High”.
Type 1	Majority of items rated as “High”; a few items may be rated in other categories.

Rationale:

Use this section to document the incident management organization for the fire. If the incident management organization is different than the Wildland Fires Risk and Complexity Assessment recommends, document why an alternate organization was used. Use the “Notes/Mitigation” column to address mitigation actions fore a specific element, and include these mitigations in the rationale.

Name of Incident:_____ Units):_____

Date/Time:_____ Signature of Preparer:_____

UNIT LOG (ICS 214)		1. Incident Name	2. Date Prepared	3. Time Prepared
4. Unit Name/Designators		5. Unit Leader (Name and Position)		6. Operational Period
7. Personnel Roster Assigned				
Name	ICS Position			Home Base
8. Activity Log				
Time	Major Events			
9. Prepared by (Name and Position)				