

2023 Pacific Northwest Area Fire Weather Annual Operating Plan



This page intentionally left blank

AGENCY SIGNATURES and EFFECTIVE DATES OF THE 2023 ANNUAL OPERATING PLAN

This AOP shall be effective on the date of the last signature on this page and will remain in effect until the date the last signature is placed on this page the following year. Updates or amendments may be added in the interim upon agreement of all signatures. Usually, the effective dates are May 1 through May 1 of the following year.

Α.		_	_		-1	by	
A1	71	m	O	ve		\mathbf{D}	J
4 2	~1	~	•			•	

ALEX ROBERTSON	Digitally signed by ALEX ROBERTSON Date: 2023.06.02 15:29:37 -07'00'	Date
Alex Robertson Chair, Pacific No	orthwest Wildfire Coordinating Group	

JOHNSON.LOGAN. Digitally signed by JOHNSON.LOGAN.A.1365846932

A.1365846932

Date: 2023.06.06 14:01:26 -07'00'

Date

Date

Logan Johnson

Meteorologist-in-Charge, National Weather Service, Seattle WFO State Liaison Officer for Washington

FRANSEN.TANJA.E Digitally signed by FRANSEN.TANJA.EMY.1156120754 Date: 2023.06.06 13:22:41 -07'00'

Tanja Fransen

Meteorologist-in-Charge, National Weather Service, Portland WFO State Liaison Officer for Oregon

This page intentionally left blank

TABLE OF CONTENTS

Agency Signatures/Effective Dates of the AOP	3
Introduction	6
NWS Services and Responsibilities	8
Wildland Fire Agency Services and Responsibilities	15
Joint Responsibilities	16
NWCC Predictive Services	18
Boise	28
Medford	33
Pendleton	43
Portland	57
Seattle	71
Spokane	83
Washington Department of Natural Resources Fire Danger Program	95
Oregon Department of Forestry Weather Center	68
Appendix A: Links to Fire Weather Agreements and Documents	100
Appendix B: Forecast Service Performance Measures	104
Appendix C: Reimbursement for NWS Provided Training	105
Appendix D: IMET Reimbursement Billing Contacts	106
Appendix E: Spot Request WS Form D-1	107
Appendix F: Hysplit for Spot Forecast Documentation	108

AGENCY SIGNATURES and EFFECTIVE DATES OF THE 2023 ANNUAL OPERATING PLAN

This AOP shall be effective on the date of the last signature on this page and will remain in effect until the date the last signature is placed on this page the following year. Updates or amendments may be added in the interim upon agreement of all signatures. Usually, the effective dates are May 1 through May 1 of the following year.

Approved by:						
ALEX ROBERTSON	Digitally signed by ALEX ROBERTSON Date: 2023.06.02 15:29:37 -07'00'		Date			
Alex Robertson Chair, Pacific N						
JOHNSON. A.1365846	/JOHNSON.L	gned by LOGAN.A.1365846932 .06.06 14:01:26 -07'00	_			
_	n-Charge, National Wea	ather Service, Seatt				
FRANSEN. MY.11561	/ FRANSEN.TA	ned by ANJA.EMY.1156120754 06.06 13:22:41 -07'00'	Date			
_	n-Charge, National Wea	ather Service, Portl				

INTRODUCTION

The Pacific Northwest Fire Weather Annual Operating Plan (AOP) constitutes an agreement between the Pacific Northwest Wildfire Coordinating Group (PNWCG), which is comprised of state, local government and Federal land management agencies charged with the protection of life, property and resources within the Pacific Northwest from threat of wildfire; and the National Weather Service (NWS), National Oceanic and Atmospheric Administration, U.S. Department of Commerce, charged with providing weather forecasts to the Nation for the protection of life and property.

The AOP provides specific procedural and policy information for the delivery of fire weather information to the fire management community in the Pacific Northwest. It is the objective of the NWS and PNWCG to ensure that quality of service is maintained through a mutual analysis of services provided. The NWS and PNWCG work closely in all phases of the fire weather forecast and warning program to resolve concerns and avoid potential inconsistencies in products and services prior to delivery to fire agency customers. The goal of all agencies is to maximize firefighter and public safety through a coordinated delivery of consistent services.

Fire weather services are a critical building block to fire management agencies in decision-making because human lives and valuable natural resources are at risk. It is the role of the NWS to provide fire weather services and products to fire managers. It is the role of the fire management agencies to analyze and interpret fire weather forecasts into fire danger and fire potential predictions when making decisions essential to the success of fire management actions.

It is to the mutual advantage of PNWCG and NWS and in the public interest and for firefighter safety to coordinate efforts for weather services for fire management activities in the Pacific Northwest to minimize duplication of efforts and improve efficiency and effectiveness.

The general relationship between the NWS and the interagency fire management community is set forth in the following reference documents:

- Interagency Agreement for Meteorological Services Among the Bureau of Land Management, Bureau of Indian Affairs, U.S. Fish and Wildlife Service, and National Park Service of the U.S. Dept. of Interior, the Forest Service of the U.S. Dept. of Agriculture, and the National Weather Service of the U.S. Dept. of Commerce (National MOA or National Agreement)
- National Weather Service NWSI 10-4: Fire Weather Services
- 2022 National Mobilization Guide
- Pacific Northwest Mobilization Guide

The PNWCG is comprised of the following Federal and State fire agencies: State of Oregon, Department of Forestry; State of Washington, Department of Natural Resources;

USDA Forest Service, Pacific Northwest Region; USDI, National Park Service, Pacific West Region; USDI, Fish and Wildlife Service, Pacific Region; USDI, Bureau of Indian Affairs, Portland Area Office; USDI, Bureau of Land Management, Oregon and Washington.

NWS SERVICES AND RESPONSIBILITIES

The National Weather Service will collaborate with the fire agencies when proposing alterations to the fire weather program and services provided in the Pacific Northwest. NWS-developed proposals are provided to PNWCG for review, assessment, and comment prior to adoption and implementation. NWS considers any concerns expressed by PNWCG, especially as related to performance integrity, in its assessment of change proposals in the fire weather program and other services provided.

Fire Weather Services

1. CORE GRIDS AND WEB-BASED FIRE WEATHER DECISION SUPPORT

National Digital Forecast Database (NDFD) grids are used to produce a wide variety of products and services for fire weather support.

Operational status of NWS grid elements is available at the following website: https://vlab.noaa.gov/web/mdl/ndfd-information-links

NWS offices produce several web-based digital planning tools to assist fire weather customers. These include hourly weather graphs, point forecast matrices, activity planners, and meteograms. Please contact your local servicing NWS office with any questions or for more information.

NWS Fire Weather Grids for the Pacific Northwest are graphically displayed at: http://graphical.weather.gov/sectors/pacnorthwestFireDay.php#tabs.

A zoomable map can be found at: https://digital.weather.gov/

2. FIRE WEATHER WATCHES AND RED FLAG WARNINGS

Fire Weather Watches and Red Flag Warnings are issued when the **combination of dry fuels and weather conditions** support extreme fire danger and/or fire behavior. These statements alert land management agencies to the potential for widespread new ignitions which could overwhelm initial attack activities, or conditions which could cause control problems on existing fires, etc. Any of these outcomes could pose a threat to life and property.

Fire Weather Watch: A fire weather watch is issued when there is a high potential for the development of a red flag event. A watch is issued 18 to 96 hours in advance of the expected onset of criteria. The watch may be issued for all, or selected portions within a fire weather zone or region. The overall intent of a fire weather watch is to alert forecast users at least a day in advance for the purposes of resource allocation and firefighter safety.

Red Flag Warning: A red flag warning is used to warn of impending or occurring red flag conditions. Its issuance denotes a high degree of confidence that **weather and fuel** conditions consistent with local red flag event criteria will occur in 48 hours or less. Longer lead times are allowed when confidence is very high or the fire danger situation is critical. Forecasters can issue a warning for all or selected portions within a fire weather zone.

Prior to issuance, all red flag warnings are coordinated with affected agencies and neighboring fire weather offices, in order to assess fuel conditions and general fire danger. Each issuance, update or cancellation of a fire weather watch or red flag warning is also relayed by telephone to the dispatch office(s) affected by the watch/warning. Red flag warnings and fire weather watches will be issued using a bulleted format.

3. SPOT FORECASTS

Spot forecasts are site specific forecasts issued by the NWS in support of wildfire suppression and natural resource management. Spot forecasts may also be issued for hazardous materials incidents, search and rescue missions and other threats to public and responder safety. All spot forecast requests should be accompanied by a representative onsite weather observation.

<u>Issuance Criteria</u>: Spot forecasts are non-routine products issued at the request of the user. WFOs will provide spot forecast service upon request of any federal, state, tribal, or local official who represents the spot forecast is required to support a wildfire.

For non-wildfire purposes, resources permitting, WFOs will provide spot forecast service under the circumstances and conditions outlined in NWS Instruction 10-401:

http://www.weather.gov/directives/sym/pd01004001curr.pdf. Spot forecasts will not be provided to private citizens or commercial entities not acting as an agent of a government agency.

Requesting a Spot Forecast: Spot forecast requests are normally made via the Internet through the NWS Spot Request Page. When web access is not available, spot forecasts may be requested and disseminated via fax - using the spot forecast request form D-1 (NWSI-401) in Appendix E. An electronic fillable pdf version of WS form D-1 can be found at:

https://www.nws.noaa.gov/directives/010/401j/WS_FORM_D_SPOT.pdf

The requestor must provide information about the location (latitude/longitude), slope aspect, drainage name, fuel type(s), top and bottom elevations of fire or project, size of fire or project, ignition time, contact names, email, and telephone numbers of the responsible land management personnel.

It is critically important that each spot forecast request also include quality, representative observations at, or near, the site. A detailed description of the observation location relative to the project (if not at the site) should be provided. The description should include, at a minimum, distance and direction from the project or fire site, station elevation and aspect.

An exception to the rule regarding on-site weather observations is as follows: a spot forecast request can be made without an observation if it is on an initial attack fire of less than two hours, there are red flag warnings or fire weather watches in effect, or the available fire weather forecasts are not representative of what is observed at the site. Even in this situation, a representative observation will result in a better forecast.

Fire agencies are strongly encouraged to call the WFO after submitting a spot request to ensure it was received properly. The WFO will attempt to notify field personnel and/or the dispatch office whenever there is a significant change in the expected weather.

For detailed instructions submitting a Spot Forecast Request, go to: https://www.wrh.noaa.gov/wrh/UsersSpotGuide2019_2.0.pdf

<u>Updates to Spot Forecasts</u>: Spot forecasts are considered one-time requests, and are not routinely updated. Spot forecasts may be updated when new representative observations are available to the forecaster or if the forecaster deems the current forecast does not adequately represent current or expected weather conditions. Land or emergency management personnel are encouraged to contact the appropriate WFO for a spot update if forecast conditions appear unrepresentative of the actual weather conditions. The spot forecast will be corrected when a typographical or format error is detected that could confuse the intended meaning. Updated and corrected spot forecasts will be delivered to users in the same manner as the original spot forecast when possible.

Spot Forecast Feedback: Good communication between fire managers and the NWS is critical for quality spot forecast services. Land management personnel should provide feedback to the NWS forecasters about the quality and accuracy of the spot forecast. Responsibility for providing fire line observations for the verification of forecast accuracy rests with the land management agencies. Onsite observations taken during the operational period the forecast is valid for are to be provided back to the WFO via the feedback box online spot forecast form, or by phone, fax or e-mail.

<u>Hysplit Trajectory Output</u>: Hysplit trajectory output is available when requesting a Spot Forecast. See Appendix F for details.

4. FIRE WEATHER PLANNING FORECASTS

The Fire Weather Planning Forecast is a zone-type product used by land management personnel primarily for input in decision-making related to presuppression and other planning. The decisions impact firefighter safety, protection of the public and property, and resource allocation. Weather parameters represent average conditions across the given zone.

Headlines are included in the fire weather planning forecast (FWF) whenever a red flag warning or fire weather watch is in effect or to highlight other critical weather information. A brief, clear, non-technical discussion of weather patterns that will influence the forecast area will begin the forecast with the emphasis on the first two days of the forecast period. A discussion of latter periods will be included if

significant weather is expected to impact safety or operations. Sky and weather, maximum and minimum temperature and relative humidity, wind speed and direction, Haines index, lightning activity level and chance of wetting rain are included in the FWF by all of the WFOs in the Pacific Northwest. Several offices also forecast mixing height and transport winds.

Two forecasts will be issued daily during fire season – a morning forecast between 5 AM and 9 AM and an afternoon forecast around 3 PM. Once-a-day forecasts will continue through the spring and fall burning seasons at the request of the land managers with some offices continuing land management forecasts through the winter. Local start and stop dates shall be coordinated between the NWS offices and fire weather customers, including the geographic area Predictive Services Units.

5. NFDRS FORECASTS

The National Weather Service role in NFDRS is providing weather forecast input, which combined with fire agency input, allows the NFDRS software in WIMS to predict the next day's fire danger indices. These indices impact agency resource management decisions, firefighter safety, and protection of the public and property.

Numerical point forecasts for NFDRS stations are prepared and disseminated to WIMS by 1540 local time each afternoon from April or May through early October. The point forecasts are used to compute the expected NFDRS indices valid the following day. The number of NFDRS point forecasts made by the weather office depends only on the number of NFDRS observations input into WIMS by the fire agencies. If observations are not entered into WIMS by 1500 however, a forecast may not be produced for those stations. A weather forecaster may also not produce a forecast for sites with highly questionable observations.

The seven day NFDRS forecast that had been introduced last year in an experimental capacity has become operational in 2021 for all NWS offices. The format remains unchanged from last year with seven lines for each NFDRS site.

6. MORNING BRIEFINGS

All Pacific Northwest NWS Offices provide daily fire weather phone or recorded briefings each morning during fire season. Local Fire weather users are encouraged to participate in these briefings. The forecaster hosting the briefing will verbally highlight current and forecast fire weather conditions with the help of weather graphics on an internet web page or through a GoToMeeting® webinar. Briefing times, conference call telephone numbers and passcodes can be obtained by contacting the local WFO. A link to the web briefings can be found on the local fire weather page.

7. FORECAST VERIFICATION

Routine verification is made on red flag warnings and NFDRS forecasts. Results of the verification will be published in the Fire Weather Annual Summary. Spot forecast turnaround time and other statistics are available from your local NWS office.

8. INCIDENT METEOROLOGIST SERVICES

Each WFO in the Pacific Northwest has one or more Incident Meteorologists (IMETs) on staff available for wildfire, prescribed burns, HAZMAT, Search and Rescue or other emergency dispatches. To request an IMET, contact the appropriate fire agency dispatch office. The ordering process for Incident Meteorologists (IMETs) and supporting equipment is detailed in Chapter 20 of the National Interagency Mobilization Guide.

IMET support for prescribed fire is primarily for high-complexity projects such as those that are larger in size, have potential to impact significant values, and may be longer in duration than the typical moderate or low complexity projects. In some cases, the servicing NWS office may suggest IMET support for those locations that have a history of inconsistent or challenging forecast accuracy.

9. SOCIAL MEDIA

Each NWS office in the Pacific Northwest has a Facebook page, Twitter account, and a YouTube channel. Current information about Fire Weather may be included in social media feeds as time allows, but such information is intended as

supplemental information for the general public; NWS use of social media is not intended to meet the specialized needs of the wildland firefighting community.

10. NON-FORECAST SERVICES:

Several duties fall into the non-forecast services including, but not limited to: teaching assignments, customer meetings, customer consultations, preparation of annual reports, preparation of annual operating plans, program management, research and in-house training of personnel.

Experienced fire weather forecasters will be available to help instruct the weather sections of standard fire behavior training courses offered by federal, state and local government fire agencies. These include S-190 through S-590 and other courses. In addition, a forecaster will be available for special speaking engagements and customer consultations. For scheduling purposes, requests for an instructor or speaker should be made at least three weeks in advance. Requests for NWS personnel to provide training should be accompanied by a separate reimbursement or advance of funds agreement, if overnight travel is necessary. Every effort should be made to acquire invitational travel orders for the NWS resource, provided by the requesting agency. Additional information can be found in the National Fire Weather Annual Operating Plan: http://www.weather.gov/fire under the Admin tab, or in Appendix C

WILDLAND FIRE AGENCY SERVICES AND RESPONSIBILITIES

Provide coordination and recommendations for interagency fire weather activities in Oregon and Washington through the PNWCG. Continually review standards of performance for applicability and adequacy.

Provide weather observations seven days a week during fire season and coordinate and cooperate with the NWS in fire weather forecasting. The agencies will seek the advice and counsel of the NWS regarding observational issues (e.g. moving remote automatic weather stations).

Recognize that other severe weather emergencies may require the services of the fire weather forecaster to assist in WFO operations.

USER AGENCY RESPONSIBILITIES:

There are several responsibilities of the user agencies including:

- Entering of 1300 LST NFDRS observations in WIMS
- Site observations for Spot Forecast requests
- Quality Control of RAWS observations
- Timely maintenance of RAWS sites

JOINT RESPONSIBILITIES

Work cooperatively as partners to maintain and improve fire weather services to assure full compliance with mutually established performance, reliability, priority, and time standards.

Recognize that lands for which the States are responsible for wildland fire protection in Oregon and Washington, and the lands for which the respective Federal Agencies are responsible, are intermingled or adjacent in some areas, and wildland fires on these intermingled or adjacent lands may present a threat to the lands of the other. Recognize the primary role of the States in administering smoke management plans in their respective states.

Prepare an Annual Operating Plan (AOP – this document) that includes each WFO with fire weather areas of responsibility in Oregon and Washington as required in the National Fire Weather Agreement and fire and smoke management responsibilities (as appropriate) of DNR, ODF and NWCC Predictive Services. Fire weather zone and Predictive Service Area maps will be included in the AOP. The AOP will meet the guidelines specified in NWSI 10-404:

http://www.nws.noaa.gov/directives/sym/pd01004004curr.pdf

Annually review the performance of the NWS and NWCC Predictive Services in meeting the needs of the fire management community. This review will be used to help determine what program adjustments are needed and appropriate. PNWCG directed subject matter experts (SMEs) and the NWS MICs from Boise, Medford, Pendleton, Portland, Seattle and Spokane shall conduct the review. NWCC Predictive Service, the NWS, PNWCG SMEs and any interested members of the fire community shall meet annually around February or March. The meeting will evaluate the past season fire weather services and

recommend changes for the next fire season. Proposed changes in fire weather services for the upcoming fire weather season will be discussed and if agreed upon reflected in the AOP. AOP sections from individual offices are expected to be finalized no later than May 1st (drafts are requested at the February/March meeting) so that the compiled Pacific Northwest AOP can be submitted to the PNWCG and NWS signatories for final approval. Changes after May 1st should, if at all possible, be held off until after fire season. If extenuating circumstances require significant additional changes to be made for the current fire season, the AOP will need to be reapproved by the signing officials.

Respond to the other party's proposals within thirty (30) days, or advise the other party when the proposal will be addressed if the NWS or the PNWCG are unable to meet or discuss the proposal within their respective groups in that time frame. Except when necessary to meet emergency needs, significant proposals are expected to be discussed at the annual meetings.

Cooperate and coordinate plans for the weather-related training of fire personnel and fire weather forecasters to ensure that training needs are met.

Collaborate in fire weather research and development.

2023

NWCC Predictive Services

Operating Plan



NWCC Predictive Services

Predictive Services Mission

The Predictive Services Program supports the incident coordination system and the larger wildland fire management community with decision support information. This includes a synthesis of fire danger, fire weather, fire intelligence, and fire management resource information. Information generated by NWCC supports determination of regional preparedness level, incident prioritization, and positioning of shared fire management resources.

Predictive Services Goals and Responsibilities

Predictive Services provides decision support tools which enable proactive, safe and cost effective fire management. Predictive services actively partners with state and federal wildland fire agencies, cooperating agencies, research, academia, and the private sector to ensure the relevance of predictive services' products and program.

LOCATION

Northwest Interagency Coordination Center 150 SW Harrison St. Suite 400 Portland, OR 97201

OPERATING HOURS

FIRE SEASON (June 18th 2023 through mid October 2023)

0700-1700 PDT 7 days a week

NON FIRE SEASON 5-day staffing

0700-1530 PDT 5 days a week

STAFF

The NWCC Predictive Services program is interagency. It encompasses two meteorologists, a Fire Management Analyst and assistants, Intelligence Officers and a Geographic Information System (GIS) specialist and assistants from the different federal and state land management agencies.

METEOROLOGY

John Saltenberger (FWS)	Program Manager	(503) 808-2737
Eric Wise (BIA)	Vacant	(503) 808-2756

Various Detailers during fire season as needed

INTELLIGENCE/FIRE MANAGEMENT

Chris Moore (NPS)	Fire Management Analyst	(503) 808-2733
Vacant (BLM)	Intelligence Officer	(503) 808-2734
Jon Grell (Washingto	n DNR) Intel Officer	(503) 808-2734
Various Detailers during fire	(503) 808-2780	

GIS

Desraye Aasali (USFS)	GIS specialist	(503) 808-2741
Various detailers during fire season		(503) 808-2741

EMAIL

John Saltenberger <u>jsaltenb@blm.gov</u>

Chris Moore <u>christopher moore@nps.gov</u>
Desraye Assali <u>desraye.assali@usda.gov</u>

WORLD WIDE WEB

http://gacc.nifc.gov/nwcc/

PRODUCTS and SERVICES

Predictive Services provides products and services mainly intended for use by national and geographic area fire management decision makers such as NWCC and NICC coordinators and Multi-Agency Coordination groups (GMAC, NMAC). Predictive Services analyzes current firefighting resource status, fuels conditions and fire danger, fire weather, and ignition potential in order to produce and disseminate fire potential decision support products. These products are designed so that regional and national fire managers can anticipate changes in fire management workload and make pro-active fire management decisions regarding prioritization and distribution of firefighting resources.


A. Daily Fire Activity Forecast (FAF)

Updated daily during fire season, the Fire Activity Forecast (FAF) is an internal NWCC product that summarizes anticipated new fire workload over the next 10 days in each Predictive Service Area (PSA) days. This is done by combining projections of:

- Fluctuations in fire danger indices in each PSA for the next 10 days. The number of new ignitions expected in each PSA for the next 10 days Human Ignitions Lightning Ignitions
- The probability of *new significant fires* in each PSA for the next 10 days

B. 7-Day Significant Fire Potential

The 7-Day Significant Fire Potential is a simpler subset of the more detailed Fire Activity Forecast mentioned above. Both the 7-Day and Fire Activity Forecast attempt to anticipate the conditions under which *initiation* of new significant fires is most likely. Growth of already-established fires is not included. This is done objectively with a mathematical model that computes daily weighted contributions of the observed and forecasted elements below:



"Significant fires" are defined in the NWCG glossary as those fires large and costly enough to warrant movement of firefighting resources from outside the area where the fire originates. In practice, NWCC designates the 95th percentile size of daily largest fires in each PSA as a "significant fire." The FPA fires database published by Karen Short was used to help develop the fire size criteria for each PSA.

See the appendix for a PSA boundaries map and their significant (95th percentile fire sizes and the fire danger indices used for fire potential rating.

A daily significant fire probability (in percent) is forecast each day for each PSA out to 10 days in the future. Significant fire probability is based on PSA-dependent combinations of the contributing factors identified above. Some factors are weighted more heavily than others.

Significant fire probabilities for each Predictive Service Area are denoted in products published by Predictive Services by varying colors based on their daily risk ranking.

The three most common daily risk rankings are green (low), yellow (moderate), and brown (elevated). All three of these categories occur regularly during fire season.



However, there are a few days during fire season when critical combinations of contributing factors are expected to push the risk of significant fires above 20%. Such days are called "high risk" and are denoted in red. These are the days when significant fire risk is expected to rise well above normal background levels due to optimum combinations of the contributing factors mentioned above.



NWCC's daily 7-product can be viewed at:

Northwest:

https://gacc.nifc.gov/nwcc/content/products/fwx/guidance/DL.pdf
National Map: https://psgeodata.fs.fed.us/forecast/#/outlooks?state=map

The Fire Activity Forecast and 7-Day Significant Fire Potential products were developed using objective data sources such as:

- Karen Short's FPA fire occurrence database.
- Fire Family Plus 5.1 for Version 4 of the National Fire Danger Rating System

- Meteorological data on two rectangular grids centered over the Pacific Northwest.
- Daily lightning strike archives for each PSA

Records of fire activity, lightning strikes, weather elements (both surface and aloft), and fire danger data dating back to 2000 were gathered. Logistic regression was used to identify those elements most closely correlated with initiation of new significant fires under low ignition circumstances (ie without extra ignitions from lightning). Extra ignitions from lightning, if any, are then included to create a comprehensive assessment of daily significant fire potential in each PSA.

Interpreting the 7-Day Significant Fire Potential Product:

Because it is not site specific, the 7-Day Significant Fire Potential Forecast is <u>not</u> intended to be interpreted as a fire weather forecast or a fire behavior forecast. It is not intended to be used for gauging safety risks due to fire behavior. It does not necessarily reflect extreme conditions in different fuel types within any PSA. Rather, the 7-Day Significant Fire Potential Forecast simply depicts the daily risk of initiation of new 'significant' fires from ignitions within each PSA based.

Notes on the National Fire Danger Rating Sytem:

The legacy National Fire Danger Rating System used since 1978 was phased out and replaced by a newer and more sensitive version in 2022. The new version is called NFDRS version 4. NWCC Predictive Services will use NFDRSv4 to rate the fire danger component of significant fire risk. Fuel model "Y" (timber) will be employed regardless of PSA for the time being.

A. Regional Preparedness Level Forecast

Preparedness Level for the Northwest geographic area, either current or forecast, is determined by the NWCC center manager and/or Operations Manager with guidance from NWCC Predictive Services.

That guidance is based on objective assessment of the current demand and forecasts for future need of fire management resources from NWCC's Fire Activity Forecast. Analysis of historical usage of fire management resources since 2004 was blended with numbers of reported ignitions and resulting large fires to model resource demand when similar conditions repeat themselves in the future.

B. Monthly and Seasonal Significant Fire Potential Outlooks

The Monthly and Seasonal significant Fire Potential outlook is published on the first day of each month by NWCC Predictive Services in cooperation with other

geographic area Predictive Service units. The outlook identifies the regions across the US where significant fire risk is anticipated to be above-average, average, or below-average during the following four months.

The Monthly and Seasonal Outlook is published from the NWCC website in several formats, including a narrated webcast.

https://gacc.nifc.gov/nwcc/predict/outlook.aspx

Monthly and Seasonal outlooks (maps and narratives) for the entire US are at:

http://www.predictiveservices.nifc.gov/outlooks/outlooks.htm

E. Fire Behavior and Fuels Advisories

When fire behavior is known or anticipated to be severe over a large section of the region, Predictive Services assists in the issuance of any fuels/fire behavior advisories. Fire Behavior and Fuels advisories can be seen at: https://www.predictiveservices.nifc.gov/fuels_fire-danger/fuels_fire-danger.htm

F. Fuels and Fire Danger Information

Links to regional fuels and fire danger (NFDRS version 4) information used to evaluate fire potential are located here.

https://gacc.nifc.gov/nwcc/predict/fire_fuel.aspx

G. Intelligence reports

During fire season NWCC's Predictive Services intelligence unit publishes daily updates of fire activity, resource status, situation reports, and large fire maps at:

https://gacc.nifc.gov/nwcc/predict/intelligence.aspx

H. GIS

NWCC's Predictive Services Geographic Information Systems unit gathers, decodes archives, and plots a variety of fire and weather information daily during fire season. This includes:

- Active fire mapping and fire perimeters in Google Earth
- NFDRS summary maps

- Daily lightning strikes
- Daily rainfall total maps

Further documentation of NWCC's GIS unit can be accessed at:


https://gacc.nifc.gov/nwcc/predict/gis.aspx

I. NWCC Predictive Services Fire Danger Rating Operating Plan and Supporting Documentation.

A detailed explanation of NWCC Predictive Services' fire potential system is at:

 $\underline{https://gacc.nifc.gov/nwcc/content/products/fwx/fdrop/FDROP.pdf}$

PREDICTIVE SERVICE AREAS (PSAs) and Key RAWS



Twelve Predictive Service Areas (PSAs) were designated from a climatological study of daily relative humidity fluctuations over a period of over a decade. To a high degree of repeatability, relative humidity at key RAWS in one PSA changes at a slightly different rate than key RAWS in neighboring PSAs during fluctuations in large scale weather across the region.

Within each PSA, "key" NFDRS sites have been selected to contribute to daily evaluations of fire danger and surface fire weather averaged across each PSA. All key stations are given equal weighting as a Fire Family Plus NFDRS version 4 "SIG" group for fuel model Y in each PSA.

Note: The selection of these 72 stations as "key" does not imply other stations are of lesser value. Appendix

NWCC's Predictive Service fire potential products are based on weather, fire danger, and ignition factors averaged across each broad polygon called PSAs. Note that PSAs do not correspond to fire dispatch area perimeters, agency ownership, or political boundaries. They simply reflect consistent large scale daily weather and fire danger fluctuations.

Significant fire sizes along with statistically correlated NFDRS indexes and weather elements used to compute the daily risk of Significant Fire initiation.

PSA	Sig Fire Size	NFDRS index	Weather elem	ents	
NW01	100ac	ERC(Y)	1000windspd		
NW02	100ac	ERC(Y)	SLPgradient		
NW03	100ac	ERC(Y)	1000windspd	RH850	
NW04	100ac	ERC(Y)	1000windspd		
NW05	700ac	ERC(Y)	LapseRate8-7	MinRH	SWI
NW06	1200ac	ERC(Y)	VPD	SLPgradient	
NW07	100ac	1000hr	VPD	850windspd	
NW08	4200ac	ERC(Y)	LapseRate8-5		
NW09	100ac	ERC(Y)	RH	SLPgradient	
NW10	1000ac	BI(Y)			
NW11	2100ac	ERC(Y)	VPD		
NW12	10000ac	BI(Y)			

NATIONAL WEATHER SERVICE BOISE – 2023

WHATS NEW

It is imperative that we receive complete data (top and bottom elevation, size, aspect) on the Spot Forecast request form. Any missing data from a Prescribed Spot request may bring a delay in receiving that forecast until we get updated information.

In the past, the fire desk has been staffed by two core Forecasters. This year, all Staff Forecasters will rotate through the fire desk. Any questions or concerns, please call the office or email the Fire Weather Program Leader.

HOURS OF OPERATION

Once-a-day issuance of the Planning Forecast (FWF) typically begins in mid-May, but will be dependent on ongoing weather and fuel conditions. These forecasts will be issued Monday through Friday by 0730 PDT (0830 MDT).

Starting dates for the full complement of fire weather products, including NFDRS Forecasts and twice-daily Planning Forecasts, will depend on variables such as fuel dryness and customer needs. This typically occurs by early June.

Staff meteorologists are available anytime; 24 hours a day, 7 days a week. The fire weather desk is staffed from 0630 to 1430 PDT (0730 to 1530 MDT) during the "fire season" along with the shoulder seasons.

STAFF AND CONTACT INFORMATION

Boise Weather Forecast Office

NIFC - National Weather Service 3833 S. Development Ave., Bldg 3807 Boise, ID 83705-5354

Phone: (208) 334-9060 / Fax (208) 334-1660

Fire Weather Webpage: http://www.wrh.noaa.gov/firewx/?wfo=boi

Facebook age: https://www.facebook.com/US.NationalWeatherService.Boise.gov

Twitter Page: https://twitter.com/NWSBoise

Twitter Handle: @NWSBoise


<u>Name</u> **Position**

E-Mail

Chuck Redman Spencer Tangen Michael Cantin Fire Weather Program Leader/IMET Assist Program Leader/ IMET(t) Meteorologist-in-Charge Chuck.Redman@noaa.gov Spencer.Tangen@noaa.gov Michael.Cantin@noaa.gov

FIRE WEATHER SERVICES

Map of the Boise Fire Weather District within the NWCC, OR636, OR637, & OR646.



PRODUCT SCHEDULE:

Product:	Issuance time: (MDT) / (PDT)
Morning planning forecast	0830 / 0730
Internet briefing	0930 / 0830
Afternoon planning forecast	1530 / 1430
NFDRS point forecast	1530 / 1430
Fire Weather Watch / Red Flag Warn	nings Event Driven
Spot forecasts	Upon Request

RED FLAG EVENTS: High to extreme fire danger and dry fuels (defined by agency input), in combination with the following weather conditions:

- Areal thunderstorm coverage of scattered or greater (>25%), implying LAL of 4 or greater (see below).
- High Haines index of 6 in combination with RH<15%. (**Zone 646 only.**)
- Strong winds and low humidity. (See matrix below for sustained criteria.) In addition to sustained strong winds from the matrix, wind gusts >35 mph, combined with relative humidity 10% or less, are considered Red Flag Criteria. Red Flag Criteria are considered to be met if conditions are observed at any three RAWS stations within a combined area of Fire Weather Zone 636 and 637 for >3 hours (not necessarily consecutive). Alternatively, if a RFW is issued separately for Fire Weather Zones 636 and 637, it is considered to verify if conditions are met at three RAWS stations in Zone 636 or two RAWS stations in Zone 637 and 646.

SUSTAINED 20 FT WIND (10-MINUTE AVERAGE in MPH)

	10 mph	15 mph	20 mph	25 mph	30 mph
20%					\mathbf{W}
15%				W	\mathbf{W}
10%			W	W	W

LIGHTNING ACTIVITY LEVEL:

The chart listed below will be used to forecast Lightning Activity Level (LAL):

LAL = 1	No Thunderstorms
LAL = 2	Isolated Thunderstorms
LAL = 3	Isolated Thunderstorms (Increased Confidence/Threat)
LAL = 4	Scattered Thunderstorms
LAL = 5	Numerous Thunderstorms
LAL = 6	Scattered (But Exclusively Dry) Thunderstorms

Interagency Coordination: Before the issuance of a Fire Weather Watch or Red Flag Warning, there will be coordination with the affected agencies and

neighboring NWS Forecast Offices in order to assess fuel conditions and general fire danger.

Dissemination of Fire Weather Watches and Red Flag Warnings: Each issuance, update, or cancellation of a Fire Weather Watch or Red Flag Warning will be relayed by telephone to the dispatch office(s) affected by the Watch/Warning.

SPOT FORECASTS:

http://www.weather.gov/spot/

To avoid any delays in receiving the Spot Forecast, please include all the appropriate information regarding the spot. This includes, both top and bottom elevations, aspect, size, etc. reference LAT/LON when requesting spot forecasts. Follow-up phone calls are always encouraged and feedback is extremely useful.

WEATHER BRIEFINGS:

A daily briefing will be conducted each day at 0930 MDT (0830 PDT) for all agencies via a GoToMeeting. During the early portion of the fire season it will be held only on Mondays and Thursdays. The briefing will include a general discussion of weather conditions and forecasts for the current day, as well a brief discussion of the extended period. Model data, satellite loops, and other items of interest will be addressed for the forecast period. The briefing will usually be about 10-15 minutes, but may be longer during active fire periods.

National Weather Service Medford 2023 Operation Plan

WHAT'S NEW: Bold, italics and underline text shows new additions.

- Staff and Certified Fire Weather Forecast Staff has been updated.
- Wind and RH criteria was cleaned up for formatting instead of using the "and/or" phrasing
- An update on potentially dangerous situation (PDS) wording within red flag warnings (RFWs)
- Staff will attempt to focus on more probabilistic wording and messaging within our weather briefing and RFW text products.
- Exploration of continuation of RFW issuance for abundant lightning on dry fuels.

HOURS OF OPERATION:

The Medford NWS Office will have at least one fully certified Fire Weather Meteorologist on duty 24 hours a day year-round to respond to any immediate needs. Under the provisions of the National Fire Weather Agreement, special service provided by the Medford Weather Forecast Office will be done on a reimbursable basis.

LOCATION:

National Weather Service Medford 4003 Cirrus Drive Medford, Oregon 97504

CONTACT INFORMATION & STAFF:

The public line to NWS Medford is 541-773-1067 The direct line to the Fire Weather line is 541-776-4332

Management staff:

Christine Riley Meteorologist-in-Charge

Certified Fire Weather Forecaster Staff:

Ryan Sandler Warning and Coordination Meteorologist

Michael Stavish Science and Operations Officer
Ken Sargeant Internet Technical Officer (ITO)
Tom Wright Observation Program Leader, IMET

Sven Nelaimischkies Lead Meteorologist /Marine Program co-Lead & Web /

Connie Clarstrom Lead Meteorologist

<u>Bradley Schaaf</u>
<u>Misty Firmin</u>
<u>Joseph Guerrero</u>

<u>Lead Meteorologist</u> / Asst. Fire Wx Prog Member
<u>Lead Meteorologist</u> / Climate Program Lead
<u>Lead Meteorologist</u> / (New Hire on Station 4/23)

IMET(T)?

Mike Petrucelli Meteorologist / Aviation Program Lead

Marc Spilde Meteorologist / Asst. Fire Wx Prog Member

Dan Weygand Meteorologist

Brian Nieuwenhuis Meteorologist /Marine Program co-Lead Charles Smith Meteorologist /Fire Wx Prog Lead Miles Bliss Meteorologist / Fire Wx Prog Lead

Forecast Staff In Training: Expected to be certified by the end of September

Alexis Hermansen	<u>Meteorologist</u>

Timothy Daldrup	<u>Meteorologist</u>
Chandler Price	Meteorologist

NWS Medford Homepage: http://weather.gov/mfr

Facebook Page: https://www.facebook.com/NWSMedford?ref=ts

Twitter Page: https://twitter.com/NWSMedford


Twitter Handle: @NWSMedford

Medford's Daily Fire Weather Product Schedule (when in Fire Season):

<u>Issuance time (PDT):</u>
Upon Request, 24/7
By 0700
By 0700
At 0930
By 1500
By 1530
By 1545 (WIMS updates 1605) As Needed/Event
Driven, 24/7

FORECAST AREA

Southern Oregon, fire weather zones 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, and 625.



FIRE WEATHER SERVICES

Fire Weather Planning and Land Management Forecast: This forecast is available on the webpage (

https://www.weather.gov/wrh/TextProduct?product=fwfmfr) once daily by 0700 PDT in the off-season and twice per day in fire season (0700 and 1500 PDT). The frequency of the forecast will be increased on an as needed basis. The Fire Weather Program Leader will inquire with the user agencies as weather and fuel conditions warrant during the off season to determine when additional forecast elements and/or forecasts are needed. While the fire season in this forecast area is typically June through October, it can vary depending on the winter and spring season.

NFDRS Trend Forecasts: NFDRS Trend Forecasts are generated everyday before 1500 PDT. These trend forecasts are sent to WIMS by 1545 PDT with forecast parameters typically available from WIMS by 1600 PDT.

Medford WFO Daily Fire Weather Briefing Webinar: The Medford NWS Office will continue to produce once per day recorded Daily Fire Weather Briefings via a GoToWebinar format during the declared fire season. These briefings will focus on important elements in the forecast as they

relate to fire weather, both in the short term forecast and up to one month out, when pertinent. Smoke concentrations and movement will be discussed as it relates to fire containment operations, to include aviation. *These briefings will also contain more probabilistic information to aid in decision making*. Additionally, these briefings may be done on an as needed basis prior to and after fire season has been declared if weather significant to fire operations is anticipated. The briefing is held at 930am. Registration information can be obtained by calling the Medford NWS. Registration information varies annually.

A recorded version of this daily webinar will be posted each day, usually by 1030am, at the following link:

https://www.wrh.noaa.gov/mfr/fire/Briefing.mp4

If you experience any difficulties registering or viewing, please contact the Medford NWS Office.

Spot Weather Forecasts: Spot Weather Forecasts can be requested at http://www.weather.gov/spot/request/

- Spot forecasts for wildfire suppression or public safety take precedence over all office activities, except tornado, flood or thunderstorm warnings.
 All that is required for initial emergency spot requests is a Lat/Lon and the office can be called at 541- 776-4332 to make such a request.
- Please request prescribed burn spot requests at least 2 hours in advance or, preferably, the day prior to the burn, whenever possible. Please provide on- site observations whenever possible and/or note the nearest representative RAWS in the "REMARKS" section. Please call the Fire Weather line (541-776-4332) if you have any questions submitting a request or if there are peculiarities with or sensitivities that cannot be detailed in the request.

Fire Weather Watches and Red Flag Warnings:

Fire Weather Watches and Red Flag Warnings will be issued when the following weather criteria are expected, in conjunction with certain fuel situations.

Update for 2023- Particularly Dangerous Situation(PDS):

After meeting with other PACNW offices, NWS Medford decided not to go through with the implementation of a PDS this year for Oregon FWZs. It's worth noting that most of California has implemented some form of PDS criteria already and is issuing it. We plan to issue a PDS if necessary in our

California zones. The criteria that was pushed forward from our previous Fire Weather Program leader was our Red Flag wind speed or wind gust criteria plus an additional 20 mph. There would be no change for humidity criteria. This seems reasonable enough to prevent a common issuance of PDS and should push it toward a 1 in 5 or 1 in 10 year event.

RFW:

o **Abundant Lightning:** Abundant lightning (scattered thunderstorm coverage or greater) in conjunction with sufficiently dry fuels (fuels remain dry or critical during and immediately after a lightning event). Thunderstorms usually must have forecast areal coverage of at least 25%, but exceptions can be made for issuing based on isolated thunderstorm coverage (<25%) if fuels are exceptionally dry and lightning is expected to be dry lightning (little or no precipitation reaching the ground) and, therefore, very efficient.

The LAL for all lightning based Fire Weather Watches and Red Flag Warnings must be three (3) or greater, except two (2) is acceptable for isolated dry thunderstorm events when fuels are deemed to be exceptionally dry. Forecasters should have a high degree of confidence (~50% for watch, 70% for warning) that the Red Flag event will occur.

- Strong wind and low relative humidity associated with a marine push, dry cold front, or passage of an upper level trough:
 - Zones 615, 618: Min RH < 30% AND 10-minute sustained wind 15+ mph <u>or</u> gusts 30+ mph lasting for 2 or more hours.
 - Zones 616, 617, 619, 620, 621, 622, 623: Min RH < 15%
 AND 10 minute sustained wind 10+ mph <u>or</u> peak winds to 20+ mph lasting for 2 or more hours.
 - Zone 624: Min RH < 15% AND sustained wind 15+ mph <u>or gusts</u>
 25+ mph lasting for 2 or more hours.
 - Zone 625: Min RH < 10% AND sustained wind 20+ mph for 2 hours or more, OR Min RH < 10-14% AND sustained wind 25+ mph for 2 hours or more, OR Min RH < 15-19% AND sustained wind 30+ mph for 2 hours or more.
- Poor relative humidity recovery with easterly winds:
 - Zones 616, 617: Min RH < 30% AND sustained wind 10+ mph lasting 2+ hours.

- Zones 618: RH recovery < 25% AND sustained wind 15+ mph and/or gusts 25+ mph lasting 2+ hours.
- Zones 619 and 620: RH recovery < 30% AND sustained wind 15+ mph and/or gusts 25+ mph lasting 2+ hours.
- Zones 621, 622, 623: RH recovery < 25% AND sustained wind 10+ mph lasting 2+ hours.
- Haines 6 conditions = Very Dry and Unstable Airmass:

Haines Index forecast of 6 in conjunction with an ongoing fire. The Medford NWS Office and perhaps the entire region is open to exploring new criteria to replace the Haines Index that will capture the dryness and instability aspects of Haines 6 that is both scientifically sound and applicable to both Maritime and Continental climates.

The Medford Office will continue to issue watches and warnings for the areas expected to experience watch or warning conditions rather than by the entire fire weather zone. Thus, if only a portion of a fire weather zone will be affected, the watch or warning will only be valid for that portion of the fire weather zone. All attempts will be made to coordinate a Fire Weather Watch or Red Flag Warning with the affected agencies, IMETS and neighboring fire weather offices prior to issuance. In the event a Red Flag Warning must be issued before the coordination process can be completed, we will contact the affected agencies and neighboring forecast offices shortly afterward. Updates or cancellations of a Fire Weather Watch or Red Flag Warning will also be relayed by telephone to the dispatch office(s) affected by the watch/warning.

Probabilistic Messaging: <u>The Medford office will begin to focus on using more probabilistic messaging within RFWs, especially the watches when there is more uncertainty within the forecast period.</u>
 <u>Most of the focus will be on wind probabilities with a fire weather watch issuance.</u>

FIRE WEATHER ZONES:

- AREA 1...COAST (Zones 615 and 618): This area extends from the Pacific Ocean to the foothills of the Coast Range, which rises to a crest of 2500 feet, about 10 to 20 miles inland.
- Zone 615: South-Central Oregon coast. This zone extends from southern border of the Siuslaw National Forest in southern Lane county

through Coos County to Humbug Mtn State Park in northern Curry County...and inland from the coast to about 10 to 20 miles inland. Elevations range from near sea level to 2500 feet.

- Zone 618: Southern Oregon coast. This zone extends from Humbug
 Mtn State Park along the coast to the California state line, and inland for
 10 miles. Elevations range from near sea level to 2800 feet.
- AREA 2...UMPQUA BASIN AND UMPQUA NF (Zones 616 and 617): This is the area between the Coast Range of south-central Oregon in Coos and Douglas counties and the crest of the Cascade Mountain. The western portion of the area, mainly Zone 616 Umpqua Basin, extends from the Coast Range through the Umpqua valley to the foothills of the Cascade Mountain just east of Interstate 5, and varies in elevation with zone 616 ranging between 150 near Roseburg to almost 4000 feet in the Cascade foothills. The eastern portion, zone 617 which encompasses all of the Umpqua NF, rises from 1500 feet to 6000 feet with peaks reaching as high as 7400 feet in the Cascade Range.
- AREA 3...SOUTHWEST INTERIOR INCLUDING THE CASCADE AND THE SISKIYOU MOUNTAINS (Zones 619-623): This area has complex terrain. The western boundary begins with the Coast Range, and includes the Kalmiopsis Wilderness Area where elevations range from 3000 to 5000 feet. The northern boundary is the Umpqua Divide which separates the Rogue Valley from the Umpqua Valley. The area's eastern boundary includes the Cascade Mountains, where elevations can reach 6500 feet with a few peaks over 8000 feet high. Crater Lake is in the very northeast corner of this area. The southern part of the area is bounded by the Siskiyou Mountains, where elevations can reach 7000 feet. Mount Ashland is in the southern portion of this area.
- Zone 619: Southern Oregon coastal mountains. Elevations range from 200 feet in coastal valleys to 4600 feet.
- Zone 620: Western Rogue Basin including the Illinois Valley. Elevations range from 650 feet in western Rogue Valley to 5700 feet in the Siskiyou Mountain in southern Josephine County.
- Zone 621: Siskiyou Mountains, including the Siskiyou Fire Zone of the Rogue River Siskiyou NF. Elevation ranges from 1800 feet to 7000 feet.
- Zone 622: Eastern Rogue Basin. Elevations range from 1200 feet in the valley to 5200 feet in the Cascade and Siskiyou Mountains.
- Zone 623: Southern Oregon Cascades including Crater Lake NP, the
 High Cascades Fire Zone of the Rogue River-Siskiyou NF and the Klamath

District of the Fremont-Winema NF. Elevation ranges from 2400 feet to 8500 feet.

- AREA 4...EAST OF THE CASCADE MOUNTAIN (Zones 624 and 625): This area extends from the eastern foothills of the Cascade Mountains, eastward through the Klamath Basin and the Fremont-Winema NF, to the south-central Oregon desert. The eastern part of the area closely follows the border between Lake County and Harney County, is representative of high plateaus with desert-like climate and includes the Warner Valley which is the northwestern rim of the Great Basin.
- Zone 624: Klamath Basin and the Fremont-Winema National Forest.
 Elevation ranges from around 4000 feet in the Klamath Basin to the higher peaks of 8200 feet.
- Zone 625: South Central Oregon Desert including the Klamath-Lake District of the BLM and the Lakeview Unit of the State Forestry. Elevation ranges from 4200 feet to 7600 feet

ZONE	NAME	Type	NUMBER	OWNER	LAT	LON	ELEV
615	Long Prairie	R	352819	CFPA	42.95	-124.22	1180
615	Seven Mile Creek	R	352820	ODF	43.21	-124.32	506
616	Mt. Yoncalla	R	353043	BLM	43.64	-123.33	1799
616	Signal Tree	R	352816	BLM	43.01	-123.78	3294
616	Charlotte Ridge	R	353046	ODF	43.67	-123.94	1220
616	Silver Butte	R	353041	BLM	42.86	-123.38	3973
616	Burnt Mountain	R	353044	BLM	43.22	-123.84	2240
616	Devil's Playground	R	353047	BLM	43.72	-123.63	1550
616	North Bank	R	353048	BLM	43.36	-123.19	1913
617	Sugarloaf	R	352546	USFS	43.23	-122.40	3500
617	Cinnamon	R	353031	USFS	43.26	-122.15	4636
617	Grandad	R	353036	USFS	43.41	-122.57	2900
617	Toketee	R	353038	USFS	43.23	-122.39	3360
617	Buckeye	R	353040	USFS	43.04	-122.64	2400

618	Flynn Prairie	R	352922	ODF	42.40	-124.39	1625
618	Red Mound	R	352920	BLM	42.12	-124.30	1753
619	Bald Knob	R	352813	USFS	42.40	-124.04	3630
619	Quail Prairie	R	352915	USFS	42.24	-124.04	3033
619	Agness	R	352916	USFS	42.33	-124.02	150
			9	5.	*		£.
620	Calvert Peak	R	352919	BLM	42.78	-123.73	3822
620	Merlin	R	353122	BLM	42.50	-123.37	1044
620	Onion Mountain	R	353114	USFS	42.28	-123.38	4438
620	Provolt	R	353120	BLM	42.28	-123.23	1176
620	Illinois Valley Airport	R	353115	BLM	42.11	-123.67	1389
621	Squaw Peak	R	353213	USFS	42.07	-123.01	4964
622	Buckhorn	R	353230	BLM	42.12	-122.56	2900
622	Evans Creek	R	353228	BLM	42.63	-123.06	3200
						.=0.00	3_3
623	Parker	R	353344	BLM	42.11	-122.28	5250
623	Mt. Stella	R	353209	USFS	42.93	-122.43	4715
623	Zim	R	353227	USFS	42.70	-122.39	4106
623	Seldom Creek	R	353339	USFS	42.41	-122.19	4875
624	Klamath NWR	R		BLM	42.95	-121.58	4531
624	Timothy	R	353337	USFS	43.20	-121.37	6020
624	Summit	R	353421	USFS	42.20	-120.25	6147
624	Chiloquin	R	353310	USFS	42.58	-121.89	4517
624	Gerber Reservoir	R	353328	BLM	42.20	-121.14	4940
624	Hoyt	R	353343	USFS	42.97	-121.42	5445
624	Silver Lake	R	353412	USFS	43.12	-121.06	4381
624	Coffee Pot	R	353422	BLM	42.53	-120.64	5250
624	Strawberry	R	353423	USFS	42.20	-120.85	5590
624	Summer Lake	R	353429	USFS	42.72	-120.75	5400
624	Calimus	R	353307	USFS	42.63	-121.56	6622
625	Catnip	R	260109	USFS	41.93	-119.50	5740
625	Rock Creek	R	353424	FWS	42.55	-119.66	5640
625	Fish Fin Rim	R	353516	BLM	42.47	-119.18	4900
625	Fort Rock	R	353406	BLM	43.43	-120.84	4430



National Weather Service Pendleton

2023 Operating Plan

National Weather Service Pendleton

LOCATION:

National Weather Service Office 2001 NW 56th Dr. Pendleton, OR 97801

Office Homepage: https://www.weather.gov/pdt/

Fire Weather Webpage: https://www.weather.gov/wrh/fire?wfo=pdt

Facebook Page: https://www.facebook.com/US.NationalWeatherService.Pendleton.gov

Twitter Page: https://twitter.com/NWSPendleton

Twitter Handle: @NWSPendleton

Each NWS office in the Pacific Northwest has a Facebook page, Twitter account, and a YouTube channel. Current information about Fire Weather may be included in social media feeds as time allows, but such information is intended as supplemental information for the general public; NWS use of social media is not intended to meet the specialized needs of the wildland firefighting community.

OFFICE PHONE NUMBERS (all available 24-hours):

Fire Weather Desk (541) 276-8134 General (541) 276-4493 Fax (541) 276-8253

CHANGES FOR 2023:

- Changes in staff—Our new Warning Coordination Meteorologist (WCM), Katy Branham, arrived from Boise, Idaho in 2022.
- Christel Bennese (<u>christel.bennese@noaa.gov</u>) will be co-leader of the fire weather program.

- Matt Callihan will return for his second year as an IMET trainee. Thomas Schuldt will be a new IMET trainee this year.
- A significant change to the fire weather briefings. The event driven webinars will be replaced with routine webinars on Monday-Friday at 0930, excluding holidays. We will continue to provide the Sunday email outlook and PDF emails on Saturday and holidays, if conditions warrant (see "Weather

Briefings" for more details). NWS Pendleton will have a dedicated Impact Decision Support Service (IDSS) shift during the weekdays to allow for improved services to our partners and public. An announcement to the first day of the webinars will be sent via email as we approach fire season.

FORECAST DISTRICT:

The Pendleton Fire Weather District covers the east slopes of the Cascade Mountain range from the Deschutes National Forest north to the Wenatchee National Forest in Kittitas County, Central Oregon, the northeast quadrant of Oregon (including Wallowa county, portions of Baker county, and Harney county north of highway 20), and Southeast Washington (Benton, Franklin, Klickitat, Yakima, Kittitas, Walla Walla, Columbia, Garfield, and Asotin counties).

Dates:

The Pendleton Fire Weather Program is committed to a program with staff trained to respond to incident needs 24 hours per day, 7 days a week. The dates are flexible to meet conditions and the needs of the community:

Spring / Fall Burning Seasons: May 1st -

May 31th and October 1nd – October 31st

Summer Peak Wildfire Season:

June 1st - September 30th

STAFF:

Name Position email Address

Mike Vescio Meteorologist-in-Charge michael.vescio@noaa.gov

Edward Townsend Science and Operations Officer <u>ed.townsend@noaa.gov</u>

Katy Branham Warning Coordination Meteorologist <u>katy.branham@noaa.gov</u>

Mary Wister Fire Weather Program Leader/IMET mary.wister@noaa.gov

Christel Bennese Co-Fire Weather Program Leader christel.bennese@noaa.gov

Matt CallihanIMET traineematt.callihan@noaa.govThomas SchuldtIMET traineethomas.schuldt@noaa.gov

There will be always be a forecaster on shift certified to issue spot forecasts and will remain annually proficient.

WEATHER BRIEFINGS:

Fire Weather Impact Level Table

NWS Pendleton will continue to provide a weekly outlook for fire weather every Sunday by 1500 PDT beginning April 30 through the end of October (or longer if necessary) again this season. A series of slides will demonstrate the impacts through the week.

In addition, forecasters will provide a routine webinar from Monday through Friday at 0930 PDT via GoToWebinar. The starting date for the webinar will be announced as weather and fuels become drier (typically mid-May). Copies of the presentation slides will be provided shortly after the webinar.

On Saturdays and holidays, an email will be provided before 1500 PDT that will discuss fire concerns in the next 3-5 days that meet the "yellow" or higher criteria seen below.

Fire weather impact Level Table		
Situation	Fire Weather Watch or Red Flag Warning	Impact Level
Impactful fire weather not expected	No	1
Elevated fire danger (highlight the impact as a headline in RFW)	No	2
Low-end Red Flag Event (High Fire Danger)	Yes	3
Abundant Lightning with LAL 3 or higher and not accompanied by significant rainfall (> than 0.25").	Yes	3
Wind and Low RH	Yes	3
Dry and Unstable Air Mass	Yes	3
Moderate- or high-end Red Flag event (Extreme fire danger with large ongoing fires)	Yes	4
Red Flag Event with extreme wildfire conditions with large ongoing fires (e.g., Labor Day 2020)	Yes	5

Anyone who wishes to be included in the fire weather email distribution list is encouraged to contact Mary Wister, fire weather program manager, at

<u>mary.wister@noaa.gov</u> or Christel Bennese, co-fire weather program manager, at <u>christel.bennese@noaa.gov</u>.

As always, please contact the office at (541) 276-8134 for any concerns or questions you have. Weather consultation is available 24 hours per day, year round, by calling the fire weather desk.

FORECAST SERVICES:

Forecast Grids/Graphics:

Fire Weather Planning Forecasts:

Fire Weather Planning Forecasts are available twice a day 7 days a week no later than 0700 PDT and 1500 PDT.

The Pendleton Fire Weather forecast area of responsibility is sectioned by Fire Weather Zones. OR641/WA691, OR643/WA692, and OR645/WA693 will typically be combined into single zone forecasts unless conditions warrant separating them. This usually results in 11 separate zone forecasts. These zones are based on terrain, elevation, weather characteristics, and political boundaries. Please see the district map on the following page for specific outlines of the Fire Weather Zones.

The zone names are as follows:

OR610 – East slopes of the central Oregon Cascades

OR611 – Deschutes National Forest

OR639 – East slopes of the northern Oregon Cascades

OR640 – Central Oregon Mountains

OR641 – Columbia Basin of Oregon

OR642 – Southern Blue and Strawberry Mountains

OR643 – Northern Blue Mountains of Oregon

OR644 – Central Blue Mountains

OR645 – Wallowa District

WA690 – Kittitas Valley


WA691 – Lower Columbia Basin of Washington

WA692 – Blue Mountains of Washington

WA693 – Southeast Washington Grande Ronde Valley

WA694 – Yakama Alpine District

WA695 – East Slopes of the South Central Washington Cascades



Fire Weather Watch and Red Flag Warnings:

Specific Red Flag criteria differ for each situation and district. The following are criteria that would warrant the issuance of a Fire Weather Watch or Red Flag Warning in the Pendleton Fire Weather area of responsibility:

Underlying conditions:

Fire Weather Watches or Red Flag Warnings are issued when the fuels will readily burn and weather conditions will promote extreme burning. The three steps below are forecaster guidelines for determining the need for a watch/warning.

- 1. Refer to GACC "Overall Fire Environment" for probability of large fires. Levels should not be Green (less than 1% chance).
- 2. The forecaster <u>is required</u> to check with fire/land management agencies to ensure fuels are considered critically dry enough to carry or spread fire. Usually, the fire weather program manager will have already done this and declare when a zone is eligible for RFWs for the remainder of the season. However, if a forecaster strongly feels that a RFW is needed but a zone has not yet been declared eligible, the forecaster

can check with the fire/land management agencies themselves via the morning briefing call or with individual phone.

3. Forecasters should have a high degree of confidence (60% for watch, 80% warning) that the Red Flag weather event will occur.

Red Flag Warning Criteria:

Any single event, or a combination, of the following events combined with <u>critically dry fuels</u> is criteria for the issuance of a Fire Weather Watch or a Red Flag Warning depending on the lead time:

• **LIGHTNING:** Abundant lightning in conjunction with sufficiently dry fuels (fuels remain dry or critical during and after a lightning event). Warnings are not typically issued for isolated coverage events. Warnings not typically issued for events that will be accompanied by significant rain (greater than 0.25 inches). However, if a lightning event will occur with significant rain, but is then followed by very hot and dry conditions, a warning may be issued if holdover/sleeper fires are a concern.

Resulting Impact of the Event: Numerous fire starts can spread fire resources too thin resulting in a greater likelihood of a start becoming a large and potentially costly wildfire.

• **DRY & UNSTABLE AIRMASS:** High elevation Haines Index of 6 in combination with RH of 15% or less over half or more of a zone. Warnings may also be issued for a Haines 5 in situations where large fires may be impacted. Ground truth indicates that there is very little to no difference in fire activity between Haines 5 and Haines 6 days.

Resulting Impact of the Event: Very dry and very unstable conditions create a high likelihood that a fire start will exhibit explosive growth and extreme burning conditions. Extreme fire behavior is possible including rotating smoke columns and fire whirls (a.k.a. fire tornados) along with an increased threat to fire fighter safety. Note: this event does not start fires but can have a significant impact to ongoing fires.

• WIND & LOW HUMIDITY: Significant sustained winds combined with low relative humidity (this includes significant dry cold frontal passages) that meets the criteria as defined below at TWO or more RAWS locations simultaneously for two consecutive hours. Other supplementary locations (converted to RAWS 20 foot/10 minute average wind standards) may also be used if they are deemed representative of burning conditions at the time.

Zone OR639: Relative Humidity at 20% or less **AND** sustained wind speed 10 mph or greater.

Zone OR610: Relative Humidity at 15% or less **AND** sustained wind speed 10 mph or greater. Haystack RAWS (located in zone OR640) will be included for verification purposes in this zone as well.

Zone OR611: Relative Humidity at 15% or less **AND** sustained wind speed 10 mph or greater. Timothy RAWS (located in zone OR624) will be included for verification purposes in this zone as well.

Zone WA690: Relative humidity of 20% or less **AND** wind speed 15 mph.

Zone WA695: Relative humidity of 25% or less **AND** wind speed 15 mph.

Zones OR640, OR/WA641, OR642, OR/WA643, OR644, OR/WA645, WA675, & WA681: Refer to the following tables:

Columb	ia Basin -	Sustai	ned Wind (MPH) Over	Widespread	d Area
Zones OR	641/WA691	10	15	20	25	30+
	35%					W
	30%	3			W	W
DII	25%			W	W	W
RH	20%		W	W	W	W
	15%	3	W	W	W	W
	10%		W	W	W	W

The Central and Northeast Oregon Mountains / Yakama Alpine - Zones OR640, OR642, OR643, OR644, OR645, WA692, WA693 and WA694

		Sustai	ined Wind (MPH) Over	Widespread	d Area
		10	15	20	25	30+
	30%	8		30		W
	25%				W	W
RH	20%			W	W	W
	15%	33	W	W	W	W
	10%		W	W	W	W

Red Flag Warning Dissemination:

A Red Flag Warning dissemination call list has been established in order to rapidly disseminate Fire Weather Watches, Red Flag Warnings, or other rapidly changing weather conditions that do not necessarily meet Red Flag criteria, but will affect fire control or pose a safety threat. **NWS Pendleton will contact the**

affected dispatch centers who will then contact other affected land management agencies in those zones per the following Table:

Red Flag Warning dissemination call list to Dispatch Centers NWS PDT

₩<u>3</u> FI

Zone WA = Washington OR = Oregon	ORBMC 541- 963-7171	ORCOC 541- 316-7772	ORJDC 541- 575-1321	WACCC 360- 891-5140	WACWC 509- 884-3473	WAHNC 509- 373-3221	ORWSC 541- 553-2413	WAYAC 509- 865-6653
OR 639								E
OR 610		A					A	
OR 611		A						
OR 640		A						
WA691	A			A	A	A		A
OR 641	A	A						
OR 642	A	A	A					
WA692 OR 643	A							
OR 644	A							
WA693 OR 645	A							
WA690					A			A
WA695					A			

▲ Indicates to call Dispatch Center(s) based on which zone(s) warning(s) issued for.

ORBMC = Blue Mountain Interagency Dispatch

ORJDC=John Day Dispatch

ORCOC = Central Oregon Dispatch

WACWC=Central Washington Dispatch

WAHNC = Hanford Fire

WACCC = Columbia Cascade Dispatch

WAYAC=Yakama BIA Dispatch

ORWSC=Warm Spring BIA

IMET Support:

Forecasters at National Weather Service Pendleton will provide 24-hour forecast support to IMETs that may be dispatched in the local area.

Forecasters will communicate either through direct phone calls, video conferencing, Google chat,, or the use of NWSChat. The chat room that should be used is pdtfire.

NON-FORECAST SERVICES:

Zone	Name	NFDRS	Туре	Agency	Lat	Long	Elev	Slope/Aspect
OR639	Middle Mtn	350812	RAWS	ODF	45.5794	121.5970	2500	N-S Ridge
OR639	Pollywog	350912	RAWS	USFS	45.4586	121.4464	3320	Lwr slope-S
OR639	Wamic Mill	350913	RAWS	USFS	45.2333	121.4500	3320	Upr slope-S
OR639	Wasco Butte	350919	RAWS	ODF	45.6167	121.3353	2345	Butte top
OR610	Sidwalter	350909	Manua l	BIA	44.925	121.5347	3600	Butte top-NW
OR610	Mt Wilson	350916	RAWS	BIA	45.0397	121.6736	3780	Midslope-SW

									All
OR610	Mutton Mtn	350917	RAWS	BIA	44.9255	121.1978	4100	S-N Ridge	
OR610	Не Не 1	350920	RAWS	BIA	44.9559	121.4992	2689	Flat	

requests for teaching assignments, customer meetings, and customer consultations will be honored provided they are scheduled more than three weeks ahead of time. Every effort will be made to honor requests made within a period of less than three weeks depending on schedule availability. Please contact Mary Wister or Christel Bennese at NWS Pendleton (541) 276-8134, or by e-mail (mary.wister@noaa.gov and christel.bennese@noaa.gov) to schedule these services.

Pendleton NFDRS Fire Weather Station Index

OR610	Shitike Butte	352102	Manua I	BIA	44.7449	121.6106	5000	Butte top
OR610	Eagle Butte	352106	Manua I	BIA	44.8399	121.2338	3100	Butte top
OR610	Warm Springs	352108	RAWS	BIA	44.7750	121.2541	1632	Valley
OR610	Metolius Arm	352110	RAWS	BIA	44.6275	121.6147	3440	Butte-SW
OR610	Colgate	352620	RAWS	USFS	44.3156	121.6022	3280	Flat
OR611	Round Mtn	352605	RAWS	USFS	43.7575	121.7102	5900	Butte top
OR611	Lava Butte	352618	RAWS	USFS	43.9253	121.3429	4655	Butte top-S
OR611	Tepee Draw	352622	RAWS	USFS	43.8322	121.0842	4740	Lwr slope-E
OR611	Black Rock	353342	RAWS	USFS	43.527	121.8090	4880	Lwr slope-S

OR611	Cabin Lake	353402	RAWS	USFS	43.4956	121.0597	4545	Flat
OR611	Tumalo Ridge	352621	RAWS	ODF	44.0493	121.4001	4000	Ridge-NW
OR640	Haystack	352107	RAWS	USFS	44.4494	121.1297	3240	Flat
OR640	Brown's Well	353428	RAWS	BLM	43.5628	121.2360	4500	Flat knob-SW

OR640	Cold Springs	352701	RAWS	USFS	44.3550	120.1335	4695	Flat
OR640	Salt Creek	352712	RAWS	BLM	44.0467	120.6694	4200	Flat
OR640	Badger Creek	352711	RAWS	USFS	44.0311	120.4083	5680	Midslope-flat
OR640	Slide Mountain	352207	RAWS	USFS	44.4622	120.2945	5700	Upr slope-NE
OR640	Brer Rabbit	352208	RAWS	USFS	44.333	119.770	5900	Valley-S
OR640	Board Hollow	352109	RAWS	ODF	44.6038	120.6847	4200	Ridge-flat
WA691	Juniper Dunes	453201	RAWS	BLM	46.3575	118.8683	950	Flat
WA691	Goldendale	452408	RAWS	DNR	45.881	120.634	1690	Flat knob-S
WA691	The Dalles	452406	ASOS	FAA	45.6190	121.1657	210	W-E valley

WA691	Saddle Mtn	452701	RAWS	USFWL	46.6944	119.6936	650	Flat
OR641	Patjens	351001	RAWS	BLM	45.3219	120.9292	2230	Ridge-SW
OR641	North Pole Rdg	350915	RAWS	BLM	45.0329	120.5357	3500	Ridge-W
OR641	Umatilla NWR	351316	RAWS	USFWL	45.9180	119.5675	270	Flat

Crow Flat	353515	RAWS	USFS	43.8413	118.9521	5130	Valley-S
Allison	353501	RAWS	USFS	43.9214	119.5964	5320	Valley-S
Fall Mountain	352327	RAWS	USFS	44.2970	119.0370	5949	SW-NE Ridge
Antelope	353524	RAWS	BLM	44.0384	118.4163	6460	N-S Ridge
Crane Prairie	352305	RAWS	USFS	44.1601	118.4704	5373	Valley-S
Yellowpine	352124	RAWS	USFS	44.5263	118.3230	4200	Lwr slope-E
Alder Ridge	453803	RAWS	USFS	46.2685	117.4983	4550	Ridge-S
Eden	351518	RAWS	USFS	45.8763	117.6160	3500	Upr slope-S
Black Mtn Rdg	351319	RAWS	USFS	45.5738	118.2385	4965	Ridge-Sw
	Allison Fall Mountain Antelope Crane Prairie Yellowpine Alder Ridge Eden	Allison 353501 Fall Mountain 352327 Antelope 353524 Crane Prairie 352305 Yellowpine 352124 Alder Ridge 453803 Eden 351518	Allison 353501 RAWS Fall Mountain 352327 RAWS Antelope 353524 RAWS Crane Prairie 352305 RAWS Yellowpine 352124 RAWS Alder Ridge 453803 RAWS Eden 351518 RAWS	Allison 353501 RAWS USFS Fall Mountain 352327 RAWS USFS Antelope 353524 RAWS BLM Crane Prairie 352305 RAWS USFS Yellowpine 352124 RAWS USFS Alder Ridge 453803 RAWS USFS Eden 351518 RAWS USFS	Allison 353501 RAWS USFS 43.9214 Fall Mountain 352327 RAWS USFS 44.2970 Antelope 353524 RAWS BLM 44.0384 Crane Prairie 352305 RAWS USFS 44.1601 Yellowpine 352124 RAWS USFS 44.5263 Alder Ridge 453803 RAWS USFS 46.2685 Eden 351518 RAWS USFS 45.8763 Black Mtn 351319 RAWS USFS 45.5738	Allison 353501 RAWS USFS 43,9214 119,5964 Fall Mountain 352327 RAWS USFS 44,2970 119,0370 Antelope 353524 RAWS BLM 44,0384 118,4163 Crane Prairie 352305 RAWS USFS 44,1601 118,4704 Yellowpine 352124 RAWS USFS 44,5263 118,3230 Alder Ridge 453803 RAWS USFS 46,2685 117,4983 Eden 351518 RAWS USFS 45,8763 117,6160 Black Mtn 351319 RAWS USFS 45,5738 118,2385	Allison 353501 RAWS USFS 43.9214 119.5964 5320 Fall Mountain 352327 RAWS USFS 44.2970 119.0370 5949 Antelope 353524 RAWS BLM 44.0384 118.4163 6460 Crane Prairie 352305 RAWS USFS 44.1601 118.4704 5373 Yellowpine 352124 RAWS USFS 44.5263 118.3230 4200 Alder Ridge 453803 RAWS USFS 46.2685 117.4983 4550 Eden 351518 RAWS USFS 45.8763 117.6160 3500 Black Mtn 351319 RAWS USFS 45.5738 118.2385 4965

OR643	LaGrande 1	351417	RAWS	ODF	45.5508	118.0133	3079	Lwr slope-E
OR644	Case	352329	RAWS	USFS	44.9711	118.9297	3800	Ridge-flat
OR644	Tupper	351202	RAWS	USFS	45.0667	119.4925	4200	Lwr slope-S
OR644	Board Creek	352330	RAWS	BLM	44.5930	119.2770	5000	Ridge

OR644	Keeney 2	352332	RAWS	USFS	44.6661	118.9219	5120	Ridge
OR644	J Ridge	351414	RAWS	USFS	45.1135	118.4051	5180	Upr slope-SE
OR644	Elk Creek	352126	RAWS	USFS	44.7577	117.9711	6576	Upr Slope
OR645	Point Prom 2	351419	RAWS	USFS	45.3547	117.7044	6600	N-S Ridge
OR645	Roberts Butte	351520	RAWS	USFS	45.6811	117.2067	4300	N-S Ridge
OR645	Harl Butte	351502	RAWS	USFS	45.3282	116.8774	6071	Butte top-S
OR645	Sparta Butte	352418	RAWS	USFS	44.8850	117.3383	4300	Midslope-SW
WA690	Ellensburg	452203	ASOS	FAA	47.03	120.54	1560	NW-SE valley
WA694	Signal Peak	452307	RAWS	BIA	46.2269	121.1375	5052	Ridge-S
WA694	Mill Creek	452304	RAWS	BIA	46.2625	120.8622	2928	Midslope-flat
WA694	Teepee Creek	452317	RAWS	BIA	46.1642	121.0331	2980	Midslope-flat
WA694	Grayback	452404	RAWS	DNR	45.9908	121.0838	3766	Ridge
WA694	High Bridge	452318	RAWS	BIA	46.0811	120.5440	2106	Midslope-N

WA695	Sedge Ridge	452306	RAWS	DNR	46.58	120.90	4300	Ridge
WA695	Sawmill Flats	452221	RAWS	USFS	46.98	121.08	3500	Midslope-S
WA695	Peoh Point	452206	RAWS	DNR	47.15	120.95	4020	Midslope-NE
WA695	Swauk	452219	RAWS	USFS	47.25	120.67	3773	Upr slope-N

2023

Portland Fire Weather Operating Plan



Eagle Creek Fire – September 2017 – Photo by Shawn Weagle PORTLAND FIRE WEATHER

Changes for 2023:

- 940 User Briefings See User Briefings Section
- Mon-Fri Fire Weather Planning and NFDRS forecasts begin April 10, 2023.
- Full-time 7-day fire weather services begin May 28, 2023.

• New RAWS - Chandler Mtn. RAWS south end of zone 603. • New Fire Weather Program Leader – Briana Muhlestein

Future potential changes:

- Particularly Dangerous Situation (PDS) Red Flag Wind/RH criteria under development
- Adjustments to Dry/Unstable Red Flag criteria for the Cascades Zone changes to be implemented in 2024

LOCATION

National Weather Service Forecast Office 5241 NE 122nd Avenue Portland, OR 97230-1089

HOURS

The National Weather Service Office is open 24 hours a day, 7 days a week. The fire weather duty desk will be staffed with a fire weather forecaster between the hours of 0630 and 1530 seven days a week during fire season, normally from Memorial Day through mid-October. The fire weather desk is staffed with a fire weather forecaster from 0700 to 1600 Monday through Friday during Spring burning (mid to late March through Memorial Day), and also during the fall burning period (mid to late October).

STAFF

Tanja Fransen Meteorologist in Charge

Treena Jensen Warning Coordination Meteorologist

Colby Neuman Science Operations Officer

Briana Muhlestein
Jon Bonk
Fire Weather Program Leader
Fire Weather Team, IMET
Rebecca Muessle
Fire Weather Team, IMET(t)

Shawn WeagleFire Weather Team

CONTACT

Telephone

Fire Weather Desk 503-326-2420 Lead Forecaster (24 hrs) 503-326-3720 FAX 503-326-2598 Internet: http://www.wrh.noaa.gov/fire2/?wfo=pqr

Facebook page: http://www.facebook.com/US.NationalWeatherService.Portland.gov

Office Twitter page: https://www.twitter.com/NWSPortland

Twitter handle: @NWSPortland or https://www.twitter.com/NWSPortland

Email briana.muhlestein@noaa.gov

FORECAST DISTRICT

Portland services Oregon fire weather zones 601-608 and 612. Portland also covers Washington fire weather zones 663-665, and 667. This area covers:

Northwest Oregon and Southwest Washington, North Oregon Cascades including the Columbia River Gorge (to about Viento). South Washington Cascades and adjacent lowlands of Clark County.

See the attached map for a graphic description of individual areas/zones of the Portland district.

AGENCIES SERVED

U.S. Forest Service (USFS)

U.S. Bureau of Land Management (BLM)

Oregon Department of Forestry (ODF)

Washington Department of Natural Resources (WDNR)

Various urban and rural local fire districts

FORECAST SERVICES

1. FIRE WEATHER FORECAST GRIDS

Fire Weather forecast grids from the Portland Fire Weather Office can be found at: http://digital.weather.gov

Point and click Fire Weather forecast information can be accessed at:

https://www.weather.gov/wrh/fire?wfo=pqr

2. RED FLAG WARNING/FIRE WEATHER WATCH

Fuels must be critically dry and fire danger moderate to high before a Red Flag Warning or Fire Weather Watch is issued from the Portland office. Evaluations of fuel conditions will be made in

accordance with current NFDRS Energy Release Component (ERC) values and in consultation with fire managers.

FUELS STATUS DETERMINATION

NWCC issues a <u>7-day Significant Fire Potential</u> or Overall Fire Environment forecast. The Overall Fire Environment includes the former Dryness Level inputs, but also incorporates stability, wind and forecast lightning amounts. Thus, another objective means to determine fuel availability had to be determined.

The Portland Forecast Office will continue to use zone-average ERC percentiles. The ERC values for all RAWS sites within the Portland Fire weather area will be evaluated daily, and then an overall zone color-code assigned: For a YELLOW or RED zone designation, one-half or more RAWS within a zone must have an individual ERC value at or above the 71st percentile.

70th PERCENTILE VALUE or less = GREEN
71st - 79th PERCENTILE VALUE = YELLOW
80th PERCENTILE or greater = RED

Assuming these conditions are met, Fire Weather Watches and Red Flag Warnings are issued for the following events:

A. COMBINATION OF WIND AND LOW HUMIDITY

Daytime: RH 25% or less **AND** 10-minute wind speed 10 mph AND/OR frequent gusts to 20 mph or more for 4 hours.

Night: RH 35% or less **AND** 10-minute wind speed of 15 mph AND/OR gusts to 25 mph or more for 3 hours.

PARTICULARLY DANGEROUS SITUATION (PDS) – Criteria to be established and input is welcome from fire weather partners. This type of Red Flag Warning would be issued very rarely, for events such as the 2020 Labor Day Firestorm.

B. DRY AND UNSTABLE AIR MASS

Mid and/or High level Haines 6, RH 25% or less, AND critical fuel conditions.

Zones 607 and 608 – Issued ONLY when a large fire exists. Large fire defined as an incident with a Type 1 or Type 2 IMT.

C. LIGHTNING

Scattered thunderstorm coverage, critical fuels **AND** no appreciable change in fuel conditions after the event.

RED FLAG VERIFICATION

Red Flag warnings will be verified using the following criteria:

A. COMBINATION OF WIND AND LOW HUMIDITY NIGHTTIME CRITERIA:

ZONES 601, 602, 664 AND 665: Two stations (RAWS) must report 35% humidity or less **AND** 10-minute wind speed of 10 mph **AND/OR** gusts to 20 mph or more for three hours in an 8-hour time block. *Key RAWS*: Cedar Creek, Rockhouse1, and South Fork.

ZONES 603 AND 612: Rockhouse1 RAWS reporting 35% humidity or less **AND** 10-minute wind speed of 15 mph **AND/OR** gusts to 25 mph or more for four hours in an 8-hour block **AND** one other RAWS reporting 35% humidity or less **AND** 10-minute wind speed of 10 mph **AND/OR** gusts to 20 mph or more for two hours. *Key RAWS*: Rockhouse1, Goodwin Peak, High Point, and Cannibal Mountain.

ZONE 604 and 667: Two stations (airports) must report 30% humidity or less **AND** 2-minute wind speed of 15 mph **AND/OR** gusts to 25 mph or more for at least four hours in an 8-hour block. Typically occurs in the north part of the valley. *Key STATIONS*: Troutdale, Portland, Vancouver, and Hillsboro.

ZONES 605, 607, AND 660: One station (RAWS) must report 35% humidity or less **AND** 10-minute wind speed of 10 mph **AND/OR** gusts to 20 mph or more for four hours in an 8-hour block, **AND** at least **TWO** other stations reporting 35% humidity or less **AND** 10-minute wind of 10 mph **AND/OR** gusts to 20 mph for at least **TWO** hours. **Key RAWS**: Horse Creek, Log Creek, Wanderer's Peak, Kosmos, Canyon Creek, Orr Creek, Elk Rock, and 3-Corner Rock. NOTE: Includes stations from zone 659.

ZONE 663: Buck Creek RAWS must report 35% humidity or less **AND** 10-minute wind speed of 10 mph **AND/OR** gusts to 20 mph or more for four hours in an 8-hour block. Dry Creek RAWS (eastern 660) must also report 35% humidity or less **AND** 10-minute wind speed of 10 mph **AND/OR** gusts to 20 mph or more for at least **TWO** hours.

ZONES 606 AND 608: One station (RAWS) must report 30% humidity or less **AND** 10-minute wind speed of 10 mph **AND/OR** gusts to 20 mph or more for at least four hours in an 8-hour block, **AND ONE** other station must report the same conditions for at least **ONE** hour. **Key RAWS**: Brush Creek, Trout Creek, Yellowstone, and Emigrant.

DAYTIME CRITERIA (ALL ZONES):

At least two stations within a zone must report 25% humidity or less **AND** wind-speed of 10 mph or more OR gusts to 20 mph or more (except 15 mph or gusts to 25 mph or more in zones 604 and 667) for at least four hours in an 8-hour block.

Typically for east wind (offshore flow), but can occur in the Coast Range and central/south Willamette Valley with north to northeast wind. Can also occur in the Central Cascades and foothills with shallow marine surges (west to northwest wind).

B. CRITICALLY DRY AND UNSTABLE AIR MASS (HAINES INDEX 6)

At least **ONE** station within a zone must report 25% humidity or less, measure a mid and/or high-level Haines 6, or exhibit inferred mid and/or high-level Haines 6 characteristics, **AND** fuel conditions are in the "RED", or "YELLOW" based on forecaster discretion.

C. LIGHTNING IN COMBINATION WITH DRY FUELS

"Dry thunderstorm" Red Flag criteria is defined as follows: <u>Abundant lightning in</u> conjunction with sufficiently dry fuels.

Abundant Lightning:

- 1) Number of lightning strikes that meet climatologically significant criteria, or
- 2) Areal coverage of lightning such as "Scattered" or \geq 25%

Sufficiently Dry Fuels:

- 1) No appreciable change in fuel conditions the day of and the day following a thunderstorm event, or
 - 2) ERC or BI values meeting climatologically significant percentiles, or
 - 3) Land management declaration

This is a very rare event which, climatologically, has the highest likelihood of occurrence in the south half of the Willamette N.F..

Fuel Conditions **SHOULD** be in the "RED", and expected lightning frequency such that multiple starts (5-7) are expected. (Typically "scattered" thunderstorm coverage). Under unusual or extreme conditions, a Red Flag Warning can also be issued when fuel conditions are "YELLOW". Basically, "scattered" thunderstorms that do not produce enough precipitation to appreciably change the overall fuel conditions from "RED" or high-end "YELLOW".

3. SPOT FORECASTS

Detailed weather information beyond what is presented in the general forecast may be obtained with a spot forecast request. Spot forecasts may be requested by a telephone call to the fire weather forecaster or through the spot forecast request web page available on the Portland fire weather web page at:

NWS Spot Request Page

Click on the above link to get to the spot request form. To monitor existing spots and to check the status of spot requests, click on the "*Monitor*" box at the top of the page. Contact the Portland Fire Desk for any questions or guidance using the new spot page.

4. GENERAL FORECASTS

Fire Season: Regularly scheduled general fire weather forecasts are issued twice per day by fire weather forecasters around 0600 and 1445 PDT.

Prescribed Burning Season: Regularly scheduled land management forecasts are issued by fire weather forecasters Monday through Friday around 0600 and 1430 PDT.

The Portland office will include wind gusts when the 10-minute wind speed is 10 mph or greater.

5. NFDRS TREND FORECASTS

Seven-day numerical point forecasts for NFDRS stations are prepared and disseminated to WIMS by 1530 each afternoon from late April through mid-October. The point forecasts are used to compute the expected NFDRS indices valid the following day. The number of NFDRS point forecasts made by the weather office depends only on the number of NFDRS observations input into WIMS by the fire agencies. If observations are not entered into WIMS by 1500 however, a forecast will not be produced for that station.

<u>USER BRIEFINGS</u>

GoTo Meeting user briefings: Portland fire weather conducts fire weather briefings at 0940 PDT via GoTo Meeting. A recorded briefing will be available every Sunday beginning Memorial Day weekend until fuel conditions become Red Flag eligible. Live briefings will be conducted Monday, Wednesday and Friday when fuels in the majority of fire weather zones become Red Flag eligible. Daily briefings will be scheduled when a critical fire weather pattern is expected and/or when the regional planning level is 4 or 5.

Fire weather users are encouraged to participate. During live briefings, the forecaster will verbally highlight current and forecast fire weather conditions with the help of an internet web page. The fire weather briefing page contains the forecast model graphics and several NDFD graphics. In all instances, the briefing will be recorded and posted to the fire weather web page. Conference call participants can follow along with the discussion while viewing graphics displayed on the web page. The URL for the briefing graphics is: Fire Weather Briefing Graphics. Graphics will be available by 0700 PDT.

Unscheduled telephone briefings: Verbal weather briefings can also be obtained at any time by contacting the forecast office.

INCIDENT METEOROLOGIST SERVICES

Portland has ONE certified Incident Meteorologist (IMET) and ONE IMET Trainee on staff available for wildfire, HAZMAT, or other emergency dispatches. To request an IMET, contact the appropriate fire agency dispatch office or the National Fire Weather Operations Coordinator (NFWOC) in Boise, ID.

OTHER SERVICES

FIRE WEATHER TRAINING AND LECTURES

An experienced fire weather forecaster will be available to help instruct the weather sections of standard fire behavior training courses offered by federal, state and local government fire agencies. This includes S-190 through S-590 and other courses. In addition, a forecaster may also be available for special speaking engagements. For scheduling purposes, requests for an instructor or speaker should be made at least four weeks in advance.

To request an instructor contact Tanja Fransen at Portland NWS Forecast Office at (503) 326-2420 or by email at tanja.fransen@noaa.gov.

SOCIAL MEDIA

NWS Portland has a Facebook Page, Twitter Page, and YouTube Channel.

The Office Twitter handle is: @NWSPortland

A YouTube weather briefing may be available during critical fire weather events. Web links to these briefings will be disseminated to users when applicable.

Information about current Fire Weather may be included in these social media feeds, but such information is intended as supplemental information for the general public; it is not intended to meet the specialized needs of the wildland firefighting community.

Portland Fire Weather Zones



GEOGRAPHIC ZONE DESCRIPTIONS

Zone 601 – North Oregon Coast

Represents the North Oregon coastal strip including adjacent west slopes of the Oregon Coast Range. This zone includes the north portion of the Siuslaw N.F. and ODF protected private land.

Extends east-west from the crest of the Oregon Coast Range to the Pacific Ocean. Extends north-south from the Columbia River to Oregon State Highway 22 along the eastern boundary of ODF regulated use area NW-2.

Zone 664 – South Washington Coast including the West Willapa Hills

Represents the South Washington coastal strip, including adjacent west slopes of the Willapa Hills. The boundary extends from the Columbia River then north to encompass Pacific County. The zone extends east to include Wahkiahkum County.

Zone 612 – Central Oregon Coast

Represents the Central Oregon coastal strip including adjacent west slopes of the Oregon Coast Range. Includes southern portions of the Siuslaw N.F. and ODF protected private land.

Extends east-west from the crest of the Oregon Coast Range to the Pacific Ocean. Extends north-south from Oregon State Highway 22 to the Umpqua River along the west edge of the Siuslaw National Forest including ODF regulated use area SL-2.

Zone 602 – North Oregon Coast Range

Represents the east slopes of the North Oregon Coast Range. Mostly private land under ODF protection.

Bounded on the west by North Oregon Coast Range crest. Bounded on the east by the west periphery of the Willamette Valley and Columbia River. Extends north-south from the Columbia River to Oregon State Highway 22.

Zone 665 – East Willapa Hills

Represents mostly private land protected by DNR and covers the east slopes of the Willapa Hills. The zone includes western Cowlitz County, bounded on the north by the Cowlitz and Lewis county border. Bounded on the east along a line from near Toutle to Interstate 5 at Castle Rock. Bounded on the south by the Columbia River.

Zone 603 – Central Oregon Coast Range

Represents the east slopes of the Central Oregon coast range. Mostly ODF protected private land.

Bounded on the west by the Coast Range crest. Bounded on the east by the western periphery of the Willamette Valley. The north boundary is along Oregon State Highway 22. The south boundary lies along Oregon State Highway 38.

Zone 604 – Willamette Valley

Bounded on the west and east by the foothills of the Coast Range and Cascades. Extends north-south from the Columbia River to just south of Cottage Grove Reservoir.

Zone 667 - Clark County Lowlands

Bounded on the west by the Columbia River and on the east by the South Washington Cascade foothills. Extends north-south from Lewis County to the Columbia River.

Zone 605 – North Oregon Cascade Foothills

Represents foothill elevations of the North Oregon Cascades. Mostly ODF protected private land.

Bounded by the east periphery of the Willamette Valley on the west and the National Forest boundary of the Mt. Hood and Willamette National Forests on the east. Extends from the Columbia River on the north, to the Crabtree Creek Divide, approximately 10 miles south of Oregon State Highway 22 (Santiam Highway) on the south.

Zone 606 - Central Oregon Cascade Foothills

Represents the foothill elevations of the Central Oregon Cascades. Mostly ODF protected private land.

Bounded by the east periphery of the Willamette Valley on the west (Interstate 5 south of Eugene) and the Willamette Forest boundary, and extreme north Umpqua Forest boundary on the east. Extends from Crabtree Creek Divide roughly 10 miles south of Oregon State Highway 22 on the north to the Lane/Douglas county line on the south.

Zone 607 – North Oregon Cascades

Represents all of the Mt. Hood NF west of the Cascade Crest along with interior Cascade wilderness areas.

Bounded by the Columbia River on the north to near Viento, the Cascade Crest on the east, and the Mt. Hood forest boundary on the south and west.

Zone 608- Central Oregon Cascades

Represents the Willamette NF in its entirety along with interior high Cascade wilderness areas.

Bounded by the Cascade Crest on the east and the Willamette Forest boundary on the south, west, and north.

Zone 660 – South Washington Cascades and Foothills

Represents the Wind River and St. Helens Ranger Districts of the Gifford Pinchot NF, as well as adjacent Washington state DNR protected Cascade and Green Mountain foothills to the south and west. This zone excludes the Columbia River lowlands of Clark County, WA and much of the Mt. Adams Ranger District.

Bounded on the east by the Gifford Pinchot forest boundary to the Indian Heaven Wilderness. The zone also includes the northeast peninsula north of Mt. Adams to the southeast boundary of FWZ659 and the northwest boundary of FWZ681. The southeast boundary follows the Columbia River west to the Clark County, WA line. The north and northwest boundary follows the contour of the Cascade Foothills to the Lewis River, then west along the Lewis River to the Columbia River. The zone boundary follows the Columbia River to Kelso, WA. The north boundary extends from Kelso, WA northeast following the contour of the Green Mountain/Cascade foothills to the Lewis County line.

Zone 663 - Eastern Gifford Pinchot including Mt. Adams District

Represents much of the Mt. Adams Ranger District. Bounded north of the Columbia River Gorge, at the boundary of the Columbia Gorge Natural Scenic Area, directly opposite FWZ607 on the Oregon side and including the current south boundary of FWZ660. This zone starts near Augspurger Mtn. and then closely follows the Pacific Crest Trail (PCT) to the south flank of Mt. Adams. The boundary would lie along the west side of the Indian Haven Wilderness. The east boundary would be the existing zone 660 and neighboring WFO zones 639 and 681. The zone includes the community of Trout Lake and includes the Buck Creek RAWS station.

PORTLAND FORECAST AREA NFDRS STATION LIST

ZONE N	UMBE R	NAME	TYPE	TYPE AGENC Y		LON	ELEV	ASPEC T	T	R	S
601	350208	Tillamook Cedar	R	ODF	45.26	-123.5 -123.7	22	Flat Ridgeto	1S	9W	29
	350215	Creek	R	USFS	45.21	7	2240	, and the second	4S	9W	22
<i>((</i>)	450404		3.4	DVD	16.6			p W-in	1011	OW	10
664	450404	Willapa	M	DNR	46.6	-123.6	60	valley S-on	13N	8W	10
	450407	Huckleberr y	R	DNR	46.5	-123.4	2500	mid-slo	12N	6W	22
		,				-123.4		pe S-on			

602	350216	South Fork	R	ODF	7	45.58		2120			1N	7W	12
							9		ridge				
	350308	Miller	R	ODF	7	46.02	-123.2	1090	S-in		6N	5W	11
							7		valley	y			
	250112	TD: 1	ъ	ODE		46.01	-123.5	2025	D: 1		O.I.	733 7	0
	350113	Tidewater	R	ODF	í	46.01	6	2035	Ridge	9	6N	7W	9
		Rye					-123.5		S-on				
	350505	J	R	BLM	Í	45.22		1960			4S	7W	9
		Mountain					3		ridge				
665	451207	Castle	n	DMD		46.07	-122.8	212	S-in		ONT	2337	1.4
005	451207	Rock	R	DNR		46.27	9	213	valley	:7	9N	2W	14
		Abernathy					9		Ridget				
	451209	ricemany	R	DNR	2	46.35	-123.1	2000	rauge		10N	3W	19
		Mtn.							p				
		Rockhouse					-123.4		Midsl	О			
603	351710	R	ODF	44.93 2	2000	7S	7W						
		1					7		pe				
	351811	Wilkinson	R	USFS	3	44.33	-123.7	1370	W-on	1	14S	9W	24
	331011	Ridge	K	CDI	,	44.55	2	1370	ridge	;	145	<i>)</i>	2-7
		Village					-123.4		SE-or				
	352547		R	BLM	I	44.25		1500			16S	7W	1
		Creek					7		ridge				
	252047	Devil's	ъ	DIA	,	12.72	-123.6	1550	NW-n	ie	210	OW	27
	353047	Graveyard	R	BLM	I	43.72	3	1550	ar ridg	re.	21S	8W	27
		Graveyard					3		NW-le				
							-123.4						
	351814	Gellatly	R	ODF	7	44.61	0	860	wer		11S	7W	13
							8		slope				
		Chandler					-123.6		W-on				
	351711		R	ODF	7	44.813		1697		-	9 S	8W	3
		Mtn.					4		ridge				
	252550	III 1 D	ъ	DIA	,	12.01	-123.3	1025	N-on	1	100	CVV	22
	352550	High Point	R	BLM	I	43.91	8	1935	ridge		19S	6W	23
		Willow					-123.1		Hage	,			
604	352561	R	BLM	44.03 4	156	Valley	18S	4W	4				
		Crk.					7						
	251012	Einles	n	HCEN	7 C	44.42	-123.3	220	V 7-11		120	£W.	20
	351813	Finley	R	USFW	3	44.42	3	330	Valle	у	13S	5W	20
667	451306	Vancouver	M	DNR	,	45.7	-122.7	210	Flat		2N	1E	28
007	431300	Horse	1 V1	DININ	•	75.1	144.1	210	1 Idl		21 V	115	20
605	350727	R	BLM	44.94 -	122.4	4 2000	Ridge	7S	3E	23			
		Creek											
		Eagle					-122.3		SW-m	ni			

	350728	R	ODF	45.37	744	2S	4E	28 Cree		3 d	slope	
		Yellowston					-122.4		NE-in			
606	352024	R	BLM	44.6	3080	11S	3E	22 e		alley		
	352025	Jordan	R	0	DF	44.72	-122.6	778	In	10S	1E	9
	332023	Jordan	K	U	DF	44.72	9	776	valley	103	1E	9
		Trout					-122.5		SW-on			
	352552		R	B	LM	44.11		2400		17S	2E	9
		Creek					8		ridge			
	352562	Green Mtn.	R	R	LM	43.73	-122.8	3064	Ridge	21S	1W	21
	332302	Green Win.	ı	ъ.	LIVI	13.73	1	3001	rauge	215	1 "	21
		Brush					-122.8		N-on			
	352553	G 1	R	B	LM	44.28	~	2300	. 1	15S	1 W	7
		Creek					5		ridge SW-on			
							-121.9		SW OII			
607	350718	Red Bo	xR	USFS	45.03	3250	midslo	p 6S	7E 2	23		
							2					
		*** 1 1							e			
	350726	Wanderer's	R	110	SFS	45.11	-122.2	4350	S-on	5S	5E	28
	330720	Peak	K	O.	31.9	43.11	-122.2	4330	ridge	33	JE	26
									W-on			
	350604	Log Creek	R	US	SFS	45.51	-121.9	2500	midslop	1S	7E	12
									e SW-on			
							-121.9		3 W -011			
608	352554	Pebble	R	USFS	44.23	3560	midslo	p 15S	7E 2	29		
							8	-				
									e			
	352557	Fields	R	110	SFS	43.73	-122.2	3360	Flat-on	22S	4E	11
	332331	Ticids	K	O.	51.5	73.73	8	3300	ridge	225	TL	11
							-122.2		S-on			
	352558	Emigrant	R	US	SFS	43.47		3840		24S	5E	21
							2		ridge Flat-in			
	351909	Boulder	R	US	SFS	44.98	-122	3570	Tat-III	10S	7E	7
									valley			
							-123.8		Ridgeto		10	
612	351604	Cannibal	R	US	SFS	44.35		1946		14S		16
		Goodwin					9 -123.8		p Ridgeto		W 10	
	352545	Goodwiii	R	US	SFS	43.93	-123.6	1826	Kiugeto	19S	10	9
		Peak					9		p		W	-
									Ridgeto			
660	451208	Elk Rock	R	US	SFS	46.35	-122.6	2500		10N	3E	35
		Convor					122.1		p W-on			
	451921	Canyon	R	[1]	SFS	45.92	-122.1	2500	vv -OII	5N	5E	8
		Creek			~	2	7		ridge	211		Ü

		3 Corner				-122.0					
	451929	Rock	R	DNR	45.72	4	3000	Ridge	3N	6E	26
						-121.9		SE-on			
	451924	Dry Creek	R	USFS	45.94		2549		5N	7E	6
						9		ridge			
	451201	I and Ma	D	DND	45.72	-122.3	1150	Ridge-t	ONI	415	20
	451301	Larch Mtn.	R	DNR	45.72	5	1150	on	3N	4E	29
		Buck				3		op Meado		10	
663	451917		R	USFS	46.06	121.54	2690		7N		34
		Creek						W		E	

2023

NWS Seattle Fire Weather

Operating Plan



Fire near Grand Mound, Washington, August 2, 2017 (not the Scatter Creek Fire). Photo by Brad Hall, used with permission.

Changes for 2023:

■ Introduction of Particularly Dangerous Situation (PDS) Red Flag Warnings as a concept.

LOCATION

The National Weather Service Forecast Office in Seattle is located at the NOAA Western Regional Center in northeast Seattle. The address is:

NOAA - National Weather Service 7600 Sand Point Way NE Seattle, WA 98115-0070

HOURS OF OPERATION

The National Weather Service (NWS) in Seattle operates 24 hours a day, 7 days a week, every day of the year. During wildfire season, a forecaster is dedicated to Fire Weather-related Decision Support from 7:00 a.m. to 5:00 p.m. These are the best hours to submit Spot Forecast requests. However, all NWS Seattle forecasters are trained in Fire Weather and can handle your requests anytime 24/7.

A heightened pre-season level of service will begin on the first Monday in May, with Fire Weather Planning forecasts issued twice Monday through Friday. In-season levels of service, twice daily Fire Weather Planning Forecasts and a once daily 7-day FWM product will begin on May 31st and end following the first Friday in October. For 2021, those dates are:

June 5: Monday through Friday service begins

June 24: Seven-day (In-Season Levels) service begins

October 15: Last day of in-season service levels, unless otherwise needed

In-season service levels can be extended further into October if environmental conditions warrant.

STAFF

<u>Name</u>	<u>Position</u>	<u>E-mail</u>
Logan Johnson	Meteorologist-in-Charge	logan.johnson@noaa.gov
Steve Reedy	Fire Weather Program Co-Leader	steve.reedy@noaa.gov
Madelyn Kristell	Fire Weather Program Co-Leader /	
	IMET(t)	madelyn.kristell@noaa.gov
	11.121(0)	madely ministeri e noda. go v
Brent Bower	Senior Service Hydrologist / IMET	brent.bower@noaa.gov
Brent Bower Reid Wolcott		

All of NWS Seattle's forecasters are trained to provide Fire Weather-related Decision Support Services and will rotate through that service position during fire season.

PHONE NUMBERS

Public Line (206) 526-6087

Fax Line (206) 526-6094

INTERNET

NWS Seattle Homepage: http://www.weather.gov/seattle

NWS Seattle Fire Weather page: https://www.weather.gov/wrh/fire?wfo=sew

Facebook page: https://www.facebook.com/NWSSeattle


Twitter page: https://twitter.com/NWSSeattle

Twitter handle: @NWSSeattle

FORECAST DISTRICT

NWS Seattle has Fire Weather forecast responsibility for western Washington from the Cascade Crest to the Pacific Coast, and from the Canadian Border south through Lewis and Grays Harbor Counties. Responsibility also includes the Cowlitz Valley Ranger District on the Gifford-Pinchot National Forest. NWS Seattle's Fire Weather area of responsibility is divided into 12 Fire Weather Zones that exhibit similar weather changes.

Seattle Fire Weather Zones



FORECAST PRODUCTS

1. FIRE WEATHER WATCHES AND RED FLAG WARNINGS

<u>Fire Weather Watches and Red Flag Warnings</u> will be issued when the **combination of dry fuels** <u>and</u> weather conditions support extreme fire danger and/or fire behavior. Further overview of the Fire Weather Watch and Red Flag Warning programs is found on <u>page 4</u> of this document.

• PARTICULARLY DANGEROUS SITUATION (PDS) RED FLAG

WARNINGS

The National Weather Service has begun to recognize the need to highlight conditions and situations that pose an extreme danger to life and property. Over the span of 2023, NWS Seattle will conduct research and collect feedback from local fire weather partners in an effort to establish criteria for such a warning. These PDS Red Flag Warnings will be designed for use in rare extreme weather events and the current expectation is that these products will only be issued in collaboration with either fire weather partners or other NWS offices and forecasters.

A. LOCAL CRITERIA FOR FUEL DRYNESS

Fire Weather Watches and Red Flag Warnings will be considered in the Seattle Fire Weather District when the Energy Release Component (ERC), as described by the National Fire Danger Rating System (NFDRS), is equal to or greater than the 90th percentile value in the frequency distribution of historical ERCs.

Forecast zone-average ERCs must meet or exceed the values listed below to meet the prerequisite dryness for consideration of a Fire Weather Watch or Red Flag Warning.

Zone 649: 17
Zones 650, 651, 653, 656, 657: 25
Zones 652, 654, 655, 658, 659: 31
Zone 661: 34

B. LOCAL CRITERIA FOR WEATHER

"Moderate Breeze and Low Humidity"

Location and Time of Day	Duration	Wind Speed		Relative	
		RAWS	ASOS	Humidity	
West of the Cascade Crest					
Daytime (9 am to midnight)	4+ hours in an 8-hour block	> 10 mph	> 12 mph	<= 30%	
Nighttime (midnight to 9 am)	5+ consecutive hours	>= 10 mph	>= 12 mph	<= 35%	

Note: Wind and RH conditions must occur concurrently to meet Red Flag criteria

Lightning

[&]quot;Moderate Breeze and Low Humidity" events should be fairly widespread in both time and space across a Fire Weather Zone, in contrast to an isolated occurrence that affects a small area or lasts a short time. Verifying stations for Wind/RH episodes are described in Appendix 3.

Weather Criteria for lightning is defined as "abundant lightning, either wet or dry, within a Fire Weather Zone". The thunderstorm activity should be at least scattered (25+% aerial coverage) or greater within a particular zone; the forecast LAL will usually be 3 or higher. Forecasters are given discretion to issue with LAL 2 when fuels are extremely dry, e.g. exceed 97th percentile ERC.

Forecasters are given discretion to view it as a negative consideration if excessive rainfall amounts are expected, e.g. greater than $\sim \frac{3}{4}$ ".

By the same token, forecasters are given discretion to view it as a positive consideration if lightning will be followed the next day by warm, dry weather.

Very Dry and Unstable Air Mass

Zones		ex Mid-Level ligh-Level	RH	Opaque Sky Cover
Westside: 649-661				
Below 2000 feet	6		<= 20%	< 50%
<i>Above</i> 2000 feet	6		<= 25%	< 50%

Criteria must be met concurrently to meet Red Flag criteria

1. SPOT FORECASTS

An overview of the Spot Forecast program is found in the NWS section of this document.

2. FIRE WEATHER PLANNING FORECASTS (FWF)

The following table shows NWS Seattle's anticipated dates, times, and format of <u>Fire</u> Weather Planning Forecasts (FWFs) in 2022:

Dates (2020)	FWFs on Weekend s and Federal Holidays?	# of FWFs per day	Issuance Deadlin e (Local Time)	Format / Parameters Available
January 1 - June 4	No	1	0900	Off-Season

June 5 – June 23	No	2	0830 1530	Pre-Season
June 24 – October 14	Yes	2	0830 1530	In-Season
October 15 - December 31	No	1	0900	Off-Season

These dates can be adjusted based on user needs and environmental conditions.

3. <u>INTERNET-BASED BRIEFING CALLS</u>

Statewide, Internet-based, Fire Weather briefing calls will be conducted each day at 9:00 AM PDT during peak fire season, and as needed near the beginning and end of the season. These calls are co-hosted by NWS offices in Spokane and Seattle. Contact this office for the appropriate telephone number and conference ID to participate. A recorded version of this call will be available under the Admin tab of the NWS Seattle's Fire Weather webpage within 15-60 minutes of the briefing's conclusion.

4. AREA FORECAST DISCUSSION

The Fire Weather Forecaster will write a Fire Weather section in the <u>Area Forecast</u> <u>Discussion (AFD)</u> when Fire Weather Watches or Red Flag Warnings are in effect, or when conditions are otherwise deemed critical or of interest.

FEDERAL AND STATE AGENCIES SERVED

U.S. Forest Service - Olympic National Forest, Mt. Baker-Snoqualmie National Forest, Gifford-Pinchot National Forest and Okanogan-Wenatchee National Forest

National Park Service - North Cascades National Park Complex, Olympic National Park, Mount Rainier National Park and San Juan Islands National Historical Park

Bureau of Indian Affairs - Olympic Peninsula Agency and Puget Sound Agency

Washington Department of Natural Resources -

Resource Protection Division, as well as the Northwest, Olympic, South Puget, and Pacific Cascade Regions

Department of Defense – Joint Base Lewis-McChord Forestry Program

Appendix 1: Fire Weather Zone Boundary Descriptions

Appendix 2: NFDRS Fire Weather Station List

Appendix 3: Methodology for Verification of a Red Flag Warning issued for Wind and Low Humidity

Appendix 1 FIRE WEATHER ZONE BOUNDARY DESCRIPTIONS

Zone 649 – The North and Central Coastal Strip:

Zone 649 contains land from the Pacific Coastline (including the eastern shores of Grays Harbor) to 5 miles inland, within Clallam, Jefferson and Grays Harbor Counties.

Zone 650 – The North Coastal Lowlands:

Zone 650 contains land from 5 miles inland of the coast to an elevation of 1,500 feet on the west side of the Olympic Mountains. The area includes the Calawah, Bogachiel, Hoh, Clearwater, Queets, Quinault, and the Humptulips River drainages. The southern boundary follows the Humtulips River. The northern boundary reaches the Strait of Juan de Fuca from Neah Bay to west of Sekiu.

Zone 651 – The Central Coastal Lowlands:

The western boundary of Zone 651 follows the Humptulips River and the eastern boundary of Zone 649 in Grays Harbor County. The 1,500-foot contour interval on the south side of the Olympic Mountains forms the northern border of Zone 651. The Grays Harbor - Pacific county line forms the southern boundary. The eastern border follows the West Fork of the Satsop River south across US Highway 12 near the town of Satsop, continuing south along the west side of the Lower Chehalis State Forest.

Zone 652 – The West Portion of the Olympic Mountains:

Zone 652 includes land at or above 1,500 feet on the west-southwest facing side of the Olympic Mountains in Clallam and Jefferson counties, and the far northeast corner of Grays Harbor County. The area includes the Pacific Ranger District of the Olympic National Forest. Zone 652 represents the wetter, west side of the Olympic Mountains with a greater influence of marine air. The area includes all lands at or above 1,500 feet drained by the Calawah, Sitkum, Bogachiel, Hoh, Clearwater, Queets, Quinault, and Humptulips rivers in Clallam, Jefferson, and Grays Harbor counties.

Zone 661 – The East Portion of the Olympic Mountains: Zone 661 includes land at or above 1,500 feet on the east side of the Olympic Mountains. Zone 661 represents the drier side of the Olympic Mountains, experiencing less rainfall, less influence of marine air, and a higher occurrence of lightning activity. The area includes land drained by the Wynoochee, Satsop,

North and South Fork Skokomish, Hamma Hamma, Duckabush, Dosewallips, Quilcene, Dungeness, Elwha, and upper portions of the Sol Duc Rivers.

Zone 653 – The Strait of Juan de Fuca, the San Juan Islands and the Northwest Interior

Lowlands: Zone 653 includes all land below 1,500 feet on the north side of the Olympic Peninsula from Sekiu on the west to Port Ludlow on the east. Zone 653 also includes land along and west of I-5 in Snohomish, Skagit and Whatcom Counties, as well Whidbey Island, Camano Island, and all of the San Juan Islands.

Zone 654 – The Central and South Puget Sound Lowlands:

Zone 654 represents land near Puget Sound and Hood Canal in Jefferson, Mason, Thurston, Pierce, King and Kitsap Counties. Zone 654 includes the entire Kitsap Peninsula. The western border follows the 1,500-foot contour on the west side of Hood Canal. The eastern and southern borders are near I-5 in King, Pierce, and Thurston Counties to Olympia. The southwest boundary runs northwest along U.S. Highway 101 from Olympia through Shelton to the southeast corner of Olympic National Forest.

Zone 655 – The Black Hills and the Southwest Interior Lowlands:

The western border of Zone 655 follows the West Fork of the Satsop River south across US Highway 12 near the town of Satsop, continuing south along the west side of the Lower Chehalis State Forest. The boundary continues southeast through Pe El to Vader in Lewis County. The boundary then turns east along the Lewis-Cowlitz County line to the 1,500-foot contour along the west slopes of the Cascades. The boundary turns north, wrapping around the Cowlitz River Valley, then north along the 1,500-foot contour to the location where Pierce, Thurston, and Lewis Counties meet near Alder Lake. It then follows the Pierce-Thurston County line northwest to I-5, then west along I-5 and US Highway 101 through Olympia, Shelton, and on to the southeast corner of Olympic National Forest. Zone 655 includes Capitol and Lower Chehalis State Forests, as well as the I-5 corridor south of Olympia through Lewis County.

Zone 656 – Northeast Puget Sound Lowlands Generally Below 1500 Feet:

Zone 656 includes land in Whatcom, Skagit, and Snohomish Counties east of I-5 below an elevation of 1,500 feet. This includes the following river drainages: Nooksack, Skagit, Sauk, Stillaguamish, and the Skykomish east to the town of Skykomish.

Zone 657 – Southeast Puget Sound Lowlands Generally Below 1500 Feet:

Zone 657 includes land below 1,500 feet east of I-5 in King and Pierce Counties. It includes the following river drainages: North, Middle and South Forks of the Snoqualmie, Green, White, Puyallup, and the Nisqually from Elbe to Ashford.

Zone 658 – West Slopes of the North Cascades Generally Above 1500 Feet:

Zone 658 includes land at or above 1,500 feet in Whatcom, Skagit, Snohomish, and the northeast corner of King County in the Skykomish River drainage. The area includes the North Cascades National Park and the Ross Lake National Recreational Area; and the Mt. Baker, Darrington, and

Skykomish Ranger Districts of the Mt. Baker-Snoqualmie National Forest. The eastern boundary is the Cascade crest.

Zone 659 –West Slopes of the Central Cascades Generally Above 1500 Feet: Zone 659 includes land at or above 1,500 feet in King, Pierce, and Lewis Counties, and the extreme northern portion of Skamania County. This includes the North Bend and White River Ranger Districts of the Mt. Baker-Snoqualmie National Forest, Mt. Rainier National Park, and the Cowlitz Valley Ranger District of the Gifford Pinchot National Forest. The eastern boundary is the Cascade crest.

Appendix 2 <u>2020 NWS Seattle NFDRS</u> <u>Station Index</u>

ZON E	NAME	TYPE	WIMS NUMBER	OWNER	LAT	LON	ELEV
649	Quillayute	Metar	450120	DNR	47.938	-124.555	194
	Hoquiam	Metar	450314	DNR	46.971	-123.933	18
650	Ellis Mtn.	RAWS	450130	DNR	48.129	-124.305	2671
	Forks	RAWS	450105	DNR	47.955	-124.385	303
	Black Knob	RAWS	450321	BIA	47.414	-124.103	650
651	Minot Peak	RAWS	450306	DNR	46.892	-123.417	1768
652	Toms Creek	RAWS	450121	USFS	48.022	-123.959	2400
	Owl Mtn.	RAWS	450211	DNR	47.766	-123.965	3398
	Humptulips	RAWS	450312	USFS	47.367	-123.758	2400
661	Hurricane Ridge	RAWS	450124	NPS	47.970	-123.499	5262
	Cougar	RAWS	450117	USFS	47.923	-123.108	3000
	Jefferson	RAWS	450911	USFS	47.554	-123.215	2200
	Buck Knoll	RAWS	450131	DNR	48.028	-123.311	1630
653	Bellingham	Metar	451411	DNR	48.799	-122.539	157
	Everett	Metar	451614	DNR	47.923	-122.283	604
	Whidbey Island	Metar	450701	DNR	48.349	122.651	46
654	Bremerton	Metar	450801	DNR	47.490	-122.765	440
	Quilcene	RAWS	450207	USFS	47.823	-122.883	62
	Sea-Tac	Metar	451716	DNR	47.445	-122.314	427
	Tacoma (McChord Field)	Metar	451808	DNR	47.138	-122.476	322
655	Olympia	Metar	451001	DNR	46.973	-122.903	203
	Chehalis	RAWS	451103	DNR	46.610	-122.908	262
656	Jim Creek	RAWS	451507	DNR	48.179	-122.029	786
	Marblemount	RAWS	451504	NPS	48.539	-121.446	357
657	Enumclaw	RAWS	451702	DNR	47.220	-121.964	756
	Ashford	RAWS	451809	DNR	46.755	-122.110	1421

658	Kidney Creek	RAWS	451409	USFS	48.920	-121.943	3485
	Hozomeen	RAWS	451412	NPS	48.981	-121.078	1700
	Sumas Mtn.	RAWS	451415	DNR	48.908	-122.223	3200
	Finney Creek	RAWS	451509	USFS	48.392	-121.818	2160
	Gold Hill	RAWS	451613	USFS	48.243	-121.546	3350
	Johnson Ridge	RAWS	451611	USFS	47.801	-121.286	2048
659	Fire Trng Academy	RAWS	451721	USFS	47.457	-121.665	1580
	Stampede Pass	Metar	451711	DNR	47.277	-121.337	3960
	Lester	RAWS	451705	USFS	47.210	-121.489	1637
	Greenwater	RAWS	451718	DNR	47.116	-121.596	2405
	Ohanapecosh	RAWS	451119	NPS	46.731	-121.571	1950
	Kosmos	RAWS	451105	DNR	46.524	-122.190	2100
	Hager Creek	RAWS	451115	USFS	46.564	-121.628	3600
	Orr Creek	RAWS	451919	USFS	46.354	-121.604	3000

Appendix 3

Methodology for Verification of a Red Flag Warning issued for Moderate Breeze and Low Humidity

For Wind and Low RH episodes, Red Flag events will be considered to have occurred when Red Flag criteria are achieved at the following combination of stations:

Zone 649:	Any two stations within the zone, usually Hoquiam and Quillayute
Zone 650:	Any <i>single</i> station within the zone – or - Quillayute ASOS
Zone 651:	At Minot Peak RAWS – or – both Shelton and Hoquiam ASOSs
Zone 652:	Any <i>one</i> station within the zone <i>and</i> the Ellis Mtn RAWS
Zone 653:	Any <i>two</i> stations within the zone
Zone 654:	Any two stations within the zone (including Olympia ASOS)
Zone 655:	Any <i>one</i> station within the zone (including Olympia ASOS) – \mathbf{or} – any
	two of the following sites: Shelton ASOS, Minot Peak RAWS and
	Hoquiam ASOS
Zone 656:	Any two stations under 1500 feet within Skagit, Snohomish or Whatcom
	Counties (including Abbottsford, BC)
Zone 657:	Any <i>two</i> stations under 1500 feet within King or Pierce County,
	and east of Puget Sound
Zone 658:	Any NFDRS station within the zone $-$ and $-$ one of the following sites:
	Mt. Baker avalanche site, Marblemount, Fire Training Academy, or SMP
Zone 659:	Any two NFDRS stations within the zone
Zone 661:	Any NFDRS station within the zone (not followed within 12 hours
	by the start of a wetting rain)

National Weather Service, Spokane Fire Weather Operating Plan 2023

NEW For 2023:

- 1) Staff changes
 - Dan Butler (Recent Forecaster Addition)
 - Rachael Fewkes (Recent Forecaster Addition)
 - Krista Carrothers (Recent Forecaster Addition/IMET Trainee) 2) Fire

Weather Dashboard (see below)

LOCATION:

National Weather Service Office 2601 North Rambo Road Spokane, WA 99224-9164

HOURS:

Office hours at NWS Spokane for Fire Weather will be as follows:

Daily with 24 hour forecast and briefing coverage

PHONE NUMBERS and E-Mail:

Fire Weather (509) 244-5031 Public (509) 244-6395 FAX (509) 244-0554

andrew.brown@noaa.gov ronald.miller@noaa.gov stephen.bodnar@noaa.gov

STAFF:

<u>Name</u> <u>Position</u>

Ron Miller Meteorologist in Charge

Chad Shafer Science and Operations Officer
Andy Brown Warning Coordination Meteorologist

Todd Carter ITO/IMET

Jon Fox Senior Forecaster/IMET

Steve Bodnar Senior Forecaster/Fire Weather Program Leader/IMET

Jeremy Wolf Senior Forecaster Greg Koch Senior Forecaster Char Dewey Senior Forecaster

Miranda Solveig Cote Forecaster

Robin Fox Hydrologist/Forecaster

Laurie Nisbet Forecaster Rocco Pelatti Forecaster

Steven Van Horn Forecaster/IMET Trainee

Joey Clevenger Forecaster Ken Daniel Forecaster Valerie Thaler Forecaster

COMMUNICATIONS:

All forecasts are available on WIMS, and Spokane's home page. Customers who do not have access to WIMS, or Internet can still have forecasts faxed to them.

Internet Address:


http://www.wrh.noaa.gov/otx

http://www.weather.gov/spokane

https://www.weather.gov/wrh/fire?wfo=otx

NEW FOR 2023! - SPOKANE FIRE WEATHER DASHBOARD:


https://www.weather.gov/otx/firedashboard



A new fire weather dashboard has been developed. This page houses resources related to fire weather from the Spokane National Weather Service, regional coordination centers, Storm Prediction Center, and more. Graphs including temperature and precipitation anomalies as well as the latest drought status can be located on this dashboard. Any suggestions for additional products, please email stephen.bodnar@noaa.gov

FIRE WEATHER WEBPAGE

https://www.weather.gov/wrh/fire?wfo=otx&layer=fwx



Three tabs found on the bottom of the map for a selected gridpoint. Gridpoint is defined as a 2.5km by 2.5km forecast point (ie, the green box illustrated on map)

Tab 1: Fire Weather Zone Forecast for the specified gridpoint Tab

2: Color coded Fire Weather Matrix for the specified gridpoint.

Tab 3: Point Forecast Matrix for the specified gridpoint. (elevation listed)

TRAINING PROVIDED

Spokane Fire Weather Forecasters are available for training courses, workshops, seminars and other meetings requiring meteorological expertise. Training includes local and regional courses such as S-290 and S-390, as well as pre-season refreshers for Hotshot crews, Smokejumpers, burn bosses, general firefighters, lookout personnel, etc. Please give as much advance notification as possible to ensure the availability of a forecaster. Please send all training requests to stephen.bodnar@noaa.gov.

WEATHER BRIEFINGS

Internet based weather briefings are available from the Spokane office as needed. During peak fire season, normally mid June-early October briefings will be daily at 0900 PDT. These briefings will be recorded and should be available on the Fire Weather Page by 1000 PDT.

During Land Management season briefings are available by customer request and are usually held twice per week for planning purposes. To register for the webinars, please contact stephen.bodnar@noaa.gov to be added to the seasonal list or call 509-244-5031 to inquiry about registering. Phone briefings are available 24 hours per day by calling 509-244-5031.

SOCIAL MEDIA

NWS Spokane has a Facebook page, Twitter account, and a YouTube channel. Information about current Fire Weather may be included in these social media feeds, but such information is intended as supplemental information for the general public; it is not intended to meet the specialized needs of the wildland firefighting community.

www.twitter.com/NWSSpokane,

https://www.facebook.com/NWSSpokane/

https://www.youtube.com/user/nwsspokane FORECAST DISTRICT:

NWS Spokane has fire weather forecast responsibility for a large portion of protected lands in eastern Washington. Exceptions are the Blue Mountains area, the Yakama Indian Nation lands, the DOE Hanford Site, and portions of the Southeast Department of Natural Resources (DNR) land. These protected lands are the forecast responsibility of the National Weather Service Office Pendleton Fire Weather program.

WFO Spokane's eastern Washington fire weather area is divided into five districts. In addition, these forecast districts are subdivided into fifteen fire weather zones. See the map for general locations of districts and zones for eastern Washington. The fire weather zones are comprised of fire danger stations with similar weather and similar trends in weather changes. In 2022, new fire weather zones were established in Eastern Washington. These zones are in better alignment with fire danger rating areas.

NWS Spokane has forecast responsibility for the Central and Northern Idaho Panhandle. This district has one zone (101) covering the Idaho Panhandle National Forests, Idaho State Lands, and Coeur d'Alene Indian Agency lands.

Agencies Served:

Land management agencies served by the Spokane Fire Weather Office include:

USFS.... Colville NF

Okanogan-Wenatchee NF Idaho Panhandle NF

BLM.... Spokane District

Coeur d'Alene District

BIA.... Confederated Tribes of the Colville

Reservation

Spokane Tribe of Indians

Coeur d'Alene Tribe of Indians

Kalispel Tribe of Indians

NWR... Turnbull National Wildlife Refuge

Columbia National Wildlife Refuge Kootenai National Wildlife Refuge Lake Pend Oreille Wildlife Refuge

Sinlahekin Wildlife Refuge

Washington DNR... Northeast Area Resource Protection Division

Southeast Area Resource protection Division

Idaho... Department of State Lands

NPS... Lake Roosevelt National Recreation Area

Lake Chelan National Recreation Area

FORECAST SERVICES:

Fire Weather Watches and Red Flag Warnings

Red Flag criteria for eastern Washington and Northern Idaho are as follows:

• "Dry Thunderstorm" Red Flag criteria is defined as follows:

Abundant lightning in conjunction with sufficiently dry fuels.

"Abundant" and "Sufficient" are locally defined and verified by NWS offices and their fire agency customers using the following GACC AOP-wide guidelines:

Abundant Lightning:

- 1) Number of lightning strikes that meet climatologically significant criteria, or
 - 2) Areal coverage of lightning such as "Scattered" or $\geq 25\%$

Sufficiently Dry Fuels:

1) ERC or BI values meeting climatologically significant percentiles or

- 2) Land management declaration
- **Dry and Windy:** Sustained surface winds exceeding a 10 minute average of 15 mph combined with relative humidity less than:
 - 15% in the Columbia Basin (zone 706 and 707) 20% in the lower valley zones (zone 703, 704, 705, 708 and 709) 25% in the mountainous areas (696, 697, 698, 699, 700, 701, 702, 101) This is typically (but not always) associated with a dry cold front passage.

These conditions must be verified by at least 2 observation sites (RAWS, METAR, DOT, Agrimet etc) for 2 consecutive hours. For Idaho Zone 101 the criteria will be at least 2 observation sites for any 3 hours in an 8 hour period. When using observation sites other than RAWS sites wind speeds will be converted to 10 minute averages.

Special consideration will be given whenever very hot temperatures are combined with very low relative humidity.

- **Hot, Dry, Unstable:** High Haines Index of 6 combined with low relative humidity, typically 15% or below.
- **Strong winds:** Winds that will overcome the environment no matter what the relative humidity.
- An Unusually Unstable Atmosphere: This would be associated with a strong thermal trough which typically forms along the east slopes of the Washington Cascades in conjunction with 850-700 vertical temperature change greater than 15°C. This Watch or Warning criteria is only good for PSA C1 which is the Central Cascade zones 696, 697, 698, and Cascade valley zones 704, 705.

The issuance of Red Flag Warnings will take into account fuel conditions, and will be coordinated with land management agencies and other applicable fire weather offices. Typically when 1000 hour fuels are at or below 11%, 100 hour fuels are at or below 8% and Live Fuels at or below 120%.

SPOT FORECASTS

Detailed instructions for completing the Spot Request Form and access links are available on our Fire Weather Web page in the upper left hand corner or at:

https://www.wrh.noaa.gov/wrh/UsersSpotGuide2019_2.0.pdf

Valid times for spot forecasts will be twelve hours from forecast issuance.

The spot forecast request web page available on the Spokane fire weather web page at:

https://www.weather.gov/spot/request/

GEOGRAPHICAL AREA DESCRIPTIONS

The National Weather Service Office in Spokane has fire weather forecast responsibility for protected lands in the northern and central part of eastern Washington and the northern and central Idaho Panhandle. Exceptions are the Blue Mountains area, the Yakama Indian Reservation, and portion of the Southeast Department of Natural Resources (DNR) protected lands. Forecasts for these areas are handled out of the National Weather Service office in Pendleton (see zone descriptions below).

WFO Spokane's eastern Washington fire weather area is divided into five districts. In addition, these forecast districts are subdivided into fifteen fire weather zones. See the map for general locations of districts and zones for eastern Washington.

Central District:

This district has three zones. Zone 696, Zone 697, and Zone 705. This district extends from Mission Ridge north to Sawtooth Ridge, and from the Cascade crest east to the Columbia River. It includes the northern part of the Wenatchee NF and Lake Chelan National Recreation Area. Lightning frequency averages around 10-15 storm-days per season. The Cascade rain shadow is very pronounced across this district with annual rainfall totals near 100 inches along the crest to 10 inches or less along the Columbia River. Winds tend to be stronger and more persistent with more pronounced day to day weather changes. These zones are typically impacted by marine pushes. This district contains some of the highest fire hazard areas in the Pacific Northwest.

Northern District:

This district has five zones. Zone 698 is the higher elevations of the North Cascades. Zones 699 and 702 make up the Okanogan Highlands and zones 703 and 704 are lower elevations zones within the Okanogan and Methow Valleys. This district extends across the north part of eastern Washington from the Cascade crest to the Columbia River on the east. It includes the Okanogan NF and three ranger districts from the Colville NF (Tonasket, Republic, and Three-Rivers). The district also contains land under the protection of Northeast Department of Natural Resources and Confederated Tribe of the Colville Indians. The marine influence is minimal in this district compared to the central districts due to its more continental location. Winds are generally lighter than central districts due to the complex topography. The exception is the Okanogan River Valley and Methow Valley. These valleys experience more pronounced diurnal wind cycles. Frontal systems will also channel strong winds through these valleys when aligned. Lightning activity though is greater, averaging about 15 storm-days per season. Annual rainfall varies from over 60 inches along the Cascade crest to less than 15 inches in the Okanogan Valley.

Northeast District:

This district has two zones: 700 and 701. The northeast district extends from the Columbia River to the Idaho border, and south to the Spokane and Little Spokane rivers. It covers the remainder of the Colville NF (Three Rivers and Newport-Sullivan districts) and The Spokane Tribes of Indians, as well as lands under the jurisdiction of Northeast DNR. This district is normally wetter than the other districts since it extends into the western foothills of the Rocky Mountains. The southern portion closer to the Spokane River and in the vicinity of Deer Park is slightly drier and typically windier with receptive fuels earlier in the fire season. Lightning frequency is the greatest of any of the districts averaging 15-20 storm-days per season. Annual rainfall varies from over 60 inches per year near the Canadian Border to less than 20 inches on the south boundary.

Northern Columbia Basin District:


This district has four zones: 706, 707, 708, and 709. Pendleton weather office has responsibility for a large portion of Washington State DNR Southeast Region lands, Yakama IA, and DOE Hanford. The southern boundary follows county lines west to east across Grant and Adams Counties then bends south into the foothills of the Blue Mountains including eastern portions of Columbia County and finally through northern Garfield and Asotin Counties. The western part of the district boundary is the Columbia River following the Grant and Douglas County lines then wraps around Douglas County and traces back east along the Columbia River to the Spokane and Little Spokane Rivers to Idaho state line. Fuels in this district consist of mainly grass and sage with areas of mixed conifer developing for the northeast portion of zone 708 around Spokane and Davenport. Zone 706 mainly consists of the Waterville Plateau and extends east into northern Grant County including Banks Lake. This zone contains low ridges and coulees along with dry land farming. Zone 707 is also a mix of grass and sage along with a heavy concentration of irrigated farming. Zone 708 spans from dry grass and sage in the heart of the Columbia Basin to the onset of timber around Davenport, Spokane, and Mica Peak. This zone also includes the Washington Palouse to the south. Dry land farming is common throughout this zone. Zone 709 stretches west to east from Columbia County to Asotin County with the northern boundary following along the Snake River and southern boundary north of the Blue Mountains. The zone is primarily made up of grass with a heavy concentration of graze land and dry land farming. Most of the district is at fairly low elevations between 900 and 2,000 ft. The terrain rises near 3,000 ft or higher in eastern Zone 708 and southern 709. The highest point at Mica Peak is over 5000 feet. Higher elevations also exist on the Waterville Plateau. For example, Badger Mountain near Waterville is at 4,221 feet. Annual rainfall ranges from less than 10 inches in zone 707 to over 20 inches in eastern portions of 708. These are the some of the warmest and driest districts. Winds in some areas can be very strong. Lightning activity is the least of the districts, averaging about 6 storm-days per season.

Northern and Central Idaho Panhandle District:

This District is part of Region 1 and has one zone. Northern and Central Idaho Panhandle Zone 101 - Northern and Central Idaho Panhandle. This zone includes...Idaho Panhandle National Forests, Coeur d'Alene Tribes of Indians, and Idaho State protected lands in the following

counties: Boundary, Bonner, Kootenai, Benewah, Shoshone, and the northern part of Latah County where a part of the St. Joe District resides. Zone 101 is broken into three (3) separate zones the Northern zone, Central zone and Southern zone. The valleys receive over 20 inches of annual rainfall while over 60 inches can fall on the peaks. This area averages 12-15 thunderstorm days per season.

Spokane Fire Weather Forecast Zones



ZONE #	ZONE NAME
696	East Washington Central Cascades
697	East Portion of North Cascades National Park/Lake Chelan National Recreation Area
698	East Washington North Cascades
699	Okanogan Highlands & Kettle Mountains
700	Selkirk Mountains of Northeast Washington
701	Foothills of Northeast Washington
702	Colville Reservation
703	Okanogan Valley
704	Methow Valley
705	Foothills of Central Washington Cascades
706	Waterville Plateau

707	Western Columbia Basin
708	Eastern Columbia Basin - Palouse - Spokane Area
709	Lower Palouse - Snake River

NWS Spokane NFDRS Station Index

		_					
ZONE	NAME	TYPE	WIMS ID	OWNER	LAT	LON	ELEV
696	Viewpoint	R	452128	USFS	47.85	-120.87	3760
696	Camp 4	R	452132	USFS	48.02	-120.23	3773
696	Dry Creek	R	452134	USFS	47.73	-120.54	3661
697	Stehekin	R	452121	NPS	48.34	-120.72	1230
698	Leecher	R	452020	USFS	48.25	-120	5019
698	First Butte	R	452006	USFS	48.62	-120.11	5500
698	Douglas Ingram Rdg	R	452035	USFS	48.12	-120.1	3460
699	Iron Mountain	R	452512	USFS	48.56	-118.62	4325
699	Lost Lake	R	452029	USFS	48.87	-119.06	3760
699	Peony	R	452038	USFS	48.59	-119.21	3600
699	Brown Mountain Ochd	R	452514	USFS	48.54	-118.69	3210
699	Owl Mountain	R	452513	USFS	48.94	-118.3	4400
699	Lane Creek	R	452511	USFS	48.61	-118.28	4500
700	Pal Moore Orchard	R	452915	USFS	48.39	-117.43	3120
700	Tacoma Creek	R	453413	USFS	48.49	-117.43	3300
700	Little Pend Oreille	R	453416	FWS	48.27	-117.43	2020
700	Deer Mountain	R	453412	USFS	48.8	-117.45	3300
700	Flowery Trail	R	453145	USFS	48.3	-117.41	2680
700	Teepee Seed Orchard	R	453414	USFS	48.66	-117.48	3280
701	Kettle Falls	R	452916	NPS	48.61	-118.12	1310
701	Wellpinit	R	452918	BIA	47.88	-118.1	2240
701	Big Blue	R	452919	BLM	48.01	-118.02	3400
701	Arcadia Orchards	R	453507	BLM	47.91	-117.39	2050
702	Nespelem	R	452009	BIA	48.21	-119.02	1782

702	Gold Mountain	R	452510	BIA	48.18	-118.49	4636
703	Oroville	R	452039	BLM	48.96	-119.49	1360
703	Kramer	R	452040	BIA	48.27	-119.52	2720
703	Spectacle Lake	R	452043	BLM	48.83	-119.51	1825
703	Aeneas	R	452001	DNR	48.74	-119.62	5185
704	NCSB	R	452030	USFS	48.43	-120.14	1650
705	Entiat	R	452138	USFS	47.73	-120.24	2825
705	KEAT	A		NWS	47.4	-120.2	1227
706	Douglas	R	452601	BLM	47.62	-119.9	2530
707	Saddle Mtn	R	452701	FWS	46.69	-119.69	650
707	Othello (Columia NWR)	R	453102	BLM	46.88	-119.32	855
708	Spokane BLM QD#1	R		BLM	47.54	-118.56	2100
708	Spring Canyon	R	453002	NPS	47.93	-118.93	1340
708	Escure	R	453601	BLM	47.07	-117.98	1725
708	Turnbull Wildlife	R	453506	FWS	47.41	-117.53	2250
708	Spokane Airport	A	453505	NWS	47.6	-117.5	2365
709							
101	Bonners Ferry	R	100101	USFS	48.72	-116.29	2310
101	Magee Peak	R	100425	USFS	47.89	-116.31	4856
101	Fish Hook	R	100421	USFS	47.86	-115.91	4700
101	Hoodoo	R	100208	USFS	48.05	-116.79	2270
101	Lines Creek	R	100424	USFS	48.15	-116.29	5120
101	Nuckols	R	100423	USFS	47.54	-115.97	4000
101	Priest Lake	R	100204	USFS	48.6	-116.96	2600
101	Saddle Pass	R	100107	USFS	48.98	-116.79	5120

Salem Weather Center

Fire and Smoke Management Operating Plan 2023

OREGON DEPARTMENT OF FORESTRY'S SALEM WEATHER CENTER FIRE AND SMOKE MANAGEMENT SERVICES

HOURS

The Oregon Department of Forestry's Salem Weather Center office hours vary depending upon fire and prescribed fire activity.

The office is typically open from 0700 - 1700, Monday through Friday (closed on state holidays). During periods of high prescribed burning the office may also be open on Saturdays from 0900 – 1700.

LOCATION

Oregon Department of Forestry 2600 State Street Salem, OR 97310

STAFF

Stacy McCarter, Mitigation Program Manager Stacy.MCCARTER@odf.oregon.gov
Pete Parsons, Lead Meteorologist, Peter.G.J.Parsons@odf.oregon.gov
Gary Votaw, Meteorologist, Gary.S.Votaw@odf.oregon.gov
Sherri Pugh, Meteorologist, Sherri.Pugh@odf.oregon.gov
Teresa Alcock, Fire Program Analyst, Teresa.Alcock@odf.oregon.gov
Christina Clemons, Field Coordinator, Christina.T.Clemons@odf.oregon.gov

CONTACT

Forecast Desk 503-945-7401



PLANNING AND INFORMATION SECTION

HOURS OF OPERATION

Staff in the planning section are generally in the office from Monday to Friday between the hours of 0700 and 1730. When fire season dictates, one or more staff may be present during the same hours on the weekend as well.

LOCATION

Washington Department of Natural Resources Headquarters, Wildland Fire Management Division 1111 Washington Street SE

MS: 47037

Olympia, WA 98504

STAFF AND CONTACT

Management Staff:

George Geissler Russ Lane Angie Lane State Forester, Deputy Supervisor

for Division

Manager, Wildland Fire Management Division

Assistant Division Manager, Planning and Information

Predictive Services Section Staff:

Matthew Dehr Meteorologist/RAWS

Vaughn Cork Fuels and Fire Regulation

Michael Tonkel GIS

Kate Masterson Smoke Management

Jonathan Grell Intelligence

Contact	Phone	Email
Angie Lane	360-259-8033	angie.lane@dnr.wa.gov
Matthew Dehr	360-529-6541	matthew.dehr@dnr.wa.gov
Vaughn Cork	360-902-1318	vaughn.cork@dnr.wa.gov
Michael Tonkel	360-764-3828	michael.tonkel@dnr.wa.gov
Jonathan Grell	360-481-4865	jonathan.grell@dnr.wa.gov
Fax	360-902-1757	

Internet: https://www.dnr.wa.gov/programs-and-services/wildfire-resources

Twitter: https://twitter.com/waDNR_fire

OPERATIONAL AREA

For fire danger, regulation, and weather support, all DNR-managed or protected lands (13.1 million acres) in Washington are divided into six regional jurisdictions: Pacific Cascade, South Puget Sound, Olympic, Northwest, Southeast, and Northeast. These areas are further divided into districts or fire units.



For smoke management/burn requests, all forested lands (public and private) in the state which meet the requirements for DNR approval as outlined in Washington
RCW 76.04 and the State Smoke Management Plan or those which pay a Forest Fire Protection Assessment tax.

AGENCIES SERVED

Washington Department of Natural Resources

Washington Department of Fish and Wildlife

Washington Emergency Management Division

Washington Military Department

Washington State Fire Marshal's Office

Other federal and local partners when requested

SERVICES

Operational Weather and Climate Outlooks: During fire season, the meteorologist produces a daily weather briefing, fire danger, and smoke outlook for the executive and regional leadership of the Washington Department of Natural Resources, Emergency Management Division, and State Fire Marshal's office.

The meteorologist also produces daily aviation weather briefings tailored to areal fire suppression operations, assists in smoke management decisions, and serves as the liaison between the DNR and other state, regional, or national meteorological organizations. All briefings and products are carefully coordinated with partners at the Oregon Department of Forestry, National Weather Service, and the Geographic Coordination Center.

Smoke Management Approvals: The smoke management coordinator approves all state silvicultural burns over 100-tons in Washington. Smoke management requests and approvals may be made via the DNR Burn Portal, located here: https://burnportal.dnr.wa.gov/.

Our team, given enough notice, are available to support prescribed burns onscene. We have a full complement of portable RAWS, handheld weather instruments, a remote observing system with a four camera payload, and an ESampler to provide continuous meteorological support for firefighter safety, satisfying burn plan objectives, or assessing air quality/smoke dispersion.

Fire Regulation and Fire Danger: Staff are available to provide interpretation and advice for industrial fire precaution levels, burn bans, staffing, NFDRS indices and other fire danger ratings.

Fire Intelligence: Staff provide agency fire statistics including fire business metrics, trend analysis of financial and environmental data, fire reporting and investigation status, and asset tracking.

GIS Analysis: Staff have advanced capabilities in performing in-depth spatial data analysis, predictive analytics (including machine learning), and custom map generation to support situational awareness needs either internally or externally.

RAWS Management: The Washington DNR currently maintains 32 RAWS (27 fixed and 4 portable), making it one of the largest state fire weather networks in the U.S. Six full-time radio technicians provide annual and emergency maintenance to the network and all DNR dispatch staff are trained to provide daily quality control of RAWS weather data using WIMS. For any issues with RAWS, please e-mail DNRDLRPRAWS@dnr.wa.gov and the appropriate technician will reply shortly.

All portable RAWS can be requested for dispatch through the DNR Fire Cache.

Incident Support: Staff in our section provide a variety of on-scene NWCGcertified capabilities. We currently have qualified personnel in the following positions: ARA, PSC2, PIO1, SITL, GISS, FFT2, FFT1, ICT5, ICT4, CRWB, ENGB, FAL1, FELB, FEMO, FIRB, FOBS, IMET, RXB3, EMT, STCR, STEN, TFLD, RAWS maintenance (N-9035), and UAS operations (FAA sUAS).

Seasonal Outlooks: Predictive services staff provide a monthly outlook during Washington's fire season. The outlook consists of weather, fuels, and intelligence components, and is published during the first week of the month. Accompanying video or webinar style briefings are available upon request to partner agencies and the media. The outlook is carefully coordinated with our regional weather partners.

Fire Training Support: We provide support (either full course or individual units) for S-130, S-190, S-203, S-290, S-390, S-420 and CIMC to Fire Training assistance.

Appendices



Lick Creek Fire, WA July 18, 2021. The Baker River Hotshot crew burning out vegetation and monitoring for fire spots outside of the control line. (photo from Inciweb)

APPENDIX A

Links to Fire Weather Agreements and Documents

Interagency Agreement for Meteorological Services and other Technical Services

https://www.weather.gov/media/mqt/2012_National_Agreement.pdf

NWS Fire Weather Services Directives

- Product Specifications (NWS Instruction 10-401)
 http://www.weather.gov/directives/sym/pd01004001curr.pd f
- On-site Support (NWS Instruction 10-402)
 http://www.weather.gov/directives/sym/pd01004002curr.pdf
- Coordination and Outreach (NWS Instruction 10-403)
 http://www.weather.gov/directives/sym/pd01004003curr.pdf
- Annual Operating Plan and Report (NWS Instruction 10-404)
 http://www.weather.gov/directives/sym/pd01004004curr.pd
- Training and Professional Development (NWS Instruction 10-405) http://www.weather.gov/directives/sym/pd01004005curr.pdf
- Zone Change Process (NWS Instruction 10-407)
 http://www.weather.gov/directives/sym/pd01004007curr.pd
 f
- Western Region Forecast Office Fire Weather Services (WR Supplement to 10-401) http://www.weather.gov/directives/sym/pd01004001w042005curr.pdf

Electronic copy of the NWS D-1 spot forecast request form

https://www.nws.noaa.gov/directives/010/401j/WS FORM D SPOT.pdf

National Mobilization Guide

http://www.nifc.gov/nicc/mobguide/index.html

Northwest Interagency Mobilization Guide

http://gacc.nifc.gov/nwcc/admin/publications.aspx

APPENDIX

B

Forecast and Service Performance Measures

A. NFDRS Forecast Accuracy Performance Measures

The following performance measures are suggested as baseline standards for improvement over persistence forecasts on an annual basis for zone averages or key stations within a fire weather zone. The verification methodology will be consistent between all NWS offices (e.g. MAE, bias scores).

Suggested Annual Baseline Goals

<u>Parameter</u> <u>Improvement over persistence</u> forecast

Temperature: 35%
Relative Humidity: 25%
Wind speed: 10%

Wetting Rain: A "yes" or "no" field, correct 80% of the time as verified by the PD1 and PD2 forecast forecasts in NFDRS.

Lightning: A "yes" or "no" field, correct 70% of the time as verified by the LAL forecast. For verification purposes, an LAL forecast of 2 or more will be considered a "yes." This verification effort will be a collaborative effort between NWCC and NWS.

B. Spot Forecasts for Wildfires, Prescribed Fires and other activities

Spot Forecast verification will be based on relevant agency provided observations at the fire site (e.g. a forecast for a 7 p.m. temperature must be validated by a 7 p.m. observation.) Suggested verification criteria are as follows:

Temperature: MAE <= 5 degrees Fahrenheit

Relative Humidity: MAE of following values: RH 30%: <= 4%

RH 30-50%: <= 7% RH > 50%: <=10%

Wind Speed: MAE <= 3mph for user defined measurement height

(20 foot wind or eye-level).

C. Red Flag Warning and Fire Weather Watch

Red Flag Warnings and Fire Weather Watches will be verified in accordance with NWSI 10-401 http://www.weather.gov/directives/sym/pd01004001curr.pdf and 10-401 WR Supplement

http://www.weather.gov/directives/sym/pd01004001w042005curr.pdf.

Verification statistics will be included in the Annual Report.

APPENDIX C

Reimbursement for NWS-Provided Training

IMETs and other NWS staff are frequently requested to provide fire weather training for fire crews as part of such interagency fire behavior courses as S190 and S290. Policy guidelines for fulfilling these requests are outlined in NWSI 10-403.

Requests for training by NWS personnel are not made using resource orders. Rather, both the USDA Forest Service and Department of Interior utilize training request forms that can be used by the NWS to obtain reimbursement for travel costs associated with the provision of weather training. The USDA Forest Service uses Form AD-672.

The Department of Interior does not have a single, standard form. However, a template Form 1681-3 can be presented to the DOI requestor. It is the responsibility of the requesting agency to provide an appropriate agreement document for training.

If the request for training comes via a state agency, the NWS must use a NOAA General Counsel template. Training requests from California, Oregon and Washington do not need to use this form as their requests are covered by the same agreement used for IMET dispatches for those states.

There are no standard forms for gaining travel expense reimbursements from local agencies or colleges. Requesting agencies should pre-pay all travel expenses for instructors who must travel to the course, or at least cover lodging costs.

A secondary, more cumbersome option is for requesting agencies to reimburse the NWS by writing a check to the U.S. Department of Commerce for the amount of the travel voucher. If this is done however, the WFO must attach a "Gifts and Bequeaths Form" to the voucher prior to submission to their Finance Office. **Under no circumstances can the requesting entity personally reimburse the NWS instructor for travel costs.**

APPENDIX D

Incident Meteorologist Billing Points of Contact for Washington and Oregon

USDA Forest Service:

Elizabeth Martin

USDA Forest Service; Incident Business

101B Sun Avenue NW

Albuquerque, NM 87109

National Park Service, US Fish and Wildlife Service, Bureau of Indian Affairs, Bureau of Land Management:

David R. Burley BLM, Incident Business Lead National Interagency Fire Center 3833 S Development Ave Boise, ID 83705

APPENDIX E

Spot Forecast Request Form D-1

Planes will the NWC Worthern Frances	(See reverse for instructions)	U.S. Department of Commerce NOAA National Weather Service			
request and forecast were received. Please provide feedback to WFO on	forecast.	request and also after you receive a forecast to ensure			
1. Time† 2. Date	3. Name of Incident or Project	4. Requesting Agency			
5. Requesting Official	6. Phone Number	7. Fax Number 8. Contact Person			
9. Ignition/Incident Time and Date	12. Reason for Spot Request (che Wildfire Non-Wildfire Under the I	nteragency			
10. Size (Acres)	Agreement for Meteorolog (USFS, BLM, NPS, USFV Non-Wildfire State, tribal	/S, BIA) Top: Bottom:			
11. Type of Incident Wildfire Prescribed Fire	agency working in coordir federal participant in the I Agreement for Meteorolog	nteragency ical Services			
Wildland Fire Use (WFU) HAZMAT Search And Rescue (SAR)	Non-Wildfire Essential to e.g. due to the proximity of centers or critical infrastru	population Full			
18. Fuel Type:GrassBrush Fuel Model: 1,2,34,5,6,7 19. Location and name of nearest we	8,9,10 11,12,13 2,5,8	ss/Timber UnderstoryOther			
20. Weather Observations from proje					
Place Elevation †Ol		Temp. Moisture Remarks			
Tim	wind.	ry Wet RH DP (Relevant Weather, etc)			
Start End Sky, Ten Forecast needed for: Hur Today N	rimary Forecast Elements (Check all that ar management ignited wildland fires, provide primeters): Needed: /Weather perature midity twind wildley Ridge Top er (Specify in #23)				
Extended	Location:	26. Phone Number:			
ATTN:		Fax Number:			
	ent details, Smoke Dispersion elemo 24-hour clock to indicate time. Example: 10: icate local standard time or local daylight tin	5 p.m. = 2215; 10:15 a.m. = 1015			

APPENDIX F

HYSPLIT Request Instructions

HYSPLIT is a model which determines trajectories for parcels at a given height above ground level. An easy method has been developed to take advantage of the base information that is already input into the spot request form to generate automated HYSPLIT Trajectory forecasts.

The HYSPLIT trajectories can be used for many purposes (i.e. HAZMAT, smoke, etc.). The HYSPLIT output is only trajectory based. If you want "dispersion" based output, you must contact the forecast office, so they can submit manually from the NOAA HYSPLIT website. The HYSPLIT output represents computer model forecasts without any human interaction. They do not take into account information on burn size or fuels, thus generate trajectory forecasts for 500, 1500, and 3000 meters AGL without regarding for whether the fire plume height will reach those altitudes.

To utilize this feature, simply select YES on the right-hand side of the NWS spot page request. The HYSPLIT forecast will be automatically generated and sent to the email address(es) used in the request.

It is recommended that you try this procedure and get a feel for its content before using it for actual guidance on a burn or fire. For more information, please visit https://www.wrh.noaa.gov/wrh/UsersSpotGuide2019_2.0.pdf. If you have any questions, please contact your local fire weather program leader.