

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area A12 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E319LPF, E315LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU or Monterey Comm DPA. Must get Lat/Long to verify.
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- IFR Military Training Route (203D-203C)
- IFR 203-NAS LEMOORE 559-998-1034
- BEU Command CDF1 - 151.355

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area A22 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E319LPF, E315LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- IFR Military Training Route (203D-203C)
- IFR 203-NAS LEMOORE 559-998-1034

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area A32 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E315LPF4X4, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- Command: 159.4050T/151.2500R (primary) T_
- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Confirm frequencies with SLCC (805)543-4243.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C31 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C35 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C35A (BEU/MRY)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C35L (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C35W (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C36 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C37 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C40 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E17LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	DIV1LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.
- VR Military Training Route (5mi visibility >3,000ft) (249A-249B)
- VR 249-MCAS MIRAMAR 858-577-9462
- Major Transmission lines
- Order a Resource Advisor if fire is on FS lands under another DPA.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C41 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.
- Major Transmission lines

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C43 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.
- Major Transmission lines

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C45 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E17LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C45BS (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E316LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- BEU East/West White1/VFire 21 - 154.280.
- VR Military Training Route (5mi visibility >3,000ft) (249A-249B)
- VR 249-MCAS MIRAMAR 858-577-9462
- Order a Resource Advisor if fire is on FS lands under another DPA.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C45MC (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E316LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- BEU East/West White1/VFire 21 - 154.280.
- VR Military Training Route (5mi visibility >3,000ft) (249A-249B)
- VR 249-MCAS MIRAMAR 858-577-9462
- Order a Resource Advisor if fire is on FS lands under another DPA.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area C50 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E17LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU or Monterey Comm DPA. Must get Lat/Long to verify.
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.
- VR Military Training Route (5mi visibility >3,000ft) (249A-249B)
- VR 249-MCAS MIRAMAR 858-577-9462
- Order a Resource Advisor if fire is on FS lands under another DPA.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area D60 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E319LPF, E315LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU or Monterey Comm DPA. Must get Lat/Long to verify.
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU Command CDF1 - 151.355
- IFR 203-NAS LEMOORE 559-998-1034
- IFR Military Training Route (203D-203C)

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area E23 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E315LPF4X4, E316LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area E3 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E315LPF4X4, E316LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- Utilize Response Area "FHL1" to pull a response.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area E5 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E315LPF4X4, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- Utilize Response Area "FHL1" to pull a response.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area E6 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E315LPF4X4, E316LPF4X4
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- A/T = 151.280, A/G = 151.220, VHF = based on ATB zone of influence
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area G1 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area G12 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E319LPF, E18LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC11LPF

2nd Alarm

- BEU DPA
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area G4 (BEU)

Low Response

Moderate Response

High Response

ENGINE (2):	E18LPF, E319LPF
CREWS (1):	CRW1LPF
OVERHEAD (1):	BC12LPF

2nd Alarm

- BEU or Monterey Comm DPA. Must get Lat/Long to verify.
- Confirm Frequencies with BECC (831)647-6222.
- Command: 159.4050T/151.2500R (primary) T_
- A/T = _____, A/G = 170.000, VHF = based on ATB zone of influence
- BEU Tactical (Primary) V-Fire 23 154.2950
- BEU Tactical (Secondary) CDF Tac 4 151.400
- BEU East/West White1/VFire 21 - 154.280.