



Fort Collins Interagency Dispatch Zone

Fire Restriction Matrix

FDRA	Category	Energy Release Component	KBDI	1000-hr Fuel Moisture	FTC Preparedness Level	RMACC Preparedness Level
Foothills	Restriction	47	278	< 12%	3	4
	Ban	53	337	< 11%	4	5
East Divide	Restriction	45	243	< 12%	3	4
	Ban	50	284	< 11%	4	5
West Divide	Restriction	42	163	< 13%	3	4
	Ban	48	230	< 11%	4	5
<p><i>5-7 Day Weather Trends will be considered when deciding on fire restrictions using RMA Predictive Services Forecast.</i> <i>7-14 Day Weather Trends will be considered when deciding on fire bans RMA Predictive Services Forecast.</i> <i>Extenuating Circumstances will also be considered. These may include upcoming holiday, dry lightning, or wind event.</i></p>						
FDRA	Category	Spread Component	KBDI	FTC Preparedness Level	RMACC Preparedness Level	
Eastern Portion of Plains	Restriction	100	519	3	4	
	Ban	160	538	4	5	
Western Portion of Plains	Restriction	77	416	3	4	
	Ban	113	493	4	5	

To determine whether an area needs to go into fire restrictions or fire ban, use the following chart:

# of Criteria Beyond Threshold	Fire Restrictions
0 to 1	None
2 to 3	Consider
4 or more	Implement

# of Criteria Beyond Threshold	Fire Ban
0 to 2	None
3 to 4	Consider
5 or more	Implement