

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
Version 5/5/16

**RI = Resource Item. The resource is entered in ROSS as separate items. (Can and should be statused in ROSS)**

**SI = Service Item. Only the contract is entered in ROSS. Use "Fill with Agreement" option. (These items cannot be statused in ROSS.)**

When ordering contracted resources, if they are not listed in ROSS by type (1, 2, etc), you must enter the information in Special Needs to ensure the incident gets what it needs.

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Aircraft Rescue Firefighting Apparatus* (RI)</b>	<b>Equipment -&gt;</b> Miscellaneous -> Crash Rescue (Aircraft), Type 1 - 3							<i>None listed on RMA DPLs.</i>
<b>All Terrain Vehicle (ATV/UTV)* (RI)</b>	<b>Equipment -&gt;</b> Transportation -> Transportation, Vehicle, All Terrain (ATV) or Vehicle, Utility Terrain (UTV)							Description of ATV: Has single seat Description of UTV: Side-by-Side with Bed. <i>None listed on RMA DPLs.</i>
<b>Bus, Crew Carrier (RI)</b>	<b>Equipment -&gt;</b> Transportation -> Transportation, Bus, Crew Carrier							
<b>Bus, Coach (SI) *</b>	<b>Equipment</b> -> Transportation -> Transportation, Bus, Coach							<i>None listed on RMA DPLs.</i>
<b>Chainsaw Repair Service (SI) *</b>	<b>Equipment -&gt;</b> Miscellaneous -> Chainsaw							Explain in Special Needs that you want chainsaw repair service. <i>None listed on RMA DPLs.</i>

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
**Version 5/5/16**

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Chipper (RI)</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Chipper, Type 1 – 3	18+ inch diameter capacity	13-17 inch diameter capacity	9-12 inch diameter capacity				All types must be equipped with an in-feed mechanism that operates in forward, reverse and stop modes. Contractor personnel responsible for operating the equipment. <i>None listed on RMA DPLs.</i>
<b>Clerical Support Unit (RI)</b>	<b>Equipment -&gt;</b> Miscellaneous -> Clerical Support Unit	Fully self-contained with generator and all operating supplies. Daily rate <b>plus</b> cost of copies and other services.						
<b>Communications Trailer (RI)</b>	<b>Equipment -&gt;</b> Trailer -> Trailer – Communications	Self-contained. Transportation provided by Contractor. VHF-FM P25 Digital Base Station with a minimum of 1 VHF-FM mobile radio. UHF-FM Base Station with a minimum of 1 UHF-FM mobile radio. Telephones, fax, copier, scanner, printer.						
<b>Copier (SI) *</b>	<b>Supply -&gt; Service,</b> <b>Office Support -&gt;</b> <b>Service, Copy Machine</b> <b>Rental</b>							<b>Address specifications in Special Needs.</b> <i>None listed on RMA DPLs.</i>
<b>Dozer (RI)</b> Order by type	<b>Equipment -&gt;</b> Dozer -> Dozer, Type 1 - 3	200-320 HP	100-199 HP	50-99 HP				Contractor to provide transport. No separate E# for transport – document on shift ticket.
<b>Engine (RI)</b> Order by type	<b>Equipment -&gt;</b> Engine -> Engine, Type – 1 - 6			500-1500 gallons	750- 1500 gallons	400-749 gallons	150-399 gallons	All types of engines will have 1 ENGB and 2 FFT1 or 2 FFT2's.
<b>Excavator (RI)</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Excavator Type 1 - 4	156+ HP	111-155 HP	81-110 HP	60-80 HP			Contractor to provide transport. No separate E# for transport – document on shift ticket. 2 forward lighting. Steel tracks.

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
**Version 5/5/16**

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Faller Module (RI)</b>	<b>Overhead -&gt;</b> Groups -> Module, Faller		Listed on DPL and contract as Type 1; but there are no other types					Faller Module will have 2 fallers with all necessary equipment and vehicle.
<b>Feller Buncher (RI) *</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Feller Buncher Type 1 - 2	226+ HP	160-225 HP					Must include transport. <i>None listed on RMA DPLs.</i>
<b>Fuel Tender (RI)</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Fuel Tender Type 1 - 3	3501+ gallons	2501-3500 gallons	500-2500 gallons				Spill containment kit. Proof of leak test and I&P test. 1 Skilled operator per shift.
<b>GIS Unit (RI) *</b> Order by type	<b>Equipment -&gt;</b> Trailer -> Trailer - GIS	Workstation for 5 personnel	Workstation for 2 personnel					Fully self-contained with GIS software and computer workstations <i>None listed on RMA DPLs.</i>
<b>Gray Water Truck (RI)</b> Order by type	<b>Equipment -&gt;</b> Gray Water Truck Type 1 – 4	4000+ gallons	2500-3999 gallons	1000-2499 gallons	400-999 gallons			The host unit may designate the gray water dumping site. If not, the contractor is required to identify an approved dumping site.
<b>Hand Washing Station – Trailer Mounted (RI)</b>	<b>Equipment -&gt;</b> Miscellaneous -> Handwashing Station – Trailer Mounted	8-10 Sinks, 12-14 Sinks, 14+ Sinks --- Trailer Mounted Units						Should be ordered by number of sinks in Special Needs.
		Minimum 250 gallon of portable water storage. (The government will provide the potable water.) Minimum 500 gallon storage of gray water. (Gray water removal is the responsibility of the government.)						
<b>Hand Washing Station - Portable (SI)*</b>	<b>Equipment -&gt;</b> Miscellaneous -> Handwashing Station	8-10 Sinks, 12-14 Sinks, 14+ Sinks --- Portable Units						Should be ordered by number of sinks in Special Needs. <i>None listed on RMA DPLs.</i>

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
**Version 5/5/16**

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Helicopter Operation Support Trailer (RI)</b>	<b>Equipment</b> -> Trailer -> Trailer – Helicopter Operations Support	Equipment requirements: 10,000 KVA Generator w/battery backup. VHF/UHF Base Stations. 2 each handheld AM & FM radios. Minimum 3 workstations.						
<b>Masticator – Boom Mounted (RI)</b> Order by type	<b>Equipment</b> -> Miscellaneous -> Masticator – Boom Mounted Type 1 - 4	156+ HP	111-155 HP	81-110 HP	60-80 HP			Boom Mounted typing based on Excavator HP.
<b>Mechanic w/Service Truck (SI) *</b>	<b>Supply</b> -> Service, Miscellaneous -> Service – Mobile Mechanic	For heavy equipment	For auto or truck					Enter type being ordered in Special Needs.
<b>Mobile Laundry (RI)*</b>	<b>Equipment</b> -> Miscellaneous -> Laundry, Mobile	Capability of at least 2500 lbs per day	Capability of at least 1500 lbs per day					Contractor responsible for transportation. All units must be self-contained. Enter type being ordered in Special Needs. <i>None solicited in the RMA in 2015.</i>
<b>Mobile Sleeper Unit (RI) *</b>	<b>Equipment</b> -> Trailer -> Trailer-Mobile Sleeper							<i>None listed on RMA DPLs.</i>
<b>Portable Toilet (SI) *</b>	<b>Supply</b> -> Service, Sanitation -> Service – Porta Potties							<i>None listed on RMA DPLs.</i>
<b>Potable Water Truck (RI)</b> Order by type	<b>Equipment</b> -> Potable Water Truck <b>Type</b> 1 - 4	4000+ gallons	2500-3999 gallons	1000-2499 gallons	400-999 gallons			Tank shall arrive empty for inspection unless requested otherwise by the incident. The host incident unit will designate the water source.

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
**Version 5/5/16**

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Pumper Cat (RI) *</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Pumper Cat Type 1-3	500+ gallons	325 – 499 gallons	200 – 324 gallons				Minimum personnel – 1 <i>None listed on RMA DPLs.</i>
<b>Refrigerated Trailer (SI)</b>	<b>Equipment -&gt;</b> Miscellaneous -> Truck/Trailer, Refrigeration	>43 ft	29-43 ft	20-29 ft				Must provide one set of OSHA compliant stairs. Order type in Special Needs.
<b>Road Grader (RI)</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Road Grader, Type 1-2	165+ HP	120-164 HP					12 ft mold board minimum.
<b>Single Faller (RI)</b>	<b>Overhead -&gt;</b> Groups -> Faller, Single							Listed on DPL and contract as Type 1; but there are no other types.
<b>Skidder (RI)</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Skidder, Type 1-3	176+ HP	100-175 HP	60-99 HP				Can be ordered with different grapple configurations or with winch line plus minimum requirements.
<b>Skidgine (RI)*</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Skidgine Type 1-4	1200+ gallons	800-1199 gallons	400-799 gallons	200-399 gallons			All types of skidgines require 1 personnel on each skidgine. Minimum of 150 feet hose. Pump and roll. <i>None listed on RMA DPLs.</i>

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
**Version 5/5/16**

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Skidgine, Soft Track (RI) *</b>	Equipment -> Miscellaneous -> Skidgine, Soft Track							Per Gina Papke, VIPR SME, a soft track is a modification of a Skidgine and not particularly a separate piece of equipment. <i>None listed on RMA DPLs.</i>
<b>Strip Mulchers / Masticators (RI)</b> Order by type	<b>Equipment -&gt;</b> Miscellaneous -> Strip Mulchers / Masticators Type 1-3	200-350 HP	100-199 HP	50-99 HP				Tracked or Rubber tired mounted typing based on Dozer HP. Specify Tracked or Rubber tired (Wheeled), plus minimum requirements. Typing is based on Dozer HP.
<b>Tent and Canopy (SI) *</b>	<b>Equipment -&gt;</b> Miscellaneous -> Tent							Indicate size in Special Needs. <i>None listed on RMA DPLs.</i>
<b>Tractor Plow (RI) *</b>	<b>Equipment -&gt;</b> Tractor Plow -> Tractor Plow Type 1-6		100-199 HP	50-99 HP				Contracts awarded in VIPR only include T2/T3. <i>None listed on RMA DPLs.</i>
<b>Transport (RI)</b> Enter the type being ordered in Special Needs	<b>Equipment -&gt;</b> Transportation -> Transportation - Tractor/Trailer OR Transportation – Lowboy Type 1-3	Loads over 70,000 lbs	Loads 35,001 to 69,999 lbs	Loads up to 35,000 lbs				Pilot cars and all special permits are vendor's responsibility, when required by a permitting agency.
<b>Vehicle w/ Driver (SI)</b>	<b>Equipment -&gt;</b> Transportation -> Transportation – XXXX XXXX = Type of vehicle: SUV, Pickup, Van, etc.	Sport Utility Vehicle (SUV): minimum 5 passenger, 2&4 wheel drive. Passenger Van: 7-9 pax, 2&4 wheel drive. Pickup, T1:GVWR of 8,501 lbs and greater, min 6.5' bed length. Pickup, T2:GVWR of 6,001 to 8,500 lbs, minimum 6.5' bed length. Pickup, T3:GVWR up to 6,000 lbs, minimum 6' bed length.						In Special Needs indicate "w/driver" and size of vehicle needed.

**Rocky Mountain Area**  
**VIPR Equipment/Overhead/Supply/Service Items Ordering Guide**  
**Version 5/5/16**

Listed on Contract	Cataloged in ROSS	T1	T2	T3	T4	T5	T6	Other
<b>Vehicle Rental (SI) *</b>	<b>Equipment -&gt;</b> Transportation -> Transportation – XXXX XXXX = Type of vehicle: SUV, Pickup, Van, etc.							In Special Needs indicate “rental” and size of vehicle needed. None listed on RMA DPLs.
<b>Water Tender (Support) (RI)</b> Should be ordered by type	<b>Equipment -&gt;</b> Tender, Water (Support) -> Tender, Water (Support), Type 1 - 3	4000+ gallons	2500-3999 gallons	1000-2499 gallons				1 operator with annual fireline refresher.
<b>Water Tender (Tactical) (RI)</b> Should be ordered by type	<b>Equipment -&gt;</b> Tender, Water (Tactical) -> Tender, Water (Tactical) Type 1 - 2	2000+ gallons	1000-1999 gallons					1 FFT1, and 1 FFT2 required.
<b>Weed Washing Unit (RI)</b> Enter the type being ordered in Special Needs	<b>Equipment -&gt;</b> Miscellaneous -> Weed Washing Unit	Self-contained w/recycling water system	Self-contained w/non-recycling water system					Government provides wash water to site and removes waste water. Contractor provides wash/waste water storage.

**\*None Listed on RMA DPL's.**

All contacts and actions need to be documented in the appropriate system of record (CAD, ROSS or log). Key items to document include point-of-hire, driver's name and contact info; last 5 digits of the VIN #, any vehicle/equipment information not included in the ROSS resource item.