



DEFENSE  
LOGISTICS  
AGENCY

# Wildland Fire Equipment 2022







# Wildland Fire Equipment Products from DLA



We are proud to present this special catalog spotlighting wildland fire equipment available from FedMall. From hand tools to protective gear, FedMall offers a variety of products that carry our service guarantees:

- Easy Requisitions – See It. Buy It. Get It
- Flexible – Featuring Multiple Ordering Options
- Reliable – Delivering the Products You Need, Where You Need Them
- Anywhere – Assuring Global Delivery
- Anytime – Supporting 24/7 Purchasing
- More – Offering Extensive Product Selection
- Safe – Providing Easy Compliance

The items in this publication are also available online. Visit us at:  
<https://www.fedmall.mil>



## Contents

<b>About This Catalog</b> .....	2
---------------------------------	---

## Wildland Fire Equipment

Hand Tools .....	4
Sheaths .....	5
Handles and Handle Wedges .....	5
Hoses and Gaskets .....	6
Water-Handling Accessories .....	7
Pumps and Accessories .....	11
Chainsaw Accessories .....	13
Fuel Storage .....	14
Batteries .....	14
Headlamps and Lightsticks .....	15
First Aid .....	15
Personal Protection .....	17
Packs and Accessories .....	22
Canteens, Water Bags and Accessories .....	23
Food-Handling Equipment .....	25
Sleeping Bags and Accessories .....	25
Personal Grooming Aids .....	27
Packaging Material .....	27
Pails .....	29
Weather Gear .....	29
Ignition Devices .....	30
Aviation Equipment .....	31
Marking Material .....	31
Incident Sign Kit Components .....	32

## General Information

National Fire Cache System .....	33
Requisitioning from the Defense Logistics Agency .....	35
Federal Customers .....	35
State and Local Customers .....	35
DLA Customer Assistance Representatives .....	35
DLA Wildland Fire Program Points of Contact .....	36
Additional DLA Items .....	36

## Indexes

NFES Index (NSN Cross-Reference) .....	39
Alphabetical Index .....	51
NSN Index .....	53

# About This Catalog

This Wildland Fire Equipment Catalog is the basic supply publication for use by the U.S. Forest Service (USFS), Bureau of Land Management (BLM), Bureau of Indian Affairs (BIA), U.S. Fish & Wildlife Service (USF&WS), National Park Service (NPS), State and Local governments, and other Forest Service–sponsored participants in the government-wide wildland firefighting effort.

This catalog contains descriptions and ordering data for wildland fire protection equipment and supplies managed by DLA. Each item is indexed alphabetically by name and numerically by National Stock Number (NSN) and National Fire Equipment System (NFES) number.

Your suggestions for improving this catalog are invited at all times. Items will be deleted or added as needed, provided they meet the criteria established by DLA, USFS and BLM. Questions or comments should be directed to the DLA WFPP email address at [DLAWFPP@dla.mil](mailto:DLAWFPP@dla.mil)



## Specification References

The specifications cited in catalog descriptions may undergo a series of revisions (indicated by successive suffix letters) to keep current with industry changes and agency needs. Because it is not feasible to show the latest revision on the catalog publication date, only the basic specification is referenced in this catalog. Although NSN items are always procured under the latest edition of a specification in effect at the time of procurement, on-hand stock that was procured under a previous edition of a specification will be issued until the supply is depleted.

## The National Stock Number

The National Stock Number (NSN) is used for requisitioning, new procurements, existing contracts, shipments, shippers' invoices, payments, cataloging, stock records, etc. Accordingly, the items in this catalog are identified by 13-digit NSNs. To obtain items in this catalog, please visit <https://www.fedmall.mil/> or call 1-877-DLA-CALL (352-2255).



# About This Catalog



## Prices

The prices in the publication are subject to review and change on 1 October of each Fiscal year. In most cases, the prices remain in effect through September 30th of the following year. However, from time to time, it is necessary to make changes without notice. This happens when new contract prices are significantly higher or lower in which case adjustments must be made. To obtain the most current prices, please check the price in FedMall at <https://www.fedmall.mil>, or call the DLA LNO. To obtain a PDF copy of this catalog, contact DLA WFPP at [DLAWFPP@dla.mil](mailto:DLAWFPP@dla.mil).








## Unit of Issue Reference

BE .....	Bale	LG .....	Length
BD .....	Bundle	OZ .....	Ounce
BK .....	Book	PD .....	Pad
BX .....	Box	PG .....	Package
CL .....	Coil	PR .....	Pair
DZ .....	Dozen	QT .....	Quart
EA .....	Each	RO .....	Roll
HD .....	Hundred	SL .....	Spool
KT .....	Kit	YD .....	Yard
FT .....	Foot		

Note: The name or nomenclature used in this publication may not be the Approved Item Name recorded in the Federal Catalog System. In many cases, a name more oriented to our customers is provided.

## Icon Key

The following is a list of icons used in this publication and the information each icon represents:

-  Key information to help buying decisions.
-  Product has been certified to meet or exceed the U.S. Environmental Protection Agency Recovered Material Advisory Notice (RMAN) standard for recovered materials as specified in the Resource Conservation and Recovery Act Section 6002 Comprehensive Procurement Guideline.
-  Product is part of a specific standard pack. Standard pack is a guide to how many items are packed in a single case. Standard pack does not mean “minimum order.”
-  Product with biodegradable packing materials as required by U.S. Navy’s Plastics Removal in Marine Environments program
-  Product is free of cadmium, lead and/or mercury, and chemicals on the list of “31 Priority Chemicals.”
-  Material Safety Data Sheet (MSDS) is available.
-  Contact us for more information.



For the latest information and news about the Wildland Fire Program, visit our website at <https://www.fedmall.mil/>.



# Hand Tools

## Combination Tool, Fire Fighter's (Fire Line Combination Tool)



Combination pick and shovel can be folded for easy transport. Similar to an army entrenching tool and features a 41" handle and serrations on shovel edges for cutting light brush. Intended for use on wildland fire-lines and for general forest work and trail maintenance. Forest Service Spec 5100-325. (NFES #1180)

For replacement tool handle, see NSN 5120-01-296-3592.

■ Std. pack: 10

5120-01-240-2120 EA

## Mattock (Pulaski Tool)



This ax-and-hoe combination tool is designed for fire-line digging and chopping. Cutting edges: 3-3/8" (hoe); 4-1/2" (ax); handle 36" long. Forest Service Spec 5100-355. (NFES #0146) (ax); Fiberglass handle 42" long. Forest Service Spec 5100-355. (NFES #0258)

For replacement tool handle (wood only), see NSN 5110-01-137-7507

■ Std. pack: 10

5120-00-293-3467	36"	EA
5120-01-679-2683	42"	EA

## Rake, Forest Fire (McLeod Tool)



Fire-line digging tool is a rake-and-hoe combination. Handle is 48" long. Forest Service Spec 5100-353. (NFES #0296)

For McLeod Tool Sheath, see NSN 8465-01-136-4718.

■ Std. pack: 10

4210-00-203-3512	AbilityOne	Width: 11"	EA
------------------	------------	------------	----

## Rake, Forest Fire (Collapsible Firefighting Rake)



Collapsible metal rake is designed for fire-line construction. Features stainless steel tines that extend to 16" in width. Features a foam-grip handle. Lengths: 59-1/2" (extended) and 49-2/5" (collapsed). Weight: 3.3 lbs. REC Drawing No. 90-5700C. (NFES #0659)

■ Std. pack: 10

4210-01-387-1392	EA
------------------	----

## Rake, Forest Fire (Forest Fire Rake)



Tool is designed for fire-line digging. Features triangular cutting heads on a 12"-wide hoe-type frame. Consists of four mowing- machine cutter blades riveted to a steel frame. Straight handle is 52" long. Forest Service Spec 5100-284. (NFES #1807)

For Fire Rake Tool Sheath, see NSN 8465-01-592-1365.

■ Std. pack: 10

4210-00-540-4512	AbilityOne	EA
------------------	------------	----

## Shovel, Hand (Forest Fire Shovel)



Designed especially for fighting wildland fires. Features solid shank and straight handle. Handle is 34" long. Forest Service Spec 5100-326. (NFES #0171)

For Shovel Tool Sheath, see NSN 8465-01-136-4719.

■ Std. pack: 10

5120-00-965-0609	AbilityOne	EA
------------------	------------	----

## Gage, Sharpening (Sharpening Gauge)

This highly portable gauge makes easy work of refurbishing and inspecting fire tools in the shop or the field. Contains guides for axes, shovels, Pulaski tools, combination tools and McLeod tools. Aluminum construction is 7.5 x 20.5 x 0.3 cm in size. Instructions clearly printed on both sides. MTDC Drawing 846. (NFES #0510)



■ Std. pack: 10 or 100

5210-01-324-2776	EA
------------------	----

## Extinguisher, Fire (Fire Extinguisher)



Designed for extinguishing small fires. Ratings are based on UL 711 testing, which uses the following classes: Class A: Wood and paper fires; Class B: Flammable liquid fires; Class C: Can be used in the presence of charged electrical circuits. Weights noted are the approximate amount of extinguishing agent with which charged extinguishers are supplied. Please note that multi-purpose phosphate and bicarbonate leaves a powdery residue that can damage delicate instruments.

Dry chemical for class A:B:C: Type fires (multi-purpose phosphate).

Rating is 20A:120B: C: with a 20-lb. charge. Has stored pressure and is refillable. Wall-mounting bracket included. (NFES #0307)

4210-00-889-2492	EA
------------------	----

# Sheaths

## Sheath, Fire, Rake, Plastic (Fire Rake Sheath)

Molded plastic sheath accommodates a fire rake. Riveted with washers on both sides. Color number 12199 of FED-STD-595C. Forest Service Spec. 5100-316. (NFES #0293)


For use with Fire Rake NSN 4210-00-540-4512.



8465-01-592-1365      Orange      EA

# Handles and Handle Wedges

## Handle, Replacement, Combi-Tool (Tool Handle)



A. Hardwood handle, tapered working end fits metal ferrule with hinged tool and locking nut. Forest Service Drawing MTDC 736. (NFES #1168)

Replacement handle for the Fire Line Combination Tool NSN 5120-01-240-2120.

Std. pack: 12

5120-01-296-3592      Length: 41"      EA

## Handle, Pulaski Tool (Tool Handle)

B. Solid hickory handle. Forest Service Drawing MTDC 632. Forest Service Spec 5100-355. (NFES #1857)

Replacement handle for Pulaski Tool NSN 5120-00-293-3467.

Std. pack: 12



5110-01-137-7507      Length: 36"      EA

**For your convenience, this catalog  
is also available in electronic form.  
To receive a PDF copy contact DLA WFPP at:  
[DLAWFPP@dla.mil](mailto:DLAWFPP@dla.mil)**

# Hoses and Gaskets

## Hose Assembly, Nonmetallic, Fire Fighting (Synthetic Fire Hose)



Lined, synthetic, woven-jacket hose is lightweight with aluminum rocker lug couplings. Working pressure: 450 psi. Forest Service Spec 5100-187.

### A. Type I, standard synthetic hose.

**This 1" diameter hose features 1", 11-1/2 NPSH thread couplings. Weight: 9.38 lbs. (NFES #1238)**

■ Std. pack: 2

4210-01-166-8122 AbilityOne White LG(contain one 100 FT)

**This 1-1/2" diameter hose features 1-1/2", 9 NH thread couplings. Weight: 15.88 lbs. (NFES #1239)**

■ Std. pack: 2

4210-01-165-6597 AbilityOne White LG(contain one 100 FT)

### B. Type II, abrasion- and heat-resistant synthetic hose with external elastomeric coating.

**This 1" diameter hose features 1", 11-1/2 NPSH thread couplings. (NFES #0932)**

■ Std. pack: 2

4210-01-526-3000 AbilityOne Yellow LG(contain one 100 FT)

**This 1-1/2" diameter hose features 1-1/2", 9 NH thread couplings. (NFES #0933)**

■ Std. pack: 2

4210-01-526-2977 AbilityOne Yellow LG(contain one 100 FT)

## Hose Assembly, Nonmetallic Synthetic (Synthetic Garden Hose)

Lightweight hose features a woven synthetic jacket and is lined. The 5/8" diameter hose features 3/4", 11-1/2 NH threaded coupling (standard garden hose threads). Operating pressure is 200 psi. To be used for mop-up operations, pumper protection and miscellaneous applications. (NFES #1016)

**This is a component of Mop-Up Kit NSN 4210-01-321-4206.**

■ Std. pack: 2

4210-01-167-1061 AbilityOne LG(20LG/case)

## Band, Retaining Fire Hose (Fire Hose Retaining Band)

Rubber band for securing rolled fire hose. Length: 9-1/2"; Width: 1-3/8"; Thickness: 0.063". (NFES #0727)

■ Std. pack: 1



4210-01-529-8489 Red BX(contains 325 EA)

## Hose Assembly, Nonmetallic, Fire Fighting (High-Pressure Fire Hose)

High-pressure fire hose features 1", 11-1/2 NPSH compression wedge couplings. Braided hose has a 3/4" inside diameter. Working pressure: 600 psi. Forest Service Spec 5100-185. (NFES #1220)

■ Std. pack: 2

4210-00-595-1838



LG(contains 50 FT)

## Hose Assembly, Nonmetallic, Fire Fighting (Rubber Suction Fire Hose)

Suction fire hose with rocker-lug couplings is made of rubber and fabric with wire reinforcement. Forest Service Spec 5100-184. Couplings per Forest Service Spec 5100-108.



**This 1-1/2" diameter hose features a 1-1/2", 9 NH threaded coupling. (NFES #1808)**

■ Std. pack: 4

4210-00-889-1774

LG(contains 8 FT)

**This 1-1/2" diameter hose features a 1-1/2", 9 NH threaded coupling. (NFES #0115)**

■ Std. pack: 4

4210-00-889-1775

LG(contains 10 FT)

## Gasket, Fire Hose (Fire Hose Gasket)

Designed for fire hose connections, this gasket is made of synthetic rubber and is circular in shape. Forest Service Spec 5100-190.



**For 1" nominal waterway diameter. Has a 1-1/16" inside diameter and a 1-7/16" outside diameter. Thickness: 1/8". (NFES #0743)**

**This is a component of Mop-Up Kit NSN 4210-01-321-4206.**

■ Std. pack: 20

5330-00-720-2621

PG(contains 10 EA)

**For 1-1/2" nominal waterway diameter. Has a 1-9/16" inside diameter and a 2-1/16" outside diameter. Thickness: 1/8". (NFES #0254)**

**This is a component of Mop-Up Kit NSN 4210-01-321-4206.**

■ Std. pack: 20

5330-00-239-1873

AbilityOne Orange

PG(contains 10 EA)

**For 2" nominal waterway diameter. Has a 2-1/16" inside diameter and a 2-3/8" outside diameter. Thickness: 1/8". (NFES #0742)**

■ Std. pack: 20

5330-00-239-1875

PG(contains 10 EA)

**For 2-1/2" nominal waterway diameter. Has a 2-9/16" inside diameter and a 3-3/16" outside diameter. Thickness: 3/16". (NFES #2326)**

■ Std. pack: 20

5330-00-239-1877

PG(contains 10 EA)



# Water-Handling Accessories

- Unless otherwise noted, the working pressure of all items under this heading is 600 psi.
- All flow rates are at 100 psi flowing pressure.
- 3/4" connections in this catalog use GHT (Garden Hose Thread) threads and 11-1/2 NH threads interchangeably; both designations are the same threads.
- This catalog includes some threads that are specific to the USDA Forest Service and do not follow the NFPA standard. We indicate the threads used on each item.
- The National Fire Protection Association (NFPA) standard calls for 3/4" and larger connections to be NH (national standard) threads. The wildland agencies have adopted this, except for 3/4" and 1" connections. The 3/4" connections shall be 3/4" 11-1/2 NH (rather than the NFPA standard of 3/4" 7.5 to 8 NH), and 1" shall be NPSH (straight pipe) thread.
- All female connections come with gaskets in place.
- All aluminum-threaded items are hard-coated for durability.

## Coupling, Hose, Fire Fighting (Fire Hose Thread Adapter)

Thread adapter features aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.

**1-1/2", 9 NH female and a 1-1/2", 11-1/2 NPSH male.** (NFES #0006)

■ Std. pack: 10 or 60

4210-01-079-9284

EA

**1-1/2", 11-1/2 NPSH female and a 1-1/2", 9 NH male.** (NFES #0007)

■ Std. pack: 10 or 60

4210-01-079-9283

EA

## Coupling, Hose, Fire Fighting (Fire Hose Double Female Connector)

Double female connection has aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.

**Both ends are 1", 11-1/2 NPSH. Female, swivel couplings.** (NFES #0710)

■ Std. pack: 10 or 60

4210-01-080-1457


EA

**Both ends are 1-1/2", 9 NH.** (NFES #0857)

■ Std. pack: 10 or 60

4210-01-081-8749

EA



## Coupling, Hose, Fire Fighting (Fire Hose Double Male Connector)

Double male connection with center wrenching. Has aluminum couplings with a 600 psi test pressure. Measures 2" long overall. Forest Service Spec 5100-107.



**Both ends are 1", 11-1/2 NPSH.** (NFES #0916)

■ Std. pack: 10 or 60

4210-01-080-1458

EA

**Both ends are 1-1/2", 9 NH.** (NFES #0856)

■ Std. pack: 10 or 60

4210-01-079-9285

EA

## Cap, Hose (Fire Hose Cap with Chain)

Aluminum fire hose threaded cap for use on fire equipment. Furnished with gasket and chain. 600 psi operating pressure. Forest Service Spec 5100-107.



**1", 11-1/2 NPSH.** (NFES #0732)

■ Std. pack: 10 or 60

4210-01-082-0575

EA

**1-1/2", 9 NH.** (NFES #2210)

■ Std. pack: 10 or 60

4210-01-081-8751

EA

## Reducer, Hose, Fire Fighting (Fire Hose Reducer)

Reducers feature aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.



**Includes a 1", 11-1/2 NPSH (female) and a 3/4" GHT (male).** (NFES #0733)

*This is a component of Mop-Up Kit NSN*

**4210-01-321-4206.**

■ Std. pack: 10 or 60

4210-01-079-9286

EA

**Includes a 1-1/2", 11-1/2 NPSH (female) and a 1", 11-1/2 NPSH (male).** (NFES #0418)

■ Std. pack: 10 or 60

4210-00-294-2648

EA

**Includes a 1-1/2", 9 NH (female) and a 1", 11-1/2 NPSH (male).** (NFES #0010)

*This is a component of Mop-Up Kit NSN 4210-01-321-4206.*

■ Std. pack: 10 or 60

4210-00-975-2969

EA

**Includes a 2", 11-1/2 NPSH (female) and a 1-1/2", 9 NH (male).** (NFES #0417)

■ Std. pack: 10 or 60

4210-01-521-1691

EA

**Includes a 2-1/2", 11-1/2 NPSH (female) and a 1-1/2", 9 NH (male).** (NFES #2229)

■ Std. pack: 10 or 60

4210-01-081-0419

EA

**Includes a 2-1/2", 7-1/2 NH (female) and a 1-1/2", 9 NH (male).** (NFES #2230)

■ Std. pack: 10 or 60

4210-01-508-8818

EA

### Increaser, Hose, Fire Fighting (Fire Hose Increaser)

Increaser features aluminum couplings with a 600 psi test pressure. Forest Service Spec 5100-107.

Includes a 3/4" GHT (female) and a 1" NPSH (male). (NFES #2235)

■ Std. pack: 10 or 60

4210-01-080-6531

EA



Includes a 1", 11-1/2 NPSH (female) and a 1-1/2", 9 NH (male). (NFES #0416)

■ Std. pack: 10 or 60

4210-01-080-6532

EA

### Tee, Pipe to Hose, Fire Fighting (Hoseline Tee with Capped Male Branch)

Aluminum alloy tee issues 600 psi maximum operating water pressure. Forest Service Spec 5100-107.

Connects 1", 11-1/2 NPSH female threaded inlet to 1", 11-1/2 NPSH outlet, and 3/4" GHT branch with male threads. Male threaded 3/4" branch is closed with removable aluminum alloy cap. (NFES #1809)

■ Std. pack: 10 or 60

4210-01-081-0418

EA



Connects 1", 11-1/2 NPSH female threaded inlet to two 1", 11-1/2 NPSH male threaded outlets. One outlet is closed with removable aluminum alloy cap. (NFES #2240)

■ Std. pack: 10 or 60

4210-01-080-1459

EA

Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH outlet and 1", 11-1/2 NPSH branch with male threads. Branch is closed with removable aluminum alloy cap. (NFES #0731)

This is a component of Mop-Up Kit NSN 4210-01-321-4206.

■ Std. pack: 10 or 60

4210-01-080-1460

EA



### Tee, Pipe to Hose, Fire Fighting (Hoseline Tee with Valved Male Branch)

Aluminum alloy tee issues 600 psi maximum operating water pressure. Forest Service Spec 5100-107.

Connects 1-1/2", 9 NH female threaded inlet to 1-1/2", 9 NH discharge and 1", 11-1/2 NPSH branch with male threads. Branch output regulated with screw-type valve. (NFES #0230)

■ Std. pack: 10 or 60

4210-01-081-0417

EA



### Nozzle, Fire Equipment (Fire Hose Nozzle)

Barrel-type plastic polycarbonate nozzle adjusts from straight stream to fog to off. Rubber bumper and gasket included. Threads per Forest Service Spec 5100-190.

Female intake is 1", 11-1/2 NPSH, with an output capacity of 17 to 20 gpm. (NFES #0138)

■ Std. pack: 10 or 100

4210-00-085-2291

EA



Female intake is 1-1/2", 9 NH, with an output capacity of 60 gpm. (NFES #0137)

■ Std. pack: 10 or 60

4210-00-181-8872

Length: 5"

EA

Wildland fire hose nozzle with 3/4" GHT inlet threads NH (garden hose) threads, brass. Flow rate varies from 4 gpm spray pattern to 8 gpm straight-stream pattern. Working pressure of 250 psi. Forest Service Spec 5100-243. (NFES #0136)



This is a component of Mop-Up Kit NSN 4210-01-321-4206.

■ Std. pack: 10 or 100

4730-00-595-1103

Length: 5"

EA



A



B

Barrel-type nozzle with shutoff is made of aluminum alloy. Outer barrel rotates from high flow spray, to high flow straight stream, to low flow spray, to low flow straight stream, and to off. Forest Service Spec 5100-239.

A. Female intake is a 1", 11-1/2 NPSH, 10 to 25 gpm. (NFES #1081)

■ Std. pack: 20

4210-01-165-6603

Length: 4"

EA

B. Female intake is 1-1/2", 9 NH, 20 to 75 gpm. (NFES #1082)

■ Std. pack: 20

4210-01-167-1123

Length: 5"

EA

This shut-off-type nozzle with two outlets is a combination fog and straight-stream nozzle. Both outlets feature 3/4" GHT threads. Comes with a 3/16" (10 gpm) straight-stream tip (NSN 4210-00-203-3855) and a 3 gpm spray tip (NSN 4210-00-204-3358). Inlet is 1", 11-1/2 NPSH female. Selector ranges from spray, to straight, to off. (NFES #0024)

■ Std. pack: 20

4210-00-640-1892

Length: 5"

EA



### Tip, Hose, Fire Fighting (Fire Hose Nozzle Tip)

Fog stream type tip has 3/4", 11-1/2 NH female threaded inlet and is made of aluminum. Measures 2-1/2" in overall length. Forest Service Spec 5100-244.



**Size-3 tip flows 2 to 4 gpm at 100 psi. (NFES #0635)**

■ Std. pack: 24

4210-00-204-3358 EA

**Size-6 tip flows 5 to 7 gpm at 100 psi. (NFES #0636)**

■ Std. pack: 24

4210-00-204-3386 EA

Solid straight stream-type tip has a 3/4", 11-1/2 NH garden hose thread connection. Female threaded inlet is made of aluminum.

**Discharge opening is 3/16", 9.4 gpm at 100 psi. (NFES #0637)**

■ Std. pack: 24

4210-00-203-3855 EA

**Discharge opening is 1/4", 16.8 gpm at 100 psi. (NFES #0737)**

■ Std. pack: 24

4210-00-177-6135 EA

**Discharge opening is 3/8", 37.9 gpm at 100 psi. (NFES #0638)**

■ Std. pack: 24

4210-00-203-3845 EA

### Shut-Off, Valve Ball (Shut-Off Valve)

Aluminum valve has a female threaded inlet with gasket recess and male threaded outlet. Features an on-off or open-close lever with stops at both positions. Removable inlet or outlet allows for easy cleaning and repair. With a 600 psi rating. Forest Service Spec 5100-238.



**Includes 1", 11-1/2 NPSH threads on both ends. (NFES #1201)**

■ Std. pack: 20

4210-01-165-6599 EA

**Includes 1-1/2", 9 NH threads on both ends. (NFES #1207)**

■ Std. pack: 20

4210-01-165-6600 EA

### Wye Connection, Fire Hose, Valved (Fire Hose Wye Valve)

Aluminum wye valve has a female inlet and two ball-valved male outlets. Ball-type release of water either or both outlets. Working pressure is 600 psi. Forest Service Spec 5100-380.



**Threads are 1", 11-1/2 NPSH. (NFES #0259)**

■ Std. pack: 10

4210-00-126-5108 EA

**Threads are 1-1/2", 9 NH. (NFES #0231)**

■ Std. pack: 10

4210-00-984-3475 EA

### Valve, Foot (Foot Valve)

Foot valve is made of brass or aluminum alloy and has a strainer. Forest Service Spec 5100-383.



**Female threaded connection is 1-1/2", 9 NH. (NFES #0212)**

■ Std. pack: 10

4820-00-126-5114 EA

### Wrench, Spanner (Spanner Wrench)

Hose coupling-type wrench is designed for use on slotted or rocker-lug couplings on Forest Service fire hoses. Spanner wrench cannot be used on pin-lugs. Made of bronze, forged brass, cast aluminum or forged aluminum. Forest Service Spec 5100-101.

**Single-ended wrench fits 1", 11-1/2 NPSH and 1-1/2", 9 NH coupling. (NFES #0234)**

*This is a component of Mop-Up Kit NSN 4210-01-321-4206.*

■ Std. pack: 20

5120-00-596-1426

Length: 6"

EA



**Double-ended wrench fits 1", 11-1/2 NPSH, 1-1/2", 9 NH, and 2-1/2", 7-1/2 NH couplings. (NFES #0235)**

■ Std. pack: 20

5120-00-596-1427

Length: 8-3/4"

EA



### Clamp, Fire Hose, Shutoff (Fire Hose Clamp)

Shut-off clamp is designed for use on single jacket, rubber-lined fire hoses sized 1" and 1-1/2". Capable of shutting off water in a hose at 300 psi operating pressure. Lightweight and compact enough to carry in a hip pocket or on a belt loop. Forest Service Spec 5100-245. (NFES #0046)



■ Std. pack: 20

4210-00-767-7123

EA

### Mop-Up Kit, Lateral Line, 3 Wand (Mop-Up Kit)



Designed for wildfire mop-up operations, this kit contains all the equipment necessary for three people to attach to a lateral line to put out spot fires. Includes hose, T-valves, reducers, applicator wands and nozzles, wrenches, and more. DLA will provide the kit instruction sheet. All components will be packaged in 1 Box, Fiberboard-Size 7 1/4 X 9 1/4 X 26 (NFES 0385). (NFES #0772)

■ Std. pack: 1

4210-01-321-4206

EA



**Wye, Garden Hose (Garden Hose Wye Valve)**



Small wye valve features 3/4", 11-1/2 NH garden hose threaded (GHT) connections. Includes one inlet and two outlets with gated shut-off ball valves. Made of brass or corrosion resistant (stainless) steel. Withstands 600 psi for three minutes without leakage or damage. Threads per Forest Service Spec 5100-190. (NFES #0904)

*This is a component of Mop-Up Kit NSN 4210-01-321-4206.*

■ Std. pack: 100

4210-01-412-6335

EA

**Tip,Applicator (Fire Hose Applicator Nozzle Tip)**



Brass fog pattern spray tip, flows 3 gpm at 100 psi, 3/4", 11-1/2 NH garden hose threads. Threads per Forest Service Spec 5100-190. (NFES #0735)

*This is a component of Mop-Up Kit NSN 4210-01-321-4206.*

■ Std. pack: 24

4210-01-412-5683

EA

**Valve, Shut-Off, Garden Hose (Garden Hose Shut-Off Valve)**



Shut-off valve for use on small hoses and nozzles. Made of brass or corrosion resistant (stainless) steel, 3/4", 11-1/2 NH garden hose threads. Withstands 600 psi for three minutes without leakage or damage. Threads per Forest Service Spec 5100-190. (NFES #0835)

*This is a component of Mop-Up Kit NSN 4210-01-321-4206.*

■ Std. pack: 100

4210-01-412-5684

EA

**Applicator,Water (Fire Hose Water Applicator)**



Water-application wand for use in watering down wildland fire hotspots. Applicator is 52" long and comes apart in the middle. One section of the applicator is bent near the tip. All connections are 3/4" garden hose threads (GHT). Threads per Forest Service Spec 5100-190. (NFES #0720)

*This is a component of Mop-Up Kit NSN 4210-01-321-4206.*

■ Std. pack: 12

4210-01-412-5688

EA

**Mop-Up Kit, Lateral Line, 3 Wand NSN 4210-01-321-4206 is comprised of the following components:**

Quantity	Name	NSN	NFES#
7	Synthetic Garden Hose, 3/4"	4210-01-167-1061	1016
3	Hoseline Tee with Capped Male Branch	4210-01-080-1460	0731
3	Fire Hose Reducer, 1 to 3/4"	4210-01-079-9286	0733
1	Fire Hose Reducer, 1-1/2" to 1"	4210-01-079-9286	0010
6	Garden Hose Shut-Off Valve, 3/4"	4210-01-412-5684	0835
3	Fire Hose Nozzle, 3/4"	4730-00-595-1103	0136
3	Fire Hose Nozzle Tip, 3/4"	4210-01-412-5683	0735
1	Garden Hose Wye Valve, 3/4"	4210-01-412-6335	0904
1	Spanner Wrench, Single-Ended	5120-00-596-1426	0234
4	Fire Hose Gasket, 1-1/2"	5330-00-239-1873	0254
4	Fire Hose Gasket, 1"	5330-00-720-2621	0743
8	Garden Hose Washer, 3/4"	5310-00-599-0776	0721
3	Fire Hose Water Applicator, 3/4"	4210-01-412-5688	0720
3	Safety Goggles	4240-01-504-7863	0318
1	Packsack	8465-00-205-3493	0744

# Pumps and Accessories

## Harness, Waterbag (Backpack Pump Shoulder Straps)

A. Harness by itself. The harness is nylon webbing and has padded shoulder straps. Forest Service Specification 5100-621. (NFES #0907)

■ Std. pack: 10

8465-01-656-5111

EA



## Waterbag, 5 Gallon, Suppression, M2015

Waterbag with harness and female quick disconnect (without pump). The Waterbag is a yellow heavy reinforced synthetic rubber bag with 5 gallon capacity, with a fill opening, pump outlet opening, and attachments for a backpack harness. The harness is nylon webbing and has padded shoulder straps. Included is the female part of the quick-disconnect for use with a pump (not included).

To replace the following items:

NSN 8465-01-321-1678 Bag, Backpack Pump, Nylon Duck (to be discontinued)

NSN 8465-01-321-1679 Liner, Backpack Pump Bag (to be phased out over time as we need to support current nylon waterbags in field).

Forest Service Specification 5100-621 (NFES # 0908)

■ Std. pack: 5

8465-01-656-2497

EA



## Waterbag, 5 Gallon, Suppression, M2015, Assembly

This is the waterbag with harness, female quick disconnect, and pump (NSN 4320-00-595-0762 which includes the male quick disconnect). The Waterbag is a yellow heavy reinforced synthetic rubber bag with 5 gallon capacity, with a fill opening, pump outlet opening, and attachments for a backpack harness. The harness is nylon webbing and has padded shoulder straps. The pump is a handheld trombone type pump with 3# hose ending in the male part of the quick-disconnect.

Forest Service Specification 5100-621 (NFES #0909)

■ Std. pack: 5

8465-01-656-8915

EA



D

## Coupling Half, Quick Disconnect (Quick-Connect Hose Fitting)

Replacement hose connection for firefighter's backpack pump outfit. Made of brass, cadmium-plated-steel or stainless steel.

C. Attaches to inlet on Firefighting Hand Pump NSN 4320-00-595-0762. Male quick-connect with male barbed hose connection. Forest Service Spec 5100-256. (NFES #0428)

■ Std. pack: 10 or 100

4730-01-057-0136

EA

D. Attaches to tank opening for Backpack Pump Outfit NSN 4320-00-289-8912. Female connection with male screw threads. Forest Service Spec 5100-256. (NFES #0429)

■ Std. pack: 10 or 100

4730-01-057-4210

EA

## Safety Can

Gallon safety transport can, color red. Spec 5100-622. (NFES #0607)

■ Std. pack: 1

7240-01-681-4336

EA

### Pump, Reciprocating (Firefighting Hand Pump)

E. Trombone-style, plunger-type pump includes a quick-connect fitting. Positive-displacement, single-action type features screw-on combination solid straight-stream and fog nozzle. For use with Backpack Pump Outfit NSN 4320-00-289-8912. Forest Service Spec 5100-256. (NFES #0151)

Std. pack: 10

4320-00-595-0762

EA



### Pump Unit, Centrifugal (Firefighting Water Pump)

F. Firefighting Water Pump and Accessories. Light-weight, portable pump includes a rope-rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Includes: a hand-priming device; a tool pouch (tools not included); a five-foot fuel line with primer bulb and quick disconnect; and a five-gallon fuel tank with quick disconnect. Pump weight: 60 lbs. (maximum). Forest Service Spec 5100-274. (NFES #0601)

Note: Depending on the current contract and inventory status, a WildfireMark 3 pump may be furnished.

Std. pack: 1

4320-00-890-5879

EA



G. Firefighting Water Pump. Light-weight portable pump has a rope-rewind starter with a two-cycle, air-cooled engine that uses a gas-oil mixture. Inlet/outlet size adapted to 1-1/2", 9 NH. Supplied with backpack frame and fuel line (with primer bulb). Pump weight: 60 lbs. (maximum). For backpack pump with accessories, see Firefighting Water Pump NSN 4320-00-890-5879. Forest Service Spec 5100-274. (NFES #0148)

Note: Depending on the current contract and inventory status, a Waterax Mark 3 pump may be furnished.

4320-01-495-3633

EA



### Can, Gasoline, Portable Fire Pump (Gasoline Can)

H. Self-sealing, quick-coupler enables user to change from one can to another in mere seconds. Quick-coupler immediately self-seals and completely stops flow of gasoline. For use with Firefighting Water Pump NSNs 4320-00-890-5879 and 4320-01-495-3633. Forest Service Spec. 5100-274. (NFES #0218)

Std. pack: 1

7240-01-044-5523

Capacity: 5 gal.

EA



### Gasoline Line, Fire Pump (Fire Pump Gasoline Line)

I. Neoprene gasoline line with self-priming bulb connects portable gasoline pumps to quick-disconnect gas tank. Hose ends are fitted with female 7/16" SAE threads to accept quick-connect fittings (only male quick-connect fitting included for use with associated gasoline can). Has a 1/4" ID. Cover is oil- and ozone-resistant. For use with Gasoline Can NSN 7240-01-044-5523. Forest Service Spec 5100-274. (NFES #0113)

36-month maximum shelf life (extendable)

Std. pack: 1

4210-00-568-9904

LG (contains 5 FT)



### Spill Containment Berm, Portable (Spill Containment Berm)

J. Portable spill-containment berm is designed for secondary containment of hazardous materials from fuel and oil spills. Fits the footprint of most portable pumps and generators and collapses for portability. Made from chemical resistance 22-oz. chlorosulfonated polyethylene (CSPE) synthetic rubber (CSM). Features corrosion-resistant metal grommets, wall stiffeners and corner reinforcements.

Folded size: 7 x 4 x 33". Deployed size: 32 x 32 x 4". (NFES #0693)

4235-01-586-8307

EA



### Safety Can

Type 11 safety transport can with steel tubular handle, Jerri can style body, nozzle can be removed by the touch of a button and is attached by a small chain, color red, length 10 inch nominal, width 14 inch nominal. (NFES #0606)

7240-01-616-2202

EA

\*Photo may not be representative of actual product available.



# Chainsaw Accessories

## File, Hand (American Pattern)

American-pattern file is bastard-cut (coarse teeth for rapid stock removal). Files are used where metal must be removed rapidly and finish is of secondary importance. These files are characterized by hardened, uniform teeth and conventional-style tang for attaching a wooden handle. Files are made of carbon alloy steel. Width is tapered for one third of length to point; thickness is uniform.

**Bastard-cut is single cut on both flat surfaces and both square edges.**

**Width: 1"; Teeth per inch: 38 to 44 (NFES #0060)**

■ Std. pack: 1

5110-00-242-5385 Length: 10" DZ

**Width: 1"; Teeth per inch: 33 to 38 (NFES #1059)**

■ Std. pack: 1

5110-00-242-5386 Length: 12" DZ

American-pattern files mainly consist of machinist's files and mill or saw files. Machinist's files are used when metal must be removed rapidly and finish is of secondary importance. Mill or saw files are suitable for the following tasks: sharpening mill or circular saws and large crosscut saws; lathe work; draw filing; filing brass and bronze; smooth general filing. These files are characterized by hardened, uniform teeth and conventional tang for attaching a wooden handle. Forged from carbon alloy steel. The three standard tooth cuts available on American-pattern files are as follows: bastard-cut (coarse teeth for rapid stock removal); second-cut (medium teeth for moderate stock removal); smooth-cut (fine teeth for smooth finishes).

**Mill (regular) file is for sharpening mill or circular saws and for general use. Width is tapered for one-third of length to point; thickness is uniform. Bastard-cut is single cut on both flat surfaces and both square edges.**

**Width: 13/16"; Teeth per inch: 42 to 48. (NFES #0351)**

■ Std. pack: 1

5110-00-242-5384 Length: 8" DZ



Round chainsaw file is used to sharpen all sizes of chainsaw teeth. Diameter is uniform.

**Diameter: 3/16"; Teeth per inch: 48 to 66. (NFES #2105)**

■ Std. pack: 1

5110-00-782-7491 Length: 8" DZ

Swiss-made round chainsaw file (smooth) forged tang. Diameter: 7/32"; Teeth per inch: 48 to 66.

**Vallorbe P/N LC6678-8-7/32, or Oregon Cutting Systems P/N 70502, or Wood-Miller P/N WM6678-8-7/32, or Nicholson P/N 02230 or equal. (NFES #0345)**

■ Std. pack: 49 DZ0

5110-00-965-0608 Length: 8" DZ

## Wedge, Plastic Felling (Plastic Forestry Wedge)

Hard plastic wedge aids in forestry work, such as tree felling and bucking. (NFES #2725)

■ Std. pack: 24

5110-01-045-9198 Length: 12"; Width: 3-1/4"; Thickness: 1-1/8" EA



## Handle, File (File Handle)

Wooden handle with metal ferrule is designed for use with files and similar tools that have tang-type shanks. Features tangholding metal jaws or chuck. The adjusting mechanism consists of an adjusting cap and a threaded metal sleeve or screw.



**Pre-bored holes receive tang-type shank.**

**Small handle fits files 3" to 6" in length. Handle has a 1" diameter and a 4" overall length. (NFES #0358)**

■ Std. pack: 1

5110-00-263-0342 DZ

**Large handle fits files 10" to 14" in length. Handle has a 1-5/16" diameter and a 5-1/2" overall length. (NFES #0063)**

■ Std. pack: 1

5110-00-263-0341 DZ

## File Guide, Clamp Chain Saw (Chainsaw File Guide Chainsaw)

Specially tooled for sharpening teeth and adjusting depth of cut on all types and sizes of chainsaws. Includes an 8"-long file, frame, clamps and joint device. Heavy-duty clamp attaches file guide to bench, preventing tipping. (NFES #0343)



■ Std. pack: 25

5110-01-046-5031 EA

## Chaps, Protective (Chainsaw Operator's Chaps)

These heavy-duty chaps are designed specifically to protect against chainsaw cuts. The cut-resistant nylon duck shells are padded with five layers of aramid fillers. Chaps cover front and sides of legs from waist to mid-calf and are secured with adjustable waist belt and leg straps. The orange color will aid in visibility and assist users in determining when the chaps require cleaning. For proper fit, length should be selected to cover from the user's waist to at least 2" below boot top. Features a tool pouch. Forest Service Spec 6170-4G.



(NFES #0045)

■ Std. pack: 10

8415-00-286-7507 Orange Length: 32" PR

(NFES #0078)

■ Std. pack: 10

8415-01-028-5575 Orange Length: 36" PR

(NFES #0150)

■ Std. pack: 10

8415-01-294-7717 Orange Length: 40" PR

■ Std. pack: 10

8415-01-695-4334 Orange Length: 28" PR

# Fuel Storage

## Bottle, Fuel (Fuel Bottle)

A. Fuel bottle is made of one-piece, seamless, lightweight aluminum construction with a synthetic screw-on cap. Used for carrying fuel on the fire line. Measures 8.15 cm in diameter and 26 cm long and will fit in a firefighter's canteen case. For use in carrying chainsaw mix and other petroleum- or alcohol-based fuels. Note: Not safe for carrying drinking fluids. (NFES #1535)



A.

■ Std. pack: 10 or 40

7240-01-351-2133 Red Capacity: 1 liter EA

## Bag, Fuel Bottle (Fuel Bottle Bag)

B. Nylon bag with DOT flammable emblem on sides will hold six one-liter aluminum fuel bottles (see Fuel Bottle NSN 7240-01-351-2133), with side cinches to prevent rattling. Intended for use in aircraft transport. Forest Service Spec 5100-613. (NFES #0536)



B.

■ Std. pack: 20

8465-01-503-4476 Blue EA

# Batteries

## Battery, Nonrechargeable (C Battery) (Alkaline Battery)

C. Alkaline C Cell batteries designed for Flashlights, Radios, Recorders, Toys, and Photo. (NFES #0834)



C.

ⓘ 48-month maximum shelf life (not extendable)

6135-00-985-7846 Size: C PG(contains 12 EA)

## Battery, Nonrechargeable (AA) (Alkaline Battery)

D. Pallet contains 1,488 packages (186 cases, each containing eight packages each). (NFES #0030)



D.

ⓘ 48-month maximum shelf life (not extendable)

6135-00-985-7845 Size: AA PG(contains 24 EA)

## Battery, Nonrechargeable (AAA) (Alkaline Battery)

Alkaline AAA Cell batteries designed for use in various electronics. (NFES # 7471)

ⓘ 48-month maximum shelf life (not extendable)

6135-00-826-4798 Size: AAA PG(contains 12 EA)

## Battery, Nonrechargeable (D Battery)

Alkaline D Cell batteries 1.5V general purpose (NFES# 0033)

ⓘ 48-month maximum shelf life (not extendable)

6135-00-835-7210 Size: D PG(contains 12 EA)

### Battery, Nonrechargeable (7.5 V)

Screw Terminals, dimensions 7.2 X 4.0 X3.75", can be used for lanterns and repeater radios. (NFES #1023)

ⓘ 60-month maximum shelf life (not extendable)

6135-01-616-2203

Size: 7.5V

PG(contains 4 EA)

## Headlamps and Lightsticks

### Headlamp, Firefighter (Firefighter's Headlamp)

LED headlamp for NFPA 1977 firefighter's helmet has two light-output levels, with beam position vertically adjustable from 20 degrees below horizontal to 90 degrees above. Run time minimum five hours at maximum light output. Water- and impact-resistant. Uses AA alkaline batteries (not included). (NFES #0718)

6230-01-603-6874

EA

### Light, Chemiluminescent (Lightstick-Chemlight)

A. Chemical lights, commonly known as Chemlights, are a non-toxic, non-flammable sources of light. These lightsticks are good for emergency, safety and signaling uses. They provide safe, effective light without heat, sparks or flame. To activate, a user bends the plastic lightstick, breaking the inner glass vial. Chemicals from the broken glass vial mix with chemicals from the plastic tube to deliver a light-creating chemical reaction. Self-contained, compact, rugged and waterproof.

Average life rating: 12 Hours. (NFES #3009)

ⓘ 48month maximum shelf life (not extendable)

6260-01-074-4229

Ability One Green

Length: 6"

BX(contains 10 EA)

(NFES #3007)

ⓘ 48month maximum shelf life (not extendable)

6260-01-178-5559

Ability One Red

Length: 6"

BX(contains 10 EA)

(NFES #3012)

ⓘ 48month maximum shelf life (not extendable)

6260-01-196-0136

Ability One Yellow

Length: 6"

BX(contains 10 EA)



A

## First Aid\*



B

### First Aid Kit, Utility (First Aid Kit)

B. First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: three povidone iodine swabs; two gauze pads; two non-stick pads; six bandages (woven adhesive); four butterfly closures; elastic bandage; one pair of non-latex gloves; mouth-to-mouth barrier; towelette; biohazard bag; a roll of adhesive tape; two sheets of moleskin; face mask; four aspirins; four acetaminophen tablets. Includes instructions for mouth-to-mouth barrier use and contents list. Comes in a translucent plastic telescoping case. Type I. Forest Service Spec 6170-6. (NFES #0067)

ⓘ 24-month maximum shelf life (extendable)

6545-00-656-1092

AbilityOne

Case: 3-1/2 x 3-1/2 x 1-3/4"

EA



Intended for use in vehicles or large crews. First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; two elastic bandages; two triangular bandages; two compress bandages; elastic support; two combine dressings; two pairs of non-latex gloves; three rolls of adhesive tape; four sheets of moleskin; two chemical cold packs; one eye wash unit; one bottle of tincture green soap; one bottle calamine lotion; 30 aspirins; 30 acetaminophen tablets; two patient information tags; forceps; medic shears; two antiseptic kits (including two bottles of iodine, eight povidone iodine swabs, 12 gauze pads, 12 non-stick pads); and two bodily fluid barrier kits (including four pairs non-latex gloves, two face shields, two mouth-to-mouth barriers, four antiseptic towelettes, two biohazards disposal bags, and two reclosable plastic bags.) Kit also contains instructions for mouth-to-mouth barrier use, first aid manual, contents list and lead pencil. Comes in a metal hanging case. Type III. Forest Service Spec 6170-6. (NFES #1604)



**20 to 25 Person first aid kit.**

ⓘ 24-month maximum shelf life (extendable)

6545-00-656-1094 AbilityOne Case: 10 x 14-1/2 x 2-3/4" EA



Intended for use by a crew in the field. First aid kit is designed by the USDA Forest Service for forest workers and wildland firefighters, but it is suitably equipped for all users. Kit contains: 25 bandages (woven adhesive); 12 knuckle bandages; 16 butterfly closures; four elastic bandages; two triangular bandages; two compress bandages; elastic support (roll); two combine dressings; two pairs non-latex gloves; three rolls of adhesive tape; four sheets of moleskin; two chemical cold packs; two containers eye-wash solution; two bottles tincture green soap; two bottles calamine lotion; 30 aspirin tablets; 30 acetaminophen tablets; two patient-information tags; forceps; paramedic shears; antiseptic kit (which includes one bottle povidone, four povidone iodine swabs, six gauze pads, six non-stick pads); and two bodily fluid barrier kits (including four pairs non-latex gloves, two face shields, two mouth-to-mouth barriers, four antiseptic towelettes, two biohazards disposal bags, and two reclosable plastic bags.) Kit contains protective components for the user. Also includes instructions for mouth-to-mouth barrier use, first aid manual, contents list and lead pencil. Comes in a red nylon duck case attached to a 2"-wide belt with buckle. Type IV. Forest Service Spec 6170-6. (NFES #1143)

**Up to 25 Person first aid kit.**

ⓘ 24-month maximum shelf life (extendable)

6545-01-010-7754 AbilityOne Case: 10 x 14-1/2 x 2-3/4" EA

**Protection Kit, Biological Hazard (Bodily Fluids Barrier Kit)**

For use with other first aid kits or by itself, this kit contains components to protect first responders and first aid providers from body fluids such as blood. Each kit comes in a red nylon case with hanging snap and includes two one-person sets, each in a reclosable pouch. Each set contains two pair of non-latex gloves, one combination face-and-eye shield, one mouth-to-mouth shield, two towelettes, one biohazard disposal bag with tie, and one reclosable plastic bag. Forest Service Spec 6170- 15. (NFES #0640)



■ Std. pack: 10

6515-01-376-7247 AbilityOne KT

**Protection Kit, Biological Hazard (Biological Hazards Protection Kit)**



Single-person contagious disease barrier kit offers full body coverage and protection against direct exposure to blood, body fluids, and airborne infectious diseases.

Kit includes one polycoated uni-size coverall or polycoated uni-size gown with sleeves, hood, elastic wrist, and elastic face enclosure or coverall with sleeves, hood, elastic wrist, elastic ankle, and elastic face enclosure. A NIOSH-approved N95 mask to help reduce inhalation exposures to certain airborne biological particles (e.g. mold, Bacillus Anthracis, Mycobacterium Tuberculosis, etc.), a pair of large nitrile gloves, a pair of safety glasses, a pair of boot covers, a pair of shoe covers having non-skid bottoms, and a biohazard bag (marked with the Biohazard symbol) having a capacity of four to six gallons. (NFES #1660)

6515-01-585-1976 KT

Multi-person contagious disease barrier kit offers full body coverage and protection against direct exposure to blood, body fluids, and airborne infectious diseases.

Kit includes ten polycoated uni-size coveralls or gowns with sleeves, hood, elastic wrist and elastic face enclosure. Ten NIOSH-approved N95 masks to help reduce inhalation exposures to certain airborne biological particles (e.g., mold, Bacillus Anthracis, Mycobacterium Tuberculosis, etc.), 10 pairs of large nitrile gloves, two pairs of safety glasses, ten pairs of boot covers, ten pairs of shoe covers having non-skid bottoms, and three biohazard bags (marked with the Biohazard symbol), each having a capacity of four to six gallons. (NFES #1675)

6515-01-585-1975 KT

# Personal Protection

## Shelter, Fire, M-2002 (Fire Shelter, Complete)

New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. This set includes: Fire Shelter NSN 4240-01-498-3184; nylon duck carrying case NSN 8465-01-498-3190; carrying case plastic liner NSN 8465-01-498-3191. Deployed size: 86" long; 15-1/2" high; 31" wide. Forest Service Spec 5100-606. (NFES #0925)



■ Std. pack: 10

4240-01-498-3194 Regular EA

## Shelter, Fire, M-2002 (Fire Shelter, Complete - Large)

New-generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter's entrapment situations. Large-size shelter designed for firefighters taller than 6' 1" or whose girth exceeds 53" at any point. The larger fire shelter provides better protection for larger people by allowing less contact of the shelter material with the occupant's body, and it provides more air space between the shelter and occupant. The large fire shelter is easily identified by the orange deploy strap. This set includes: Fire Shelter NSN 4240-01-529-8804; Nylon Duck Carrying Case NSN 8465-01-498-3190 and Carrying Case Plastic Liner NSN 8465-01-498-3191. Deployed size: 96" long; 19-1/2" high; 33" wide. Forest Service Spec 5100-606. (NFES #0975)



■ Std. pack: 10

4240-01-529-8804 Large EA

## Shelter, Fire, M-2002 (Fire Shelter, Single)

New generation fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Each shelter comes folded in a quick-opening clear polyvinyl bag. (Fire shelter only; does not come with case or case liner.) Deployed size: 86" long; 15-1/2" high; 31" wide. For use with M-2002 Fire Shelter Case NSN 8465-01-498-3190 and M-2002 Fire Shelter Case Liner NSN 8465-01-498-3191. (Each sold separately.) This item is a component of Fire Shelter, Complete (M-2002) NSN 4240-01-498-3194. Forest Service Spec 5100-606. (NFES #0926)



■ Std. pack: 10

4240-01-498-3184 Regular EA

## Shelter, Fire, M-2002 (Fire Shelter, Single - Large)

Fire shelter provides increased protection from radiant and convective heat in wildland firefighter entrapment situations. Large-size shelter designed for firefighters taller than 6' 1" or whose girth exceeds 53" at any point. Each shelter comes folded in a quick-opening clear polyvinyl bag. (Fire shelter only; does not come with a case or case liner.) Deployed size: 96" long; 19-1/2" high; 33" wide. For use with M-2002 Fire Shelter Case NSN 8465-01-498-3190 and M-2002 Fire Shelter Case Liner NSN 8465-01-498-3191 each sold separately. This item is a component of Fire Shelter, Complete (M-2002, Large) NSN 4240-01-529-8804. Forest Service Spec 5100-606. (NFES #0973)



■ Std. pack: 10

4240-01-529-8804 Large EA

## Case, Carrying, Fire (Fire Shelter Carrying Case - M-2002)

Nylon duck case for carrying M-2002 fire shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. For use with M-2002 fire shelter NSN 4240-01-498-3184 (regular) or NSN 4240-01-529-8804 (large) and fire shelter carrying case liner (M-2002) NSN 8465-01-498-3191. This item is a component of fire shelter, complete (M-2002) NSN 4240-01-498-3194 and NSN 4240-01-529-8804. Forest Service Spec 5100-609. (NFES #0927)



■ Std. pack: 10

8465-01-498-3190 Blue EA

## Liner, Carrying Case (Fire Shelter Carrying Case Liner - M-2002)

Open-topped hard plastic liner fits inside M-2002 fire shelter carrying case. Liner protects the shelter from being crushed. For use with M-2002 fire shelter NSN 4240-01-498-3184 (regular) or NSN 4240-01-529-8804 (large) and fire shelter carrying case (M-2002) NSN 8465-01-498-3190. This item is a component of fire shelter, complete (M-2002) NSN 4240-01-498-3194 and NSN 4240-01-529-8804. Forest Service Spec 5100-610. (NFES #0928)



■ Std. pack: 10

8465-01-498-3191 EA

## Shelter, Fire, Practice. Complete, M2002 (Training/Practice Fire Shelter, Complete)

Reusable practice fire shelter system for training in use of M-2002 fire shelter. Same size and dimensions as M-2002 fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice shelter. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2678)



■ Std. pack: 10

6930-01-499-0605 EA

**To receive future editions  
of this catalog, contact DLA  
WFPP at: [DLAWFPP@dla.mil](mailto:DLAWFPP@dla.mil)**

### Shelter, Fire, Practice, Complete, M2002 (Training/Practice Fire Shelter, Complete Large)

Reusable practice fire shelter system for training in use of M-2002 large fire shelter. Large-size shelter designed for firefighters taller than 6' 1" or whose girth exceeds 53" at any point. Same size and dimensions as M-2002 large fire shelter. Includes the carrying case, case liner, polyvinyl bag, and practice shelter. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2799)



■ Std. pack: 10

6930-01-529-8807 Large EA

### Shelter, Fire, Practice, M2002 (Training/Practice Fire Shelter)

Reusable practice fire shelter system is designed for training in use of M-2002 fire shelter. Same size and dimensions as M-2002 fire shelter. Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2679)



■ Std. pack: 10

6930-01-499-0608 Large EA

### Shelter, Fire, Practice, M2002 (Training/Practice Fire Shelter)

Reusable practice fire shelter system is designed for training in use of M-2002, Large fire shelter. Large-size shelter designed for firefighters taller than 6 foot and 1 inch or whose girth exceeds 53" at any point. Same size and dimensions as M-2002 Large fire shelter. Reusable polyvinyl bag (NSN 6930-01-499-0618), carrying case (NSN 6930-01-499-0614) and carrying case liner (NSN 8465-01-498-3191) are sold separately. Note: This item is not fire-resistant and should not be used as a fire shelter. Forest Service Spec 5100-611. (NFES #2798)



■ Std. pack: 10

6930-01-529-8805 Large EA

### Case, Carrying, Practice, Fire Shelter, M2002 (Training/Practice Fire Shelter Carrying Case)

Nylon duck case for carrying M-2002 practice shelter. Opening flap closes with Velcro. Includes vertical and horizontal hangers. Instructions provided in front pocket. Practice fire shelter for regular-size NSN 6930-01-499-0608 or for large-size 6930-01-529-8805, reusable polyvinyl bag NSN 6930-01-499-0618 and carrying case liner NSN 8465-01-498-3191 are sold separately. Forest Service Spec 5100-612. (NFES #2680)



■ Std. pack: 10 or 100

6930-01-499-0614 Red EA

## Large New-Generation Fire Shelter

(Taken from TechTips 0551-2325-MTDC, June 2005)

	Regular Fire Shelter (inches)	Larger Fire Shelter (inches)
Length:	86"	96"
Height:	15-1/2"	19-1/2"
Width:	31"	33"
Packed Size:	8-1/2 x 5-1/2 x 4"	9 x 5-1/2 x 4"

### How Does the Large Shelter Differ from the Regular Shelter?

The large shelter is longer, wider and taller than the regular shelter and weighs about 0.6 lbs. more. The table above shows the dimensions of both shelters. The large version is recommended for firefighters who are taller than 6'1" or whose girth is larger than 53". Firefighters shorter than 5'7" may have difficulty deploying and holding the large shelter down. The large shelter is easily identified by "LARGE" stenciled on the quickdeployment strap. The large shelter's deployment strap is orange rather than yellow, the color of the strap on the regular shelter.

### Fire Shelter Training Materials

Training materials can be ordered through the Great Basin Cache located at the National Interagency Fire Center (NIFC). All fire-shelter training materials are in PMS 411. For more ordering information, go to the National Wildfire Coordinating Group publications website: <http://www.nwcg.gov/pms/pubs/pubs.htm>.

- The New Generation Fire Shelter, pamphlet (NFES #2710)
- El Refugio de Proteccion Nueva Generacion, pamphlet (NFES #2736)

More information about the fire shelter can be found at [www.nifc.gov/fireShelt/fshelt\\_main.html](http://www.nifc.gov/fireShelt/fshelt_main.html).

For additional technical information, contact:

Tony Petrilli  
 U.S. Forest Service  
 Email: [Anthony.Petrilli@usda.gov](mailto:Anthony.Petrilli@usda.gov)



## Bag, Polyvinyl, Practice, Fire Shelter, M-2002 (Training/Practice Fire Shelter Bag, Polyvinyl)

Reusable polyvinyl bag for M-2002 practice fire shelter. Simulates the tear-open bag used with the real fire shelter. Polyvinyl bag only. Practice fire shelter for regular-size NSN 6930-01-499-0608 or for large-size NSN 6930-01-529-8805, carrying case NSN 6930-01-499-0614, and carrying case liner NSN 8465-01-498-3191 are sold separately. Forest Service Spec 5100-611. (NFES #2681)



■ Std. pack: 100

6930-01-499-0618

EA

## Shroud, Face And Neck, Wildland Firefighter (Wildland Firefighter's Face-and-Neck Shroud)



Flame-resistant shroud protects lower face and neck of a wildland firefighter from radiant heat. Attaches to Wildland Firefighter's Helmets NSNs 8415-01-055-2265, 8415-01-504-9044, 8415-01-504-9045, 8415-01-504-9042, 8415-01-504-9048, 8415-01-504-9050 and 8415-01-504-9047 via a hook-and-pile fastener tape. Shroud extends approximately 10" below helmet and encircles the head, leaving 6"-wide, 4"-deep opening for the eyes. Made from two layers of material for extra protection. Closes in front with hook-and-loop fastener tape. One size fits all. Washable. Forest Service Spec 5100-601. (NFES #1274)

■ Std. pack: 20

8415-01-483-6075 Yellow

EA

## Chest Harness, Fire Shelter (Chest Harness)

Black nylon webbing harness is designed for carrying a fire shelter on the chest. Features straps over the shoulders and around the chest. The fire shelter fastens to a horizontal hanger. Forest Service Spec 5100-104, Rev A. MTDC Drawing 948. (NFES #0294)



■ Std. pack: 20

8465-01-463-4648

EA

## Wildfire Helmet Cap (Helmet, Fireman's)



Wildfire helmets are specifically engineered to meet the requirements of wildland firefighters. Available in both cap and hat (full brim) styles. The helmets include goggle retainer clips, light-reflective strips, six-point ratchet suspension system, and a postman's slide chinstrap. Includes three strips of hook-fastening tape for attaching a face-and-neck shroud, NSN 8415-01-483-6075. Conforms to NFPA 1977. Fits head sizes 6-1/2 to 8.

Cap style.

(NFES #7285)

8415-01-504-9044	Bullard FH911CRRED	Red	EA
------------------	--------------------	-----	----

(NFES #7286)

8415-01-504-9045	Bullard FH911CRWHT	White	EA
------------------	--------------------	-------	----

(NFES #7287)

8415-01-504-9042	Bullard FH911CRYLW	Yellow	EA
------------------	--------------------	--------	----

## Wildfire Helmet Full Brim (Helmet, Fireman's)



Hat style. (full brim).

(NFES #7289)

8415-01-504-9048	Bullard FH911HRRED	Red	EA
------------------	--------------------	-----	----

(NFES #7290)

8415-01-504-9050	Bullard FH911HRWHT,	White	EA
------------------	---------------------	-------	----

(NFES #7291)

8415-01-504-9047	Bullard FH911HRYLW	Yellow	EA
------------------	--------------------	--------	----

### Goggles, Industrial (Safety Goggles)

Low-profile design goggles protect against chemical splash and impact. Lens provides superior optics and peripheral vision. Soft elastomer seal on frame seals goggles to face while providing enhanced comfort. Impact-resistant, clear polycarbonate lens absorbs more than 99.9 percent of harmful UV light. Indirect venting increases air circulation. Quick-adjust headband. This is a component of Mop-Up Kit NSN 4210-01-321-4206. Meets ANSI Z87.1. (NFES #0318)



Gray frame with clear lens.

■ Std. pack: 50

4240-01-504-7863	Uvex Stealth S3960C	PR
------------------	---------------------	----

**For your convenience, this catalog is also available in electronic form. To receive a PDF copy contact DLA WFPP at: [DLAWFPP@dla.mil](mailto:DLAWFPP@dla.mil)**

### Gloves, Leather (Firefighter's Work Gloves Firefighter's)

Heavy-duty, Gunn-cut, rough-out cowhide gloves are designed for use on fire lines and can be used for general forestry work. Each glove features an adjustable wrist strap. NFPA 1977 compliant. Forest Service Spec 6170-5.



(NFES #1293)

■ Std. pack: 10 or 100

8415-01-394-0208	UNICOR	Size: XS	PR
------------------	--------	----------	----

(NFES #1294)

■ Std. pack: 10 or 100

8415-01-394-0209	UNICOR	Size: S	PR
------------------	--------	---------	----

(NFES #1295)

■ Std. pack: 10 or 100

8415-01-394-0210	UNICOR	Size: M	PR
------------------	--------	---------	----

(NFES #1296)

■ Std. pack: 10 or 100

8415-01-394-0215	UNICOR	Size: L	PR
------------------	--------	---------	----

(NFES #1297)

■ Std. pack: 10 or 100

8415-01-397-3937	UNICOR	Size: XL	PR
------------------	--------	----------	----

Heavy duty, Gunn-cut, brushed-pigskin gloves are designed for use on fire lines and can be used for general forestry work. Each glove features a keystone double layer thumb crotch, elastic wrist shirring and leather storage strap. NFPA 1977 compliant.



(NFES #1639)

■ Std. pack: 72

8415-01-565-0623	Any Acceptable Color	Size: XS	PR
------------------	----------------------	----------	----

(NFES #1640)

■ Std. pack: 72

8415-01-565-0620	Any Acceptable Color	Size: S	PR
------------------	----------------------	---------	----

(NFES #1641)

■ Std. pack: 72

8415-01-565-0618	Any Acceptable Color	Size: M	PR
------------------	----------------------	---------	----

(NFES #1642)

■ Std. pack: 72

8415-01-565-0624	Any Acceptable Color	Size: L	PR
------------------	----------------------	---------	----

(NFES #1643)

■ Std. pack: 72

8415-01-565-0625	Any Acceptable Color	Size: XL	PR
------------------	----------------------	----------	----

### Spectacles, Industrial (Safety Glasses Safety)

Glasses provide eye protection while the wearer performs light work and can be worn over most prescription glasses. Wrap-around-style goggles with vented side protection are made of polycarbonate plastic and feature an antiscratch, anti-fog coating and UV protection. In accordance with ANSI Z87.1.

(NFES #0475)

■ Std. pack: 100

4240-01-292-2816	Clear	PR
------------------	-------	----

(NFES #0476)

■ Std. pack: 100

4240-01-292-5055	Tinted Amber™	PR
------------------	---------------	----

(NFES #0474)

■ Std. pack: 100

4240-01-292-2817	Tinted Gray	PR
------------------	-------------	----

### Plug, Ear (Ear Plugs)

Plugs are designed to provide general hearing protection in noisy environments. Made of nontoxic, non-allergenic, closed-cell PVC foam that expands to fit most ear sizes. New two-color design allows for quick inspection of proper insertion by users. Dispenser box contains 200 individually wrapped pairs. A-A-54878. (NFES #1027)



■ Std. pack: 1 (200pr)

6515-00-137-6345	AbilityOne	BX(contains 400 EA)
------------------	------------	---------------------

### Shirt, Firefighter's (Wildland Firefighter's Shirt - Nomex)

Flame-resistant, 5-1/2-oz., Aramid (Nomex) shirt is designed for use by wildland firefighters as a safety garment. The bright-yellow shirt is single-breasted with a button front, a rolled collar and a straight-cut bottom. Shirt has two flap-closing breast pockets and hook-and-pile fasteners for pockets and cuffs. Left pocket has a compartment for pencil storage. Forest Service Spec 5100-91.



■ Standard pack may vary due to contract change.

NSN	NFES #	Color	Size	Std. Pack	U/I
8415-01-211-6316	0522	Yellow	XS	30	EA
8415-00-233-5818	0577	Yellow	S	30	EA
8415-01-434-0618	0511	Yellow	S/Long	30	EA
8415-00-233-5819	0578	Yellow	M	30	EA
8415-01-421-3905	0569	Yellow	M/Long	30	EA
8415-00-259-8718	0579	Yellow	L	30	EA
8415-01-285-3530	2078	Yellow	L/Long	30	EA
8415-00-259-8722	0580	Yellow	XL	30	EA
8415-01-284-7500	2079	Yellow	XL/Long	30	EA
8415-01-421-3907	0570	Yellow	XXL	30	EA
8415-01-434-0626	0512	Yellow	XXL/Long	30	EA
8415-01-533-1740	2910	Yellow	XXXL	30	EA
8415-01-533-2435	2911	Yellow	XXXL/Long	30	EA

### Pants, Flame Resistant BDU Aramid (Wildland Firefighter's Pants, Type I, Meta-Aramid - Nomex)

BDU-style flame-resistant pants include waist-adjustment buckles, cuff hook-and loop adjustment straps and cargo pockets. Wildland firefighter safety garment is made from a 6.7-oz., twill-weave, meta-aramind (Nomex) blend material. The BDU pants can accommodate a 2"-wide belt. Forest Service Spec 5100-92.



■ Standard pack may vary due to contract change.

NSN	NFES #	Color	Waist Size	Inseam	Std. Pack	U/I
8415-01-464-2282	2800	Sage Green	26 to 30"	30"	30	PR
8415-01-464-3671	2802	Sage Green	30 to 34"	30"	30	PR
8415-01-464-3672	2801	Sage Green	28 to 32"	30"	30	PR
8415-01-464-3673	2806	Sage Green	38 to 42"	30"	30	PR
8415-01-464-3675	2807	Sage Green	40 to 44"	30"	30	PR
8415-01-464-3676	2803	Sage Green	32 to 36"	30"	30	PR
8415-01-464-3677	2804	Sage Green	34 to 38"	30"	30	PR
8415-01-464-3678	2805	Sage Green	36 to 40"	30"	30	PR
8415-01-537-4981	2842	Sage Green	44 to 48"	30"	30	PR
8415-01-591-6932	2737	Sage Green	24 to 28"	30"	30	PR
8415-01-464-4242*	2700	Sage Green	26 to 30"	33"	30	PR
8415-01-464-4244*	2702	Sage Green	30 to 34"	33"	30	PR
8415-01-464-4247*	2701	Sage Green	28 to 32"	33"	30	PR
8415-01-464-4248*	2703	Sage Green	32 to 36"	33"	30	PR
8415-01-464-5621*	2705	Sage Green	36 to 40"	33"	30	PR
8415-01-464-5624*	2706	Sage Green	38 to 42"	33"	30	PR
8415-01-464-5645*	2707	Sage Green	40 to 44"	33"	30	PR
8415-01-464-5742*	2704	Sage Green	34 to 38"	33"	30	PR
8415-01-537-4984	2846	Sage Green	44 to 48"	33"	30	PR
8415-01-591-6925	2738	Sage Green	24 to 28"	33"	30	PR
8415-01-537-4982	2843	Sage Green	28 to 32"	36"	30	PR
8415-01-537-4983	2844	Sage Green	30 to 34"	36"	30	PR
8415-01-537-4985	2845	Sage Green	32 to 36"	36"	30	PR
8415-01-537-4986	2841	Sage Green	26 to 30"	36"	30	PR
8415-01-537-5677	2847	Sage Green	34 to 38"	36"	30	PR
8415-01-537-5678	2849	Sage Green	38 to 42"	36"	30	PR
8415-01-537-5679	2850	Sage Green	40 to 44"	36"	30	PR
8415-01-537-5680	2851	Sage Green	44 to 48"	36"	30	PR
8415-01-537-5681	2848	Sage Green	36 to 40"	36"	30	PR

\*BDUs with a 34" inseam will be supplied until our stock is depleted and then the 33" inseam will be available for issue.



**Pants, Flame Resistant BDU Aramid  
(Wildland Firefighter's Pants, Type II, Para-Aramid - Kevlar)**



BDU-style pants include waist-adjustment buckles, cuff hook-and-loop adjustment straps and cargo pockets. Wildland firefighter flame-resistant pants are made from a 7.0-oz./sq. yd., rip-stop weave, para-aramid (Kevlar) blend material. The BDU pants can accommodate a 2"-wide belt. Forest Service Spec 5100-92.

■ Std. pack: 30

NSN	NFES #	Color	Waist Size	Inseam	Std. Pack	U/I
8415-01-591-6926	2954	Lt. Spruce Green	26 to 30"	30"	30	PR
8415-01-559-3545	2956	Lt. Spruce Green	28 to 32"	30"	30	PR
8415-01-559-3542	2957	Lt. Spruce Green	30 to 34"	30"	30	PR
8415-01-559-3549	2958	Lt. Spruce Green	32 to 36"	30"	30	PR
8415-01-559-3541	2959	Lt. Spruce Green	34 to 38"	30"	30	PR
8415-01-559-3546	2963	Lt. Spruce Green	36 to 40"	30"	30	PR
8415-01-591-6929	2964	Lt. Spruce Green	38 to 42"	30"	30	PR
8415-01-591-6930	2966	Lt. Spruce Green	40 to 44"	30"	30	PR
8415-01-559-3540	2944	Lt. Spruce Green	28 to 32"	33"	30	PR
8415-01-559-3543	2945	Lt. Spruce Green	30 to 34"	33"	30	PR
8415-01-559-3544	2946	Lt. Spruce Green	32 to 36"	33"	30	PR
8415-01-559-3547	2947	Lt. Spruce Green	34 to 38"	33"	30	PR
8415-01-559-3548	2948	Lt. Spruce Green	36 to 40"	33"	30	PR
8415-01-591-6928	2955	Lt. Spruce Green	26 to 30"	33"	30	PR
8415-01-591-6933	2965	Lt. Spruce Green	38 to 42"	33"	30	PR
8415-01-591-6934	2967	Lt. Spruce Green	40 to 44"	33"	30	PR
8415-01-619-3409	2293	Lt. Spruce Green	32 to 36"	36"	30	PR
8415-01-619-3413	2294	Lt. Spruce Green	34 to 38"	36"	30	PR
8415-01-619-3414	2295	Lt. Spruce Green	36 to 40"	36"	30	PR
8415-01-619-3415	2296	Lt. Spruce Green	38 to 42"	36"	30	PR

**Pants, Flame Resistant BDU Aramid, Female  
(Wildland Firefighter's Pants, Type I, Para-Aramid - Nomex)**

BDU-style flame-resistant pants include waist-adjustment buckles, cuff hook-and loop adjustment straps and cargo pockets. Wildland firefighter safety garment is made from a 6.7-oz., twill-weave, meta-aramid (Nomex) blend material. The BDU pants can accommodate a 2"-wide belt. Forest Service Spec 5100-623.

■ Std. pack: 30

NSN	NFES #	Color	Description	Waist Size	Inseam	Std. Pack	U/I
8415-01-695-3522	1538	Sage Green	PANTS, WOMEN'S	26 to 29"	28"	30	PR
8415-01-695-3525	1539	Sage Green	PANTS, WOMEN'S	26 to 29"	31"	30	PR
8415-01-695-3526	1540	Sage Green	PANTS, WOMEN'S	26 to 29"	34"	30	PR
8415-01-695-3529	1541	Sage Green	PANTS, WOMEN'S	28 to 31"	28"	30	PR
8415-01-695-3531	1542	Sage Green	PANTS, WOMEN'S	28 to 31"	31"	30	PR
8415-01-695-3534	1543	Sage Green	PANTS, WOMEN'S	28 to 31"	34"	30	PR
8415-01-695-3535	1544	Sage Green	PANTS, WOMEN'S	31 to 34"	28"	30	PR
8415-01-695-3536	1545	Sage Green	PANTS, WOMEN'S	31 to 34"	31"	30	PR
8415-01-695-3537	1546	Sage Green	PANTS, WOMEN'S	31 to 34"	34"	30	PR
8415-01-695-3538	1547	Sage Green	PANTS, WOMEN'S	33 to 37"	28"	30	PR
8415-01-695-3705	1548	Sage Green	PANTS, WOMEN'S	33 to 37"	31"	30	PR
8415-01-695-3706	1549	Sage Green	PANTS, WOMEN'S	33 to 37"	34"	30	PR
8415-01-695-3707	1550	Sage Green	PANTS, WOMEN'S	36 to 40"	28"	30	PR
8415-01-695-3708	1551	Sage Green	PANTS, WOMEN'S	36 to 40"	31"	30	PR
8415-01-695-3709	1552	Sage Green	PANTS, WOMEN'S	36 to 40"	34"	30	PR
8415-01-695-3713	1553	Sage Green	PANTS, WOMEN'S	40 to 44"	28"	30	PR
8415-01-695-3714	1554	Sage Green	PANTS, WOMEN'S	40 to 44"	31"	30	PR
8415-01-695-3715	1556	Sage Green	PANTS, WOMEN'S	40 to 44"	34"	30	PR

# Packs and Accessories

## Pack, Personal Gear

The personal gear pack is designed to carry a 2-week supply of clothing, personal items, sleeping bag, tent, and sleeping pad during fire suppression activities and other field assignments. The tent sleeve is intended to contain a personal tent with tent poles that break down to lengths not exceeding 24 inches; the pad sleeve is intended to contain a rolled up sleeping pad that does not exceed 24 inches in width. The dimensions are 25 inch high, 22 inch wide, and 10 inch deep. Total pack volume is 5215 cubic inches. UOI is EA.



Forest Service Specification 5100-215C (NFES # 0679)

To replace the following items:

Pack, Personal Gear, M-1982-(8465-01-141-2321)  
Tent Bag, Personal Gear Pack - (8465-01-463-4649)

Std. pack: 10

8465-01-647-6670 EA

## Pack, Fireline, Complete (Fireline Pack - Complete)

Gear carrier is designed for use by wildland firefighters. Fireline pack includes a main compartment (measuring approximately 1,000 cubic inches, with top rain skirt allowing expansion), two side pockets (which can hold two one-quart water bottles each), two lid pockets, two fusee pockets, and a belt pocket (all totaling 2,100 cubic inches). Bottom-mounted fire shelter sleeve can accommodate either a new-generation or old-design fire shelter. Lumbarstyle pack hangs low on back for improved linedigging ergonomics. Includes two canteen cases and a stuff sack. Forest Service Spec 5100-605. (NFES #0674)



Std. pack: 10

8465-01-503-4484 Blue EA

## Pack, Fireline (Main Fireline Pack)

Replacement nylon duck fireline pack for Fireline Pack (Complete) NSN 8465-01-503-4484. Main pack only. Does not include the canteen cases or stuff sack. Forest Service Spec 5100-605. (NFES #0678)

Std. pack: 10

8465-01-503-4488 Blue EA

## Field Pack (Packsack)

Intended for use in a wide variety of field-related activities, including wildland fire suppression. The top of the packsack closes with a drawstring and a zippered pocket flap. Includes shoulder straps and a chest strap. Heavy-duty nylon duck cloth. This is a component of Mop-Up Kit NSN 4210-01-321-4206. Forest Service Spec 5100-214. (NFES #0744)



Std. pack: 20

8465-00-205-3493 AbilityOne Bottle Green EA

## Case, Carrying, Pack (Fireline Pack Carrying Case - Stuff Sack)

Cylindrical nylon duck carrying case (stuff sack) is designed for use with Main Fireline Pack NSN 8465-01-503-4488. Forest Service Spec 5100-605. (NFES #0677)

Std. pack: 200

8465-01-503-4482 Blue EA



## Case, Canteen (Fireline Pack Canteen Case)

Replacement canteen case for Main Fireline Pack NSN 8465-01-503-4488. Made from nylon duck and webbing. Forest Service Spec 5100-605. (NFES #0675)

Std. pack: 200

8465-01-503-4479 Blue EA



# Water Bags and Accessories

Rigid plastic water bottle with cap is rectangular and disposable. Measures 2-1/2 x 3-3/4 x 8-1/4". Forest Service Spec 5100-84. (For cover, see Canteen Case NSN 8465-00-118-4956.) (NFES #0037)

Std. pack: 100

8465-00-102-6381 Opaque White Capacity: 1 qt. EA



## Bag, Water Carrying (Water Bag)

This backpack-style bag for drinking water comes complete with two replaceable inner bladders and removable straps. Nylon duck outer covering includes a pocket to store extra bladder. Includes an exterior spigot. MTDC Drawing 834. (Replacement liner may be purchased as NSN 8465-01-310-5130.) (NFES #0912)

Std. pack: 200

8465-01-310-1259 Blue Capacity: 5 gal. EA



## Container, Hot Or Cold Beverage (Hot-Beverage Container)

Each box contains 20 completely unassembled hot-beverage containers: 20 plastic bags with caps, 20 plastic faucets, and 20 beverage boxes with 20 reinforcement inserts. Bag capacity is approximately four gallons. Useful for delivering hot beverages to isolated firefighters. (NFES #0244)

7360-01-606-2663 Z316937-1 BX(contains 20 EA)

## Liner, Bag, Water (Water Bag Liner)

Replacement drinking water bladder has attached rubber spigot. (For use with Water Bag NSN 8465-01-310-1259.) (NFES #0911)

Std. pack: 10 or 100

8465-01-310-5130 Clear or Silver Capacity: 5 gal. EA



### Waterbag, Drinking (Drinking Water Bag)

For use in transporting drinking water only. Includes integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes two replaceable PVC liners (NSN 8465-01-369-2147), one fill opening and two drain openings, each with a four-foot dispenser hose with fittings for proper attachment and flow control. Has three fill-and-use openings. All accessories and extra liner packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES #0435)



■ Std. pack: 1

8465-01-369-3557 Royal Blue Capacity: 55 gal. EA

### Liner, Waterbag (Drinking Water Bag Liner)

Replacement plastic liner for 55-gallon Drinking Water Bag NSN 8465-01-369-3557. For potable water use only. Forest Service Spec 5100-95. (NFES #0436)



■ Std. pack: 5

8465-01-369-2147 EA

### Waterbag, Suppression (Suppression Water Bag)

For wildland fire suppression use only. Has integral sling straps with a 4" steel cargo ring. Intended for transport by truck or helicopter external load. Complete unit includes two replaceable liners (NSN 8465-01-369-2149), one fill opening, and one drain opening; with a four-foot dispenser hose with fittings for proper attachment and flow control. Has two fill-and-use openings. All accessories packed in the water bag's external pocket. Forest Service Spec 5100-94. (NFES # 0437)



■ Std. pack: 1

8465-01-369-2148 Yellow Capacity: 55 gal. EA

### Kit, Water Container (Water Jug)

Unassembled reservoir consists of a five-gallon plastic liquid container with a 38mm opening, a white 38mm polyethylene cap, and a knockdown water container box. Box is made of plain brown cardboard (weather-resistant) with openings for a water spout and handles. (NFES #0048)



■ Std. pack: 1 (20 EA/BX)

7310-00-128-6837 Capacity: 5 gal. BX

### Container, Plastic, Moulded (Plastic Storage Container Plastic Storage)

This molded, plastic container stores foods and beverages and features a contoured handle and spout.



Made of high-density plastic. Without fiberboard carton. (NFES #2058)

■ Std. pack: 6

8115-00-145-0038 White Capacity: 5 gal. EA

### Liner, Waterbag (Suppression Water Bag Liner Suppression)

Replacement liner for 55-gallon Suppression Water Bag NSN 8465-01-369-2148. Forest Service Spec 5100-95. (NFES #0438)



■ Std. pack: 5

8465-01-369-2149 EA



### Container, Hot Or Cold Food (Hot-Food Container)

Each box includes unassembled components to make 20 containers. Master carton includes 20 four-gallon plastic bags, 30 bag seals, 20 corrugated overpack boxes, 40 box-reinforcement inserts, and instruction sheet. Useful for delivering hot food to isolated firefighters. (NFES #0246)

7360-01-606-2670 Z-316938-1 BX(contains 20 EA)

# Food-Handling Equipment



A.

## Dinnerware Kit (Disposable Dinnerware)

A. Kit contains 60 each of the following disposable items: food cups; hot/cold cups; sets of flatware; paper table napkins; paper plates and inserts. Packaged in a fiberboard box that contains a 25-person, one-day, two-meal kit. (NFES #0135)

📦 Std. pack: 1

7360-00-139-0480

KT

B.



## Meal, Individual (Food Rations, Meals Ready to Eat [MRE])

B. Each assorted meal is complete (except for water) and designed for one person. Meal, ready-to-eat (MRE) food is ideal under conditions that preclude preparation. Each meal is different and consists of meat, fruit, dessert, bakery item, spoon, and a condiment/accessory packet (coffee, cream, sugar, salt, chewing gum, toilet tissue, matches, hand cleaner, etc.). Includes a flameless heater. (NFES #1842)

**Note: MREs provided by DLA may have limited remaining shelf life (i.e., six months) when received before requiring inspection and shelf life extension. MREs should be purchased only for immediate short-term needs and not for long-term storage.**

⌚ 36-month maximum shelf life (not extendable)

📦 Std. pack: 1 (12 EA/BX)

8970-00-149-1094

BX(contains 12 EA)

# Sleeping Bags and Accessories



## Sleeping Bag, Cold Weather (Firefighter's Sleeping Bag)

Mummy-style sleeping bag is for use by wildland firefighters in cold weather and is comfortable to 30° F. The size is 81" long and 35" wide inside, 60" long zipper with draft tube, full hood with drawstring closure and neck tube. Color foliage green. Meets Federal/Commercial Flammability Standards in CPAI-75. (NFES #0128)

📦 Std. pack: 5

8465-01-602-3355

EA



## Mat, Sleeping

A. When used in conjunction with a sleeping bag, EVA pad insulates the sleeper well from the cold, hard ground. Forest Service Spec 5100-522. (NFES #1566)

Std. pack: 1\*

8465-01-109-3369 EA

\*Std. pack consists of 50 mats ea.



## Fly, Tent (Tent Fly)

General-purpose, heavy-duty tent fly is designed for use in wildland firefighting camps. Water-repellent and flame-retardant. The tent fly features brass grommets for tie-down ropes.

B. Type I. Yellow oxford nylon cloth with polyurethane coating. Includes red polyurethane-coated nylon duck cloth carrying case, ropes and rope tensioners. Forest Service Spec 5100-31. (NFES #0070)

Std. pack: 1

8340-00-102-6370 Yellow 16 x 24 ft. EA



C. Type II. Blue ripstop nylon with polyurethane coating. Can be used as ground cloth. Forest Service Spec 5100-31. (NFES #1521)

Std. pack: 1

8340-01-185-5512 Blue 9 x 10 ft. EA



## Pole, Tent (Ridge Pole Ridge)

D. Aluminum ridge pole for use with Forest Service wall tent and tent flies. Components: two end sections; three mid-sections; one connector. Each end and mid-section is 42" long; the connector section is 22". Forest Service MEDC Drawing 694. (NFES #0089)

Std. pack: 1

8340-01-107-5694 Length: 16 ft. EA




## Pole, Tent (Tent Pole)

E. Telescoping upright aluminum tent pole is for use with tent fly and wall tent. MIL-P-40148. (NFES #0083)

Std. pack: 6

8340-00-753-6574 Length: 10'6" (extended), 39-7/8" (fully retracted) EA



# Personal Grooming Aids

## Towel, Paper (Paper Towels)

Absorbent paper towels for kitchen use. Perforated sheets in roll form on a paperboard core. (NFES #0240)

① Contains 40% Recovered Material, Which Includes 40% Postconsumer Material

📦 Std. pack: 1 (30 RO/BX)



8540-01-169-9010 White 11 x 9" BX(contains 30 EA)

## Towel, Paper (Bath Towel - Disposable)

Heavy-duty, two-ply bath towel is made of disposable paper and features mesh reinforcement between the plies. (NFES #1038)

① 100% Recycled, Which Includes 40% Postconsumer Material

📦 Std. pack: 1 (300 EA/BX)



7210-01-029-0370 AbilityOne White 39 x 22" BX(contains 300 EA)

## Wash Kit Assembly (Personal Wash Kit)

This convenient kit contains the following: one bar of soap; one plastic soap holder; two bath towels; one face towel; one wash cloth; one plastic wash basin with a six-quart capacity; one small poly bag; one large poly bag; and a tie. MEDC Drawing 503. (NFES #0126)



📦 Std. pack: 10 or 100

7360-00-139-1063 AbilityOne KT

## Towelette, Skin Cleansing (Disposable Wash Cloth)

Personal-use, disposable wash cloth contains a gentle cleansing formula with aloe. Suitable to use on all areas of the body, including face. Has a pleasant fragrance and is hypoallergenic and alcohol- and latex-free. Individually packaged towelette can be used in hospitals and clinics. Ideal for use in camping, sports, travel and fitness activities. (NFES #0206)

① 36-month maximum shelf life (extendable)

8520-01-609-2831 U12095 or equal 10 x 11-1/2" BX(contains 400 EA)

# Packaging Material

Convenient for repacking wildfire equipment, the double-walled box has a bursting strength of 500 psi and falls into the domestic class. Cover: Grade 350. Type CF. Half-slotted box with cover. Style HSCC.



Useful for repacking 42" Pulaski tools. (NFES #8151)

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-01-677-3059 43 1/2 X 18 1/2 X 8" BD(contains 10 EA)

Useful for repacking coffee pots. (NFES #0500)

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0652 22 x 22 x 36" BD(contains 10 EA)

## Box, Shipping (Corrugated Box)

Double-walled box has a bursting strength of 275 psi and falls into the domestic class. Type CF. Regular-slotted box. Style RSC.



Useful for repacking firefighter sleeping bags. (NFES #0513)

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-01-290-9543 36-1/2 x 24-1/2 x 17" BD(contains 10 EA)

Useful for repacking canteens. Type CF. (NFES #2006)

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0722 23 x 19 x 10" BD(contains 10 EA)

**Useful for repacking firefighter shirts. (NFES #2030)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (15 EA/BD)



8115-00-183-9481 AbilityOne 24 x 16 x 12" BD(contains 15 EA)



Convenient for repacking wildfire equipment, full-telescoping box (full-depth lid) weather-resistant double wall fiberboard has a bursting strength of 600 psi. Grade V11c. Type CF. Style FTC/0301.

**Useful for repacking firefighter jeans. (NFES #2007)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (5 EA/BD)



8115-00-292-0123 AbilityOne 24 x 16 x 16" BD(contains 5 EA)

**Useful for repacking 36" Pulaski tools. (NFES #0338)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0673 37-1/2 x 18-1/2 x 8" BD(contains 10 EA)

**Useful for repacking firefighting water pumps. (NFES #0643)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0749 41 x 15 x 19" BD(contains 10 EA)

**Useful for repacking McLeod tools. (NFES #0305)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0690 56 x 20 x 11" BD(contains 10 EA)

**Useful as a general-purpose repack carton. (NFES #0353)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0706 39 x 13 x 13" BD(contains 10 EA)

**Useful for repacking fireline combination tool. (NFES #0384)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-01-307-2951 48 x 11 x 8" BD(contains 10 EA)

**Useful for repacking general-purpose sleeping bags. (NFES #0644)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0691 33 x 16 x 22" BD(contains 10 EA)

**Useful for repacking backfiring fuses. (NFES #1580)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-01-219-5749 14-1/2 x 12 x 5-3/4" BD(contains 10 EA)

**Provided with handhold cut-outs. Useful for repacking chainsaw kits. (NFES #0645)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-01-504-1463 42 x 13-1/2 x 14" BD(contains 10 EA)

**Box, Shipping (Corrugated Box)**

This corrugated, fiberboard shipping box features overlapped, glued joints or butted, taped joints. (Dimensions shown below are inside dimensions in order of length, width and depth.)



**Single-walled weather-resistant box.**

*Regular-slotted box has a bursting strength of 400 psi. With four flaps on top and on bottom; outer flaps meet when closed. Style RSC. Maximum weight of box and contents is 140 lbs. Useful for repacking fly tent. (NFES #0823)*

① Contains 30% Recovered Material, Which Includes 30% Postconsumer Material



8115-00-417-9318 AbilityOne 15 x 15 x 10" BD(contains 25 EA)

**Useful for repacking firefighting shovels. (NFES #0337)**

① Contains 25% Recovered Material, Which Includes 25% Postconsumer Material

📦 Std. pack: 1 (10 EA/BD)



8115-00-139-0689 55 x 12-1/2 x 11-3/4" BD(contains 10 EA)

## Seal, Antipilferage (Boxcar Seal Boxcar Seal)

This self-locking, boxcar-style seal discourages pilfering. Metal strap is passed through a hasp fastener and ends of strap are locked together inside metal box when closed, providing a sturdy seal. For sealing fire caches, toolboxes, mess kits, and more. Reads: "U.S. Forest Service" and numbered in a series. Federal Spec FF-S-2738. (NFES #1938)

■ Std. pack: 50

5340-00-901-8105

Length: 8-1/2"; Width: 0.3"; Thickness 0.03"

HD



## Pails



### Pail, Plastic Collapsible (Collapsible Pail)

Round, collapsible pail is made of vinyl-coated nylon scrim. With a stiffened and reinforced top rim. Approximate size is 9" in diameter and 11" high. High tensile strength. Leak-proof seams. (NFES #0141)

■ Std. pack: 10 or 100

8465-00-128-6928

Yellow

Capacity: 3 gal.

EA

## Weather Gear

### Belt, Weather Kit (Weather Observation Kit)

A. A complete observing kit with everything needed to measure temperature, relative humidity, and wind velocity. Consists of Weather Kit Case NSN 8465-00-521-3057, Smoke Chaser's Compass NSN 6605-00-553-8795, Wind Speed Indicator NSN 6680-00-833-7010, and Sling Psychrometer NSN 6685-00-826-1662 (mercury-free). Also contains 1-oz. plastic Screw Cap Bottle, Wood Pencils, Mobile Fire-Weather Observer's Record, notebook, and humidity and dew point tables. Forest Service Spec 5100-150, MEDC-531. (NFES #1050)

■ Std. pack: 10



6660-01-024-2638

KT



### Case, Carrying (Weather Kit Case)

B. Replacement case for belt weather kit. Cloth case's pockets accommodate a wind meter, a compass, a psychrometer, a writing board, a notebook, pencils and a water bottle. Includes a snap-close cover flap and belt loops. Forest Service Spec 5100-450. (NFES #1154)

■ Std. pack: 25

8465-00-521-3057

AbilityOne

EA

### Psychrometer

C. As a component of the weather observation kit, this pocket-size psychrometer measures relative humidity of atmospheric air. Two non-mercury thermometers on a metal mounting plate allow for dry- and wet-bulb readings. Thermometer range is 30 to 110° F. Features a sling handle for whirling and comes in a case. Includes plastic calculator for determining relative humidity. (NFES #1156)

■ Std. pack: 50



6685-00-826-1662

EA





**Meter, Air Velocity (Wind Speed Indicator)**

Floating ball-type anemometer is for determining wind velocity in miles per hour with low- and high-range scales. This component of the weather observation kit has plastic and metal construction. Includes carrying case, instructions and three cleaning rods. Forest Service Spec 5100-454. (NFES #1155)




■ Std. pack: 12 or 72

6680-00-833-7010 8 x 3 x 3/4" EA

**Compass, Magnetic, Unmounted (Smoke Chaser's Compass)**

Smoke chaser's compass has a clear, flat, plastic base plate, liquid-filled compass capsule, neck cord, and set of instructions. Base has a built-in magnifying glass. (NFES #1814)



■ Std. pack: 20

6605-00-553-8795 4 x 2 x 1/2" EA

**For your convenience, this catalog is also available in electronic form. To receive a PDF copy contact DLA WFPP at: [DLAWFPP@dla.mil](mailto:DLAWFPP@dla.mil)**

**Compass, Magnetic, Unmounted (Magnetic Compass)**

Ideal for hiking and general forestry, this compass features a clear plastic base plate with hinged cover, neck cord, and set of instructions. Cover contains a mirror on the inside. (NFES #0047)



■ Std. pack: 20

6605-00-171-5121 Black EA


# Ignition Devices

**Fusee, Backfiring (Backfiring Fusee Backfiring)**

A. For starting backfires, this device is simple to use and features positive ignition action similar to highway flares. Ferrule in base accommodates stick or handle extension. Burns for 10 minutes. Forest Service Spec 5100-360. (NFES #0105)

■ Std. pack: 1 (72 EA/BX)

6260-00-294-1279 **MSDS** BX(contains 72 EA)



A.

**Torch, Drip (Drip Torch)**

B. Drip torch is designed for igniting fires in vegetation with a mixture of diesel fuel and gasoline. Aluminum tank and handle assembly. Tank capacity is between 1-1/8 and 1-3/8 gallons. Torch has a 6" diameter. Spout/igniter assembly can be stowed inside of the fuel tank when torch is not in use. Spout with steel fuel trap extends a minimum of 10" from the top of the tank to the end of the nozzle with the igniter extending beyond the nozzle. Fuel trap in the spout and check valve assembly in the tank cover provides flashback protection. Breather valve assembly provides smooth flow of fuel when torch is in use. Meets DOT requirements for transport of flammable liquids. Forest Service Spec 5100-614. (NFES #0241)

4210-01-558-9951 Red EA



B.

# Aviation Equipment

## Line, Lead (Cargo Lead Line)

While the user is transporting cargo via helicopter, this lead line can be used to keep load at a fixed distance below. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-503. (NFES #0528)



Std. pack: 5

1670-01-029-8554

Length: 12 ft.

EA

## Swivel, Cargo (Cargo Swivel)

Cargo swivel is for use when freight is transported by helicopter with external cargo hook attachments, swivel permits sling lines to rotate freely. Prevents lines from twisting and breaking. Has a 3,000-lb. capacity. (For use with light- and medium-class helicopters only.) Forest Service Spec 5100-501. (NFES #0526)



Std. pack: 6

1670-01-029-8555

EA

## Message Dropper, PLA (Message Dropper Pouch)

This plastic pouch is designed to hold messages dropped from aircraft. Small, clear vinyl bag also holds ballast (sand). Comes with plastic streamer (international orange or yellow), message blanks and instructions. Forest Service Spec 5100-110. (NFES #0284)



Std. pack: 25 or 100

1670-00-797-4495 AbilityOne

EA

# Marking Material

## Ribbon, Flagging, Surveyor's (Flagging Ribbon)

A. "Hazards" flagging ribbon is black with yellow 1/2" diagonal stripes every half inch. (NFES #0267)

60-month maximum shelf life (extendable)

Std. pack: 12

9905-01-523-2324

Length: 300 ft.; Width: 1-3/16"

BX(contains 12 EA)

B. Fluorescent pink ribbon features the words "Escape Route" in bold black capital lettering 1" high (repeated every 20").(NFES #0566)

60-month maximum shelf life (extendable)

Std. pack: 12

9905-01-523-2578

Length: 150 ft.; Width: 1-1/2"

BX(contains 9 EA)

Fluorescent color (often referred to as "glow colors").

60-month maximum shelf life (extendable)

C. Fluorescent chartreuse ribbon (NFES #2396)

9905-00-196-1068

Chartreuse

Length: 150 ft.;  
Width: 1-3/16"

BX(contains 12 EA)

D. Fluorescent orange ribbon (NFES #2398)

9905-01-458-2060

Fluorescent  
Orange

Length: 150 ft.;  
Width: 1-3/16"

BX(contains 12 EA)

E. Fluorescent pink ribbon (NFES #2401)

9905-01-458-2059


Fluorescent  
Pink

Length: 150 ft.;  
Width: 1-3/16"

BX(contains 12 EA)




A.



B.



C.



D.



E.

# Incident Sign Kit Components

## Sign (Forest Service Fire Incident Sign)

Diamond-shaped base, folding plastic-vinyl sign for fire incident. MTDC drawing 1083. Forest Service Spec 5100-618.

**Inscription: Fire Activity Ahead. (NFES #1141)**

■ *Std. pack: 6*

9905-01-595-8890	36 x 36"	EA
------------------	----------	----

**Inscription: Fire Traffic Entering Road. (NFES #1142)**

■ *Std. pack: 6*

9905-01-595-8873	36 x 36"	EA
------------------	----------	----

Square base, plastic-vinyl folding sign for fire incident. MTDC drawing 1082. Forest Service Spec 5100-618.

**Inscription: Incident Base. (NFES #1124)**

■ *Std. pack: 6*

9905-01-595-8884	36 x 36"	EA
------------------	----------	----

**Inscription: End Fire Activity. (NFES #1126)**

■ *Std. pack: 6*

9905-01-595-8875	36 x 36"	EA
------------------	----------	----

**Inscription: Staging Area. (NFES #1122)**

■ *Std. pack: 6*

9905-01-595-8885	36 x 36"	EA
------------------	----------	----

**Inscription: Staging Area. (NFES #1123)**

■ *Std. pack: 6*

9905-01-595-8887	36 x 36"	EA
------------------	----------	----

**Inscription: Fire Camp. (NFES #1121)**

■ *Std. pack: 6*

9905-01-595-8889	36 x 36"	EA
------------------	----------	----

**Inscription: Parking Area. (NFES #1125)**

■ *Std. pack: 6*

9905-01-595-8888	36 x 36"	EA
------------------	----------	----

Overlay patch, plastic-vinyl sign for fire incident. MTDC drawing 1081. Forest Service Spec 5100-618.

**Inscription: Arrow (symbol). (NFES #1194)**

■ *Std. pack: 20*

9905-01-595-8879	8 x 29-3/4"	EA
------------------	-------------	----

**Inscription: Emergency. (NFES #1192)**

■ *Std. pack: 20*

9905-01-595-8881	8 x 29-3/4"	EA
------------------	-------------	----

**Blank; no inscription. (NFES #1193)**

■ *Std. pack: 20*

9905-01-595-8876	8 x 29-3/4"	EA
------------------	-------------	----



Square-base, plastic-vinyl (corrugated) sign for fire incident. MTDC drawing 1091. Forest Service Spec 5100-619.

**Inscription: Arrow (symbol). (NFES #1148)**

■ *Std. pack: 1*

9905-01-595-8880	12 x 12"	BX(contains 10 EA)
------------------	----------	--------------------

Rectangular-base, plastic-vinyl sign for fire incident. MTDC drawing 1090. Forest Service Spec 5100-619.

**Inscription: Drop Points. (NFES #1147)**

■ *Std. pack: 1*

9905-01-595-8877	18 x 24"	BX(contains 10 EA)
------------------	----------	--------------------

Diamond-shaped base, folding plastic-vinyl sign for fire incident. MTDC drawing 1083. Forest Service Spec 5100-618.

**Inscription: Drop Point. (NFES #1146)**

■ *Std. pack: 1*

9905-01-595-8872	12 x 18"	BX(contains 10 EA)
------------------	----------	--------------------

## Holder, Sign (Sign Post Adapter Clamp For Fire Incident Signs Sign Post Adapter)



Sign post adapter clamp for fire incident sign. MTDC drawing 1092. Forest Service Spec 5100-620. (NFES #0983)

■ *Std. pack: 10*

9905-01-595-8886		EA
------------------	--	----



# National Fire Cache System

The Fire Cache System is a series of designated strategic points where supply tools and equipment are assembled in quantities, or standard units, for exclusive use in fire suppression. The fire caches are operated by the U.S. Forest Service and the Bureau of Land Management. For the most current cache information, visit <https://www.nwccg.gov/committees/national-fire-equipment-system-subcommittee/nisc>.

## Great Basin Interagency Support Cache (GBK)

Personnel	Phone/Fax Numbers	Email	Location
William Abela, Mgr.	(208) 387-5547 (phone)	wabela@blm.gov	National Interagency Fire Center 3833 S. Development Ave. Boise, ID 83705-5354
Nicole Hallisey, Asst. Mgr.	(208) 387-5104 (phone)	nhallisey@blm.gov	
	(208) 387-5573 (fax)		
	(208) 387-5104 (24/7 phone)		

## Northern Rockies Interagency Support Cache (NRK)

Personnel	Phone/Fax Numbers	Email	Location
Anthony Krause, Mgr	(406) 329-4932 (phone)	anthony.krause@usda.gov	5765 W. Broadway Missoula, MT 59808
Matthew Plattes	(406) 329-4904 (phone)	matthew.plattes@usda.gov	
Betty Lystad	(406) 329-4948 (phone)	Betty.Lystad@usda.gov	
	(406) 329-4949 (Gen phone)		

## Billings Cache (BFK)

Personnel	Phone/Fax Numbers	Email	Location
Josh King, Mgr.	(406) 896-2872 (phone)	jking@blm.gov	551 Northview Drive Billings, MT 59105
Owen Richardson	(406) 896-2875 (phone)	owen.richardson@usda.gov	
Lonnie Hinz	(406) 896-2881 (phone)	hinz@blm.gov	
	(406) 896-2870/2881 (Gen/fax)		

## Coeur d'Alene Cache (CDK)

Personnel	Phone/Fax Numbers	Email	Location
Bjorn Jordan, Mgr.	(208) 666-8654 (phone)	bjordan@idl.idaho.gov	3328 W Industrial Loop Coeur d' Alene, ID 83815
Mac Weaver	(208) 666-8655 (phone)	david.weaver@usda.gov	
Kelly Mahler	(208) 666-8657 (phone)	kmahler@idl.idaho.gov	
	(208) 666-8694/1534 (Gen/fax)		

## Southern Area Interagency Support Cache (SAK)

Personnel	Phone/Fax Numbers	Email	Location
Timothy Campbell, Mgr.	(606) 878-7430, x101 (phone) (606) 878-7430 (Gen phone)	timothy.campbell@usda.gov	788 Sublimity School Road London, KY 40744

## Southwest Area – Prescott Interagency Support Cache (PFK)

Personnel	Phone/Fax Numbers	Email	Location
Sean Ware, Mgr.	(928) 777-5630 (phone)	sean.ware@usda.gov	2400 Melville Drive Prescott, AZ 86301
Victor Hernandez, Asst. Mgr	(928) 777-5631 (phone)	Victor.Hernandez2@usda.gov	
	(928) 777-5630/5608 (Gen/fax)		

## Southwest Area – Silver City Interagency Support Cache (SFK)

Personnel	Phone/Fax Numbers	Email	Location
Dottie Clark, Mgr.	(575) 534-0453/5257 (phone/cell)	dolores.clark@usda.gov	158 Airport Road P.O. Box 931 Hurley, NM 88043
Alex Tovar, Asst. Mgr.	(575) 534-1067/313-5311 (phone/cell)	alex.tovar@usda.gov	
	(575) 388-5611/5672 (Gen/fax)		

# National Fire Cache System

## California (Southern) Interagency Support Cache (LSK)

Personnel	Phone/Fax Numbers	Email	Location
Joe Brugger, Mgr. Tena'ya Stanton	(909) 930-3231 (phone) (909) 930-3208 (phone)\ (909) 930-3200/6391 (Gen/Fax)	joseph.brugger@usda.gov tenaya.stanton@usda.gov	Logistics Support Center 1310 S. Cucamonga Ave. Ontario, CA 91761-4507

## California (Northern) Interagency Support Cache (NCK)

Personnel	Phone/Fax Numbers	Email	Location
Mark Garland, Mgr. Dave Juenke, Asst. Mgr.	(530) 226-2851 (phone) (530) 226-2856 (phone) (530) 226-2854 (fax) (530) 226-2850 (Gen phone)	mark.r.garland@usda.gov david.juenke@usda.gov	6101 Airport Road Redding, CA 96002

## Northwest Area Interagency Support Cache (NWK)

Personnel	Phone/Fax Numbers	Email	Location
Hector Basso, Mgr. Kristopher Strong, Asst. Mgr.	(541) 504-7230 (phone) (541) 504-7235 (phone) (541) 504-7240 (fax) (541) 504-7234 (Gen phone)	hector.basso@usda.gov Kristopher.strong@usda.gov	1740 S.E. Ochoco Way Redmond, OR 97756
<i>Wenatchee Cache – East Washington (WFK)</i>			
Andy Barrows, Mgr.	(509) 884-6593 (phone) (509) 884-2710 (fax)	andrew.barrows@usda.gov	4890 Contractors Dr. East Wenatchee, WA 98802
<i>LaGrande Cache – East Oregon (LGK)</i>			
Cheri Campbell, Mgr.	(541) 975-5420 (phone) (541) 975-5478 (fax) (541) 962-5420 (Gen phone)	cheryl.campbell2@usda.gov	Blue Mountain Interagency Fire Center 59973 Downs Road LaGrande, OR 97850

## Alaska Interagency Support Cache (AKK)

Personnel	Phone/Fax Numbers	Email	Location
Jayson Brockmeyer	(907) 356-5742 (phone) (907) 356-5742 (Gen phone) (907) 356-5754 (fax)	jbrockme@blm.gov	P.O. Box 35005 Bldg. 1544 Fort Wainwright, AK 99703

## Northeastern Area Interagency Support Cache (NEK)

Personnel	Phone/Fax Numbers	Email	Location
Brian Wise, Mgr. Tom Staydohar, Asst. Mgr. Deb Bruyere	(218) 322-2763 (phone) (218) 322-2764 (phone) (218) 322-2774 (phone) (218) 327-4581 (fax) (218) 322-2775 (Gen phone)	bwise@usda.gov thomas.staydohar@state.mn.us deb.bruyere@usda.gov	Northeast Interagency Incident Support Cache 402 11th St. S.E. Grand Rapids, MN 55744

## Rocky Mountain Interagency Support Cache (RMK)

Personnel	Phone/Fax Numbers	Email	Location
Marcus Medina, Mgr. Humberto Ontiveros, Asst. Mgr.	(303) 202-4943 (phone) (303) 202-4941 (phone) (303) 202-4965 (fax) (303) 202-4940 (Gen phone)	marcus.medina@usda.gov humberto.ontiveros@usda.gov	Rocky Mountain Fire Cache DFC – Bldg. 810, Door N27 Lakewood, CO 80225

# Requisitioning from the Defense Logistics Agency (DLA)

Prior to purchasing items from the Department of Defense (DoD) Defense Logistics Agency (DLA) Wildland Fire Protection Program, program users are required to have an account in the DOD ordering platform known as FedMall. To access FedMall, program users are also required to have a valid Activity Address Code (AAC) and a security credential (common access card / USDA LINKPASS / BLM equivalent / Smart Card) or external certificate authority (ECA) token.

## Federal Customers

Ordering instructions for Federal customers, both National Cache and non-cache Federal customers can be found on the FedMall home page at <https://www.fedmall.mil>.

## State and Local Customers

Keeping in compliance with Federal law, State and Local government customers are required to pay in advance for materials ordered from DLA. DoD FedMall orders placed in support of firefighting missions are required to be paid for with a credit card at the time the order is placed.

The authorized AAC for State and Local government customers begins with a “3B”. The “3B” AAC is mandated for use as it enables DLA to meet auditing requirements. State and Local government customers failing to adhere to the “3B” AAC requirement will be suspended from the program.

To obtain a “3B” AAC to participate in the program, contact the State and Local Program Manager @ DLAWFPP@DLA.MIL.

## DLA Customer Interaction Center

DLA's Customer Interaction Center (CIC) is DLA's 24/7 Help Desk. Customer-assistance representatives are available to assist you in answering questions related to FedMall order and shipping status, FedMall password reset, and Supply Discrepancy Reports (SDR) to name a few. The CIC contact information is below

### **DLA CIC**

Toll Free: 1-877-DLA-CALL (1-877-352-2255)

Commercial: 1-269-961-7766

Email: [dlacontactcenter@dla.mil](mailto:dlacontactcenter@dla.mil)

Additional information can be found at the DLA website [www.dla.mil](http://www.dla.mil) and under the Doing Business With DLA heading.

## Wildland Fire Equipment Program Manager

**DLA Wildland Fire Program Liaison** – Mr. Jeff Crosson

Office Phone: 571-767-0590

Email: [Jeffrey.Crosson@dla.mil](mailto:Jeffrey.Crosson@dla.mil)

**DLA Wildland Fire Program State/Local Liaison** – Ms. Tracy Shepherd

Office Phone: 571-767-1547

Email: [tracy.shepherd@dla.mil](mailto:tracy.shepherd@dla.mil)

# DLA Wildland Fire Program Points of Contact

## DLA Troop Support Fire Program Coordinators

\*\* All supply assistance requests may be directed to the collective Enterprise mailbox:

TrpSptWFPP@dla.mil \*\*

\*\* Supply chain specific inquiries may be directed to the individual Points of Contact. After normal business hours contact the DLA CIC. \*\*

Donna M. Graham (Construction & Equipment)  
Office Phone: 215-737-0668  
Email: Donna.Graham@dla.mil

Eileen Freeborn (Medical)  
Office Phone: 215-737-5774  
Email: Eileen.Freeborn@dla.mil

Colleen Ford (Clothing & Textiles)  
Office Phone: 215-737-5115,  
Email: Colleen.Ford@dla.mil

Gary Waltrich (Industrial Hardware)  
Office Phone: 215-737-5979  
Email: Gary.Waltrich@dla.mil

Timothy Curran (Subsistence)  
Office Phone: 215-737-2895  
Email: Timothy.curran1@dla.mil

DLA Troop Support Collective Enterprise  
Office Phone: 215-737-9158

## DLA Troop Support Collective Enterprise Cell (During normal business hours 6AM- 6PM EST)

Phone: 215-737-9158 \*\*After normal business hours contact the CIC\*\*

# Additional DLA Items

## Coveralls – Flight Suit, NOMEX, Sage Green\*

NFES	U/I	Name	NSN	RIC
0501	EA	Size 36 Short	8415-01-043-8380	SMS
0507	EA	Size 36 Regular	8415-01-043-8381	SMS
0508	EA	Size 36 Long	8415-01-043-8382	SMS
0509	EA	Size 38 Short	8415-01-043-8383	SMS
0572	EA	Size 38 Regular	8415-01-043-8384	SMS
0514	EA	Size 38 Long	8415-01-043-8385	SMS
0517	EA	Size 40 Short	8415-01-043-8386	SMS
0518	EA	Size 40 Regular	8415-01-043-8387	SMS
0519	EA	Size 40 Long	8415-01-043-8388	SMS
0521	EA	Size 42 Short	8415-01-043-8389	SMS
0574	EA	Size 42 Regular	8415-01-043-9529	SMS
0525	EA	Size 42 Long	8415-01-043-8390	SMS
0527	EA	Size 44 Short	8415-01-043-8391	SMS
0539	EA	Size 44 Regular	8415-01-043-8392	SMS
0545	EA	Size 44 Long	8415-01-043-8393	SMS
0546	EA	Size 46 Short	8415-01-043-8394	SMS
0576	EA	Size 46 Regular	8415-01-043-8395	SMS
0547	EA	Size 46 Long	8415-01-043-8396	SMS
0567	EA	Size 48 Regular	8415-01-043-8397	SMS
0548	EA	Size 48 Long	8415-01-043-8398	SMS

**\*All Coveralls are Restricted to Fed Mall routine orders ONLY**



# Additional DLA Items (Continued)

## Liner, Gloves, Wool

NFES	U/I	Name	NSN	RIC
1762	PR	X-Small (Green)	8415-01-527-4653	SMS
1763	PR	Small (Green)	8415-01-527-4655	SMS
1764	PR	Medium (Green)	8415-01-527-4664	SMS
1765	PR	Large (Green)	8415-01-527-4665	SMS
1766	PR	X-Large (Green)	8415-01-527-4666	SMS

## Gloves, Flight, NOMEX

NFES	U/I	Name	NSN	RIC
1219	PR	Size 7	8415-01-029-0109	SMS
1223	PR	Size 8	8415-01-029-0111	SMS
1224	PR	Size 9	8415-01-029-0112	SMS
1225	PR	Size 10	8415-01-029-0113	SMS
1226	PR	Size 11	8415-01-029-0116	SMS

## Miscellaneous Items

NFES	U/I	Name	NSN	RIC
0053	EA	Cot, Folding, 3.5" x 6.5"	7105-00-935-0422	SMS
0058	EA	Sleeping Bag, X-Long	8465-01-452-1690	SMS
0149	EA	Pump, Barrel, Hand. w/8" Long Hose	4930-00-739-6733	SMS
0210	EA	Female threaded plastic spout (for use with NFES #1175)	7240-00-177-6154	SMS
0344	EA	Plug, Spark, CJ8, 147N	2920-00-946-9689	SMS
0811	EA	Glass, Magnifying	6650-00-252-6250	SMS
1138	EA	Mirror, 2" x 3" Glass Signal	6350-00-261-6695	SMS
1175	EA	Can, Gasoline, Plastic, 5 GL, w/o Spout	7240-01-337-5269	SMS
1258	EA	Battery, Lantern, 6V	6135-00-825-6692	SMS
1285	SL	Cord-Cotton Braided	4020-00-270-5468	SMS
1269	EA	Bag, Flight Helmet, Olive Green	8415-00-782-2989	SMS
1759	EA	Stakes, Tent, Wood, 24"	8340-00-261-9751	SMS
2315	EA	Helmet, Flyers	8465-01-075-8164	SMS

# GSA Items

## GSA Ordering Information

Forms may be ordered from GSA via any of the following methods:

**Online:** [www.GSAGlobalsupply.gsa.gov](http://www.GSAGlobalsupply.gsa.gov)

Available 24 hours a day, seven days a week, the GSA Global Supply website gives you access to hundreds of thousands of tools, office supplies, computer products, and more.

**Telephone:** (800) 525-8027

Available 7:30 a.m. to 8 p.m. (ET), Monday through Friday.

**Fax Orders:** (800) 856-7057

Order anytime, 24 hours a day, seven days a week. You will receive an order confirmation via fax.

GSA Global Supply accepts your government purchase card or direct billing through your Activity Address Code (AAC). For information on obtaining an AAC, contact our Order Management Office at (800) 927-7622 or [ordermgmt@gsa.gov](mailto:ordermgmt@gsa.gov).

## Additional Ordering Options

**GSA Advantage!®:** [www.gsaadvantage.gov](http://www.gsaadvantage.gov)

Available 24 hours a day, seven days a week, this website displays all GSA Global Supply items, plus millions of products and services from Multiple Award Schedule vendors.

## GSA Fire Forms

NFES	U/I	Name	NSN
0399	HD	SF 91: Motor Vehicle Accident Report	7540-00-634-4041
0891	BX(50 EA)	SF 261: Crew Time Report	7540-01-058-0222
0872	BK(25 EA)	OF 297: Emergency Equipment Shift Ticket	7540-01-119-5628
1173	BK(50 SH)	OF 296: Vehicle/Heavy Equipment Safety Inspection Checklist	7540-01-120-0607
0863	HD	OF 286: Emergency Equipment Use Invoice	7540-01-120-4062
0866	HD	OF 288: Incident Time Report	7540-01-124-7633
0420	BK(25 EA)	OF 304: Emergency Equipment Fuel and Oil Issue	7540-01-317-7366
0422	HD	OF 305: Emergency Equipment Rental Use Envelope	7540-01-317-7367
1286	HD	OF 315A: Incident Replacement Requisition, Continuation Sheet	7540-01-475-0707
1300	HD	OF 315: Incident Replacement Requisition	7540-01-475-0708
1473	HD	OF 316A: Interagency Incident Waybill (Continuation)	7540-01-475-4306
1472	HD	OF 316: Interagency Incident Waybill	7540-01-475-4307
1099	HD	OF 314: Incident Claims Case File Envelope	7540-01-475-4308
1098	HD	OF 313: Incident Injury Case File Envelope	7540-01-475-4309

# NFES Index (NSN Cross-Reference)

NFES #	NSN	Name	Unit of Issue	Page
000006	4210-01-079-9284	Coupling, Hose, Fire Fighting	EA	7
000007	4210-01-079-9283	Coupling, Hose, Fire Fighting	EA	7
000010	4210-00-975-2969	Reducer, Hose, Fire Fighting	EA	7
000024	4210-00-640-1892	Nozzle, Fire Equipment	EA	8
000030	6135-00-985-7845	Battery, Nonrechargeable (AA)	PG	14
000033	6135-00-835-7210	Battery, Nonrechargeable (D)	PG	14
000037	8465-00-102-6381	Canteen, Water	EA	23
000045	8415-00-286-7507	Chaps, Protective	PR	13
000046	4210-00-767-7123	Clamp, Fire Hose, Shutoff	EA	9
000047	6605-00-171-5121	Compass, Magnetic, Unmounted	EA	30
000048	7310-00-128-6837	Kit, Water Container	BX	24
000053	7105-00-935-0422	Cot, Folding, 3.5" x 6.5"	EA	37
000054	8465-00-118-4956	Cover, Water Canteen	EA	23
000058	8465-01-452-1690	Sleeping Bag, X-Long	EA	37
000060	5110-00-242-5385	File, Hand	DZ	13
000063	5110-00-263-0341	Handle, File	DZ	13
000067	6545-00-656-1092	First Aid Kit, Utility	EA	15
000070	8340-00-102-6370	Fly, Tent	EA	26
000078	8415-01-028-5575	Chaps, Protective	PR	13
000083	8340-00-753-6574	Pole, Tent	EA	26
000089	8340-01-107-5694	Pole, Tent	EA	26
000105	6260-00-294-1279	Fusee, Backfiring	BX	30
000113	4210-00-568-9904	Gasoline Line, Fire Pump	LG	12
000115	4210-00-889-1775	Hose Assembly, Nonmetallic, Fire Fighting	LG	6
000116	8415-01-597-6005	Helmet, Fireman's (No longer available)	EA	N/A
000117	8415-01-597-6013	Helmet, Fireman's (No longer available)	EA	N/A
000126	7360-00-139-1063	Wash Kit Assembly	KT	27
000128	8465-01-602-3355	Sleeping Bag, Cold Weather	EA	25
000135	7360-00-139-0480	Dinnerware Kit	KT	25
000136	4730-00-595-1103	Nozzle, Garden Hose	EA	8
000137	4210-00-181-8872	Nozzle, Fire Equipment	EA	8
000138	4210-00-085-2291	Nozzle, Fire Equipment	EA	8
000141	8465-00-128-6928	Pail, Plastic Collapsible	EA	29

NFES #	NSN	Name	Unit of Issue	Page
000146	5120-00-293-3467	Mattock	EA	4
000148	4320-01-495-3633	Pump Unit, Centrifugal	EA	12
000149	4930-00-739-6733	Pump, Barrel, Hand. w/8" Long Hose	EA	37
000150	8415-01-294-7717	Chaps, Protective	PR	13
000151	4320-00-595-0762	Pump, Reciprocating	EA	12
000171	5120-00-965-0609	Shovel, Hand	EA	4
000206	8520-01-609-2831	Towelette, Skin Cleansing	BX	27
000210	7240-00-177-6154	Spout, Gas, Flexible, 16", Steel	EA	37
000212	4820-00-126-5114	Valve, Foot	EA	9
000218	7240-01-044-5523	Can, Gasoline, Portable Fire Pump	EA	12
000230	4210-01-081-0417	Tee, Pipe To Hose, Fire Fighting	EA	8
000231	4210-00-984-3475	Wye Connection, Fire Hose, Valved	EA	9
000234	5120-00-596-1426	Wrench, Spanner	EA	9
000235	5120-00-596-1427	Wrench, Spanner	EA	9
000240	8540-01-169-9010	Towel, Paper	BX	27
000241	4210-01-558-9951	Torch, Drip	EA	30
000244	7360-01-606-2663	Container, Hot Or Cold Beverage	BX	23
000246	7360-01-606-2670	Container, Hot Or Cold Food	BX	24
000254	5330-00-239-1873	Gasket	PG	6
000259	4210-00-126-5108	Wye Connection, Fire Hose, Valved	EA	9
000267	9905-01-523-2324	Ribbon, Flagging, Surveyor's	BX	31
000281	8465-01-463-4649	Tent, Bag, Personal Gear Pack	EA	22
000284	1670-00-797-4495	Message Dropper, PLA	EA	31
000293	8465-01-592-1365	Sheath, Fire Rake, Plastic	EA	5
000294	8465-01-463-4648	Chest Harness, Fire Shelter	EA	19
000296	4210-00-203-3512	Rake, Forest Fire	EA	4
000305	8115-00-139-0690	Box, Shipping	BD	28
000307	4210-00-889-2492	Extinguisher, Fire	EA	4
000318	4240-01-504-7863	Goggles, Industrial	PR	20



NFES #	NSN	Name	Unit of Issue	Page
000337	8115-00-139-0689	Box, Shipping	BD	28
000338	8115-00-139-0673	Box, Shipping	BD	28
000343	5110-01-046-5031	File Guide, Clamp Chain Saw	EA	13
000344	2920-00-946-9689	Plug, Spark, CJ8, I47N	EA	37
000345	5110-00-965-0608	File, Hand	DZ	13
000351	5110-00-242-5384	File, Hand	DZ	13
000353	8115-00-139-0706	Box, Shipping	BD	28
000358	5110-00-263-0342	Handle, File	DZ	13
000384	8115-01-307-2951	Box, Shipping	BD	28
000399	7540-00-634-4041	SF 91: Motor Vehicle Accident Report	HD	38
000416	4210-01-080-6532	Increaser, Hose, Fire Fighting	EA	8
000417	4210-01-521-1691	Reducer, Hose, Fire Fighting	EA	7
000418	4210-00-294-2648	Reducer, Hose, Fire Fighting	EA	7
000420	7540-01-317-7366	OF 304: Emergency Equipment Fuel and Oil Issue	BK	38
000422	7540-01-317-7367	OF 305: Emergency Equipment Rental Use Envelope	HD	38
000428	4730-01-057-0136	Coupling Half, Quick Disconnect	EA	11
000429	4730-01-057-4210	Coupling Half, Quick Disconnect	EA	11
000435	8465-01-369-3557	Waterbag, Drinking	EA	24
000436	8465-01-369-2147	Liner, Waterbag	EA	24
000437	8465-01-369-2148	Waterbag, Suppression	EA	24
000438	8465-01-369-2149	Liner, Waterbag	EA	24
000474	4240-01-292-2817	Spectacles, Industrial	PR	20
000475	4240-01-292-2816	Spectacles, Industrial	PR	20
000476	4240-01-292-5055	Spectacles, Industrial	PR	20
000495	8465-01-416-1951	Harness, Waterbag (no longer available)	EA	N/A
000500	8115-00-139-0652	Box, Shipping	BD	27
000510	5210-01-324-2776	Gage, Sharpening	EA	4
000511	8415-01-434-0618	Shirt, Fireman's	EA	21
000512	8415-01-434-0626	Shirt, Fireman's	EA	21

NFES #	NSN	Name	Unit of Issue	Page
000513	8115-01-290-9543	Box, Shipping	BD	27
000522	8415-01-211-6316	Shirt, Fireman's	EA	21
000526	1670-01-029-8555	Swivel, Cargo	EA	31
000528	1670-01-029-8554	Line, Lead	EA	31
000531	1670-01-029-8556	Net, Cargo, Aerial Delivery (no longer available)	EA	N/A
000536	8465-01-503-4476	Bag, Fuel Bottle	EA	14
000566	9905-01-523-2578	Ribbon, Flagging, Surveyor's	BX	31
000569	8415-01-421-3905	Shirt, Fireman's	EA	21
000570	8415-01-421-3907	Shirt, Fireman's	EA	21
000577	8415-00-233-5818	Shirt, Fireman's	EA	21
000578	8415-00-233-5819	Shirt, Fireman's	EA	21
000579	8415-00-259-8718	Shirt, Fireman's	EA	21
000580	8415-00-259-8722	Shirt, Fireman's	EA	21
000597	8465-01-321-1679	Liner, Backpack Pump Bag	EA	11
000601	4320-00-890-5879	Pump Unit, Centrifugal	EA	12
000606	7240-01-616-2202	Safety Can	EA	12
000635	4210-00-204-3358	Tip, Nozzle, Fire Hose	EA	9
000636	4210-00-204-3386	Tip, Nozzle, Fire Hose	EA	9
000637	4210-00-203-3855	Tip, Nozzle, Fire Hose	EA	9
000638	4210-00-203-3845	Tip, Nozzle, Fire Hose	EA	9
000640	6515-01-376-7247	Protection Kit, Biological Hazard	KT	16
000643	8115-00-139-0749	Box, Shipping	BD	28
000644	8115-00-139-0691	Box, Shipping	BD	28
000645	8115-01-504-1463	Box, Shipping	BD	28
000659	4210-01-387-1392	Rake, Forest Fire	EA	4
000674	8465-01-503-4484	Pack, Fireline, Complete	EA	23
000675	8465-01-503-4479	Case, Canteen	EA	23
000677	8465-01-503-4482	Case, Carrying, Pack	EA	23
000678	8465-01-503-4488	Pack, Fireline	EA	23

NFES #	NSN	Name	Unit of Issue	Page
000679	8465-01-647-6670	Pack, Personal Gear	EA	23
000693	4235-01-586-8307	Spill Containment Berm, Portable	EA	12
000710	4210-01-080-1457	Coupling, Hose, Fire Fighting	EA	7
000718	6230-01-603-6874	Headlamp, Firefighter	EA	15
000720	4210-01-412-5688	Applicator, Water	EA	10
000727	4210-01-529-8489	Band, Retaining Fire Hose	BX	6
000731	4210-01-080-1460	Tee, Pipe To Hose, Fire Fighting	EA	8
000732	4210-01-082-0575	Cap, Hose	EA	7
000733	4210-01-079-9286	Reducer, Hose, Fire Fighting	EA	7
000735	4210-01-412-5683	Tip, Applicator	EA	10
000737	4210-00-177-6135	Tip, Nozzle, Fire Hose	EA	9
000742	5330-00-239-1875	Gasket	PG	6
000743	5330-00-720-2621	Gasket, Fire Hose	PG	6
000744	8465-00-205-3493	Field Pack	EA	23
000772	4210-01-321-4206	Mop-Up Kit, Lateral Line, 3 Wand	KT	9
000811	6650-00-252-6250	Glass, Magnifying	EA	37
000823	8115-00-417-9318	Box, Shipping	BD	28
000834	6135-00-985-7846	Battery, Nonrechargeable (C Battery)	PG	14
000835	4210-01-412-5684	Valve, Shut-Off, Garden Hose	EA	10
000856	4210-01-079-9285	Coupling, Hose, Fire Fighting	EA	7
000857	4210-01-081-8749	Coupling, Hose, Fire	EA	7
000863	7540-01-120-4062	OF 286: Emergency Equipment Use Invoice	HD	38
000866	7540-01-124-7633	OF 288: Emergency Firefighter Time Report	HD	38
000872	7540-01-119-5628	OF 297: Emergency Equipment Shift Ticket	BK	38
000891	7540-01-058-0222	SF 261: Crew Time Report	BX	38
000904	4210-01-412-6335	Wye, Garden Hose	EA	10
000907	8465-01-656-5111	Harness, Waterbag, M2015	EA	11
000908	8465-01-656-2497	Waterbag, 5 Gallon, Suppression, M2015	EA	11
000909	8465-01-656-8915	Waterbag, 5 Gallon, Suppression, M2015, Assembly	EA	11

NFES #	NSN	Name	Unit of Issue	Page
000911	8465-01-310-5130	Liner, Bag, Water	EA	24
000912	8465-01-310-1259	Bag, Water Carrying	EA	23
000916	4210-01-080-1458	Coupling, Hose, Fire Fighting	EA	7
000925	4240-01-498-3194	Shelter, Fire, M-2002	EA	17
000926	4240-01-498-3184	Shelter, Fire, M-2002	EA	17
000927	8465-01-498-3190	Case, Carrying, Fire	EA	17
000928	8465-01-498-3191	Liner, Carrying Case	EA	17
000932	4210-01-526-3000	Hose Assembly, Nonmetallic, Fire Fighting	LG	6
000933	4210-01-526-2977	Hose Assembly, Nonmetallic, Fire Fighting	LG	6
000973	4240-01-529-8804	Shelter, Fire, M-2002	EA	17
000975	4240-01-527-5248	Shelter, Fire, M-2002	EA	17
000983	9905-01-595-8886	Holder, Sign	EA	32
001016	4210-01-167-1061	Hose Assembly, Nonmetallic	LG	6
001023	6135-01-616-2203	Battery, Nonrechargeable (7.5 V)	PG	15
001027	6515-00-137-6345	Plug, Ear	BX	20
001038	7210-01-029-0370	Towel, Bath	BX	27
001050	6660-01-024-2638	Belt, Weather Kit	KT	29
001059	5110-00-242-5386	File, Hand	DZ	13
001063	8465-00-082-3054	Canteen, Water	EA	23
001081	4210-01-165-6603	Nozzle, Fire Equipment	EA	8
001082	4210-01-167-1123	Nozzle, Fire Equipment	EA	8
001098	7540-01-475-4309	OF 313: Incident Injury Case File Envelope	HD	38
001099	7540-01-475-4308	OF 314: Incident Claims Case File Envelope	HD	38
001121	9905-01-595-8889	Sign	EA	32
001122	9905-01-595-8885	Sign	EA	32
001123	9905-01-595-8887	Sign	EA	32
001124	9905-01-595-8884	Sign	EA	32
001125	9905-01-595-8888	Sign	EA	32
001126	9905-01-595-8875	Sign	EA	32



NFES #	NSN	Name	Unit of Issue	Page
001138	6350-00-261-6695	Mirror, 2" x 3" Glass Signal	EA	37
001141	9905-01-595-8890	Sign	EA	32
001142	9905-01-595-8873	Sign	EA	32
001143	6545-01-010-7754	First Aid Kit, Utility	EA	16
001146	9905-01-595-8872	Sign	BX	32
001147	9905-01-595-8877	Sign	BX	32
001148	9905-01-595-8880	Sign	BX	32
001149	4320-00-289-8912	Pump, Back Pack (no longer available)	EA	N/A
001154	8465-00-521-3057	Case, Carrying	EA	29
001155	6680-00-833-7010	Meter, Air Velocity	EA	30
001156	6685-00-826-1662	Psychrometer	EA	29
001168	5120-01-296-3592	Handle, Replacement, Combi-Tool	EA	5
001173	7540-01-120-0607	OF 296: Vehicle/Heavy Equipment Safety Inspection Checklist	BK	38
001175	7240-01-337-5269	Can, Gasoline, Plastic, 5 GL, w/o Spout	EA	37
001180	5120-01-240-2120	Combination Tool, Fire Fighter's	EA	4
001192	9905-01-595-8881	Sign	EA	32
001193	9905-01-595-8876	Sign	EA	32
001194	9905-01-595-8879	Sign	EA	32
001197	8465-01-321-1678	Bag, Backpack, Nylon Duck (Replaced by NFES # 0908)	EA	11
001201	4210-01-165-6599	Shut-Off, Valve Ball	EA	9
001207	4210-01-165-6600	Shut-Off, Valve Ball	EA	9
001219	8415-01-029-0109	Gloves, Flight, Nomex	PR	37
001220	4210-00-595-1838	Hose Assembly, Nonmetallic, Fire Fighting	LG	6
001223	8415-01-029-0111	Gloves, Flight, Nomex	PR	37
001224	8415-01-029-0112	Gloves, Flight, Nomex	PR	37
001225	8415-01-029-0113	Gloves, Flight, Nomex	PR	37
001226	8415-01-029-0116	Gloves, Flight, Nomex	PR	37
001238	4210-01-166-8122	Hose Assembly, Nonmetallic, Fire Fighting	LG	6

NFES #	NSN	Name	Unit of Issue	Page
001239	4210-01-165-6597	Hose Assembly, Nonmetallic, Fire Fighting	LG	6
001258	6135-00-825-6692	Battery, Lantern, 6V	EA	37
001269	8415-00-782-2989	Bag, Flight Helmet, Olive Green	EA	37
001274	8415-01-483-6075	Shroud, Face And Neck, Wildland Firefighter	EA	19
001285	4020-00-270-5468	Cord-Cotton Braided	SL	37
001286	7540-01-475-0707	OF 315A: Incident Replacement Requisition, Continuation Sheet	HD	38
001293	8415-01-394-0208	Gloves, Leather	PR	20
001294	8415-01-394-0209	Gloves, Leather	PR	20
001295	8415-01-394-0210	Gloves, Leather	PR	20
001296	8415-01-394-0215	Gloves, Leather	PR	20
001297	8415-01-397-3937	Gloves, Leather	PR	20
001300	7540-01-475-0708	OF 315: Incident Replacement Requisition	HD	38
001472	7540-01-475-4307	OF 316: Interagency Incident Waybill	HD	38
001473	7540-01-475-4306	OF 316A: Interagency Incident Waybill (Continuation)	HD	38
001521	8340-01-185-5512	Fly, Tent	EA	26
001535	7240-01-351-2133	Bottle, Fuel	EA	14
001566	8465-01-109-3369	Mat, Sleeping	EA	26
001580	8115-01-219-5749	Box, Shipping	BD	28
001604	6545-00-656-1094	First Aid Kit, General Purpose	EA	16
001639	8415-01-565-0623	Gloves, Pigskin	PR	20
001640	8415-01-565-0620	Gloves, Pigskin	PR	20
001641	8415-01-565-0618	Gloves, Pigskin	PR	20
001642	8415-01-565-0624	Gloves, Pigskin	PR	20
001643	8415-01-565-0625	Gloves, Pigskin	PR	20
001660	6515-01-585-1976	Protection Kit, Biological Hazard	KT	16
001675	6515-01-585-1975	Protection Kit, Biological Hazard	KT	16
001759	8340-00-261-9751	Stakes, Tent, Wood, 24"	EA	37
001762	8415-01-527-4653	Liner, Gloves, Wool	PR	37

NFES #	NSN	Name	Unit of Issue	Page
001763	8415-01-527-4655	Liner, Gloves, Wool	PR	37
001764	8415-01-527-4664	Liner, Gloves, Wool	PR	37
001765	8415-01-527-4665	Liner, Gloves, Wool	PR	37
001766	8415-01-527-4666	Liner, Gloves, Wool	PR	37
001807	4210-00-540-4512	Rake, Forest Fire	EA	4
001808	4210-00-889-1774	Hose Assembly, Nonmetallic, Fire Fighting	LG	6
001809	4210-01-081-0418	Tee, Pipe To Hose, Fire Fighting	EA	8
001814	6605-00-553-8795	Compass, Magnetic, Unmounted	EA	30
001842	8970-00-149-1094	Meal, Individual	BX	25
001855	8465-01-141-2321	Pack, Personal Gear	EA	22
001857	5110-01-137-7507	Handle, Pulaski Tool	EA	5
001938	5340-00-901-8105	Seal, Antipilferage	HD	29
002006	8115-00-139-0722	Box, Shipping	BD	27
002007	8115-00-292-0123	Box, Shipping	BD	28
002030	8115-00-183-9481	Box, Shipping	BD	28
002058	8115-00-145-0038	Container, Plastic, Moulded	EA	24
002078	8415-01-285-3530	Shirt, Fireman's	EA	21
002079	8415-01-284-7500	Shirt, Fireman's	EA	21
002105	5110-00-782-7491	File, Hand	DZ	13
002210	4210-01-081-8751	Cap, Hose	EA	7
002229	4210-01-081-0419	Reducer, Hose, Fire Fighting	EA	7
002230	4210-01-508-8818	Reducer, Hose, Fire Fighting	EA	7
002235	4210-01-080-6531	Increaser, Hose, Fire Fighting	EA	8
002240	4210-01-080-1459	Tee, Pipe To Hose, Fire Fighting	EA	8
002293	8415-01-619-3409	Pants, Flame Resistant BDU Kevlar	PR	22
002294	8415-01-619-3413	Pants, Flame Resistant BDU Kevlar	PR	22
002295	8415-01-619-3414	Pants, Flame Resistant BDU Kevlar	PR	22
002296	8415-01-619-3415	Pants, Flame Resistant BDU Kevlar	PR	22
002315	8465-01-075-8164	Helmet, Flyers	EA	37

NFES #	NSN	Name	Unit of Issue	Page
002326	5330-00-239-1877	Gasket	PG	6
002396	9905-00-196-1068	Ribbon, Flagging, Surveyor's	BX	31
002398	9905-01-458-2060	Ribbon, Flagging, Surveyor's	BX	31
002401	9905-01-458-2059	Ribbon, Flagging, Surveyor's	BX	31
002678	6930-01-499-0605	Shelter, Fire, Practice, Complete, M-2002	EA	17
002679	6930-01-499-0608	Shelter, Fire, Practice, M-2002	EA	18
002680	6930-01-499-0614	Case, Carrying, Practice, Fire Shelter, M-2002	EA	18
002681	6930-01-499-0618	Bag, Polyvinyl, Practice, Fire Shelter, M-2002	EA	19
002700	8415-01-464-4242	Pants, Flame Resistant Aramid	PR	21
002701	8415-01-464-4247	Pants, Flame Resistant Aramid	PR	21
002702	8415-01-464-4244	Pants, Flame Resistant Aramid	PR	21
002703	8415-01-464-4248	Pants, Flame Resistant Aramid	PR	21
002704	8415-01-464-5742	Pants, Flame Resistant Aramid	PR	21
002705	8415-01-464-5621	Pants, Flame Resistant Aramid	PR	21
002706	8415-01-464-5624	Pants, Flame Resistant Aramid	PR	21
002707	8415-01-464-5645	Pants, Flame Resistant Aramid	PR	21
002725	5510-01-045-9198	Wedge, Plastic Felling	EA	13
002737	8415-01-591-6932	Pants, Flame Resistant BDU Aramid	PR	21
002738	8415-01-591-6925	Pants, Flame Resistant BDU Aramid	PR	21
002798	6930-01-529-8805	Shelter, Fire, Practice, M-2002	EA	18
002799	6930-01-529-8807	Shelter, Fire, Practice, Complete, M-2002	EA	18
002800	8415-01-464-2282	Pants, Flame Resistant Aramid	PR	21
002801	8415-01-464-3672	Pants, Flame Resistant Aramid	PR	21
002802	8415-01-464-3671	Pants, Flame Resistant Aramid	PR	21
002803	8415-01-464-3676	Pants, Flame Resistant Aramid	PR	21
002804	8415-01-464-3677	Pants, Flame Resistant Aramid	PR	21
002805	8415-01-464-3678	Pants, Flame Resistant Aramid	PR	21
002806	8415-01-464-3673	Pants, Flame Resistant Aramid	PR	21
002807	8415-01-464-3675	Pants, Flame Resistant Aramid	PR	21



NFES #	NSN	Name	Unit of Issue	Page
002841	8415-01-537-4986	Pants, Flame Resistant Aramid	PR	21
002842	8415-01-537-4981	Pants, Flame Resistant Aramid	PR	21
002843	8415-01-537-4982	Pants, Flame Resistant Aramid	PR	21
002844	8415-01-537-4983	Pants, Flame Resistant Aramid	PR	21
002845	8415-01-537-4985	Pants, Flame Resistant Aramid	PR	21
002846	8415-01-537-4984	Pants, Flame Resistant Aramid	PR	21
002847	8415-01-537-5677	Pants, Flame Resistant Aramid	PR	21
002848	8415-01-537-5681	Pants, Flame Resistant Aramid	PR	21
002849	8415-01-537-5678	Pants, Flame Resistant Aramid	PR	21
002850	8415-01-537-5679	Pants, Flame Resistant Aramid	PR	21
002851	8415-01-537-5680	Pants, Flame Resistant Aramid	PR	21
002910	8415-01-533-1740	Shirt, Fireman's	EA	21
002911	8415-01-533-2435	Shirt, Fireman's	EA	21
002944	8415-01-559-3540	Pants, Flame Resistant Aramid	PR	22
002945	8415-01-559-3543	Pants, Flame Resistant Aramid	PR	22
002946	8415-01-559-3544	Pants, Flame Resistant BDU Kevlar	PR	22
002947	8415-01-559-3547	Pants, Flame Resistant Aramid	PR	22
002948	8415-01-559-3548	Pants, Flame Resistant Aramid	PR	22
002954	8415-01-591-6926	Pants, Flame Resistant Aramid	PR	22
002955	8415-01-591-6928	Pants, Flame Resistant BDU Kevlar	PR	22
002956	8415-01-559-3545	Pants, Flame Resistant Aramid	PR	22
002957	8415-01-559-3542	Pants, Flame Resistant Aramid	PR	22
002958	8415-01-559-3549	Pants, Flame Resistant Aramid	PR	22
002959	8415-01-559-3541	Pants, Flame Resistant Aramid	PR	22
002963	8415-01-559-3546	Pants, Flame Resistant Aramid	PR	22
002964	8415-01-591-6929	Pants, Flame Resistant BDU Kevlar	PR	22
002965	8415-01-591-6933	Pants, Flame Resistant BDU Kevlar	PR	22
002966	8415-01-591-6930	Pants, Flame Resistant BDU Kevlar	PR	22
002967	8415-01-591-6934	Pants, Flame Resistant BDU Kevlar	PR	22

NFES #	NSN	Name	Unit of Issue	Page
003007	6260-01-178-5559	Light, Chemiluminescent	BX	15
003009	6260-01-074-4229	Light, Chemiluminescent	BX	15
003012	6260-01-196-0136	Light, Chemiluminescent	BX	15
007285	8415-01-504-9044	Helmet, Fireman's	EA	19
007286	8415-01-504-9045	Helmet, Fireman's	EA	19
007287	8415-01-504-9042	Helmet, Fireman's	EA	19
007289	8415-01-504-9048	Helmet, Fireman's	EA	19
007290	8415-01-504-9050	Helmet, Fireman's	EA	19
007291	8415-01-504-9047	Helmet, Fireman's	EA	19
008213	8115-01-642-9819	Box, Shipping	BD	27

# Alphabetical Index

## Index

### A

Applicator, Water ..... 10

### B

Bag, Fuel Bottle ..... 14  
Bag, Polyvinyl, Practice, Fire Shelter, M-2002 ..... 19  
Bag, Water Carrying ..... 23  
Band, Retaining Fire Hose ..... 6  
Battery, Nonrechargeable (7.5 V) ..... 15  
Battery, Nonrechargeable (AA) ..... 14  
Battery, Nonrechargeable (AAA) ..... 14  
Battery, Nonrechargeable (C Battery) ..... 14  
Battery, Nonrechargeable (D Battery) ..... 14  
Belt, Weather Kit ..... 29  
Bottle, Fuel ..... 14  
Box, Shipping ..... 27, 28  
Waterbag, 5 Gallon, Suppression, M2015 ..... 11

### C

Can, Gasoline, Portable Fire Pump ..... 12  
Cap, Hose ..... 7  
Case, Canteen ..... 23  
Case, Carrying ..... 29  
Case, Carrying, Fire ..... 17  
Case, Carrying, Pack ..... 23  
Case, Carrying, Practice, Fire Shelter, M2002 ..... 18  
Chaps, Protective ..... 13  
Chest Harness, Fire Shelter ..... 19  
Clamp, Fire Hose, Shutoff ..... 9  
Combination Tool, Fire Fighter's ..... 4  
Compass, Magnetic, Unmounted ..... 30  
Container, Hot Or Cold Beverage ..... 23  
Container, Hot Or Cold Food ..... 24  
Container, Plastic, Moulded ..... 24  
Coupling Half, Quick Disconnect ..... 11  
Coupling, Hose, Fire Fighting ..... 7

### D

Dinnerware Kit ..... 25

### E

Extinguisher, Fire ..... 4

### F

Field Pack ..... 22  
File Guide, Clamp Chain Saw ..... 13  
File, Hand ..... 13  
First Aid Kit, Utility ..... 15, 16  
Fly, Tent ..... 26  
Fusee, Backfiring ..... 30

### G

Gage, Sharpening ..... 4  
Gasket, Fire Hose ..... 6  
Gasoline Line, Fire Pump ..... 12  
Gloves, Leather ..... 20  
Goggles, Industrial ..... 20

### H

Handle, File ..... 13  
Handle, Pulaski Tool ..... 5  
Handle, Replacement, Combi-Tool ..... 5  
Harness, Waterbag, M2015 ..... 11  
Headlamp, Firefighter ..... 15  
Holder, Sign ..... 32  
Hose Assembly, Nonmetallic, Fire Fighting ..... 6  
Hose Assembly, Nonmetallic Synthetic ..... 6

### I

Increaser, Hose, Fire Fighting ..... 8

### L

Kit, Water Container ..... 24  
Light, Chemiluminescent ..... 15  
Line, Lead ..... 31  
Liner, Bag, Water ..... 23  
Liner, Carrying Case ..... 17  
Liner, Waterbag ..... 24

### M

Mat, Sleeping ..... 26  
Mattock ..... 4  
Meal, Individual ..... 25  
Message Dropper, PLA ..... 31  
Meter, Air Velocity ..... 30  
Mop-Up Kit, Lateral Line, 3 Wand ..... 9, 10

### N

Nozzle, Fire Equipment ..... 8

<b>P</b>	
Pack, Fireline.....	23
Pack, Fireline, Complete.....	23
Pack, Personal Gear.....	22
Pail, Plastic Collapsible.....	29
Pants, Flame Resistant BDU Aramid.....	21, 22
Plug, Ear.....	20
Pole, Tent.....	26
Protection Kit, Biological Hazard.....	16
Psychrometer.....	29
Pump, Reciprocating.....	12
Pump Unit, Centrifugal.....	12
Waterbag, 5 Gallon, Suppression, M2015, Assembly .	11
<b>R</b>	
Rake, Forest Fire.....	4
Reducer, Hose, Fire Fighting.....	7
Ribbon, Flagging, Surveyor's.....	31
<b>S</b>	
Safety Can.....	12
Seal, Antipilferage.....	29
Sheath, Fire, Rake, Plastic.....	5
Shelter, Fire, M-2002.....	17
Shelter, Fire, Practice, Complete, M2002.....	18
Shelter, Fire, Practice. Complete, M2002.....	17
Shelter, Fire, Practice, M2002.....	18
Shirt, Fireman's.....	21
Shovel, Hand.....	4
Shroud, Face And Neck, Wildland Firefighter.....	19
Shut-Off, Valve Ball.....	9
Sign.....	32
Sleeping Bag, Cold Weather.....	25
Spectacles, Industrial.....	20
Spill Containment Berm, Portable.....	12
Swivel, Cargo.....	31
<b>T</b>	
Tee, Pipe to Hose , Fire Fighting.....	8
Tee, Pipe to Hose, Fire Fighting.....	8
Tip, Applicator.....	10
Tip, Hose, Fire Fighting.....	9
Torch, Drip.....	30
Towelette, Skin Cleansing.....	27
Towel, Paper.....	27
<b>V</b>	
Valve, Foot.....	9
Valve, Shut-Off, Garden Hose.....	10
<b>W</b>	
Wash Kit Assembly.....	27
Waterbag, Drinking.....	24
Waterbag, Suppression.....	24
Wedge, Plastic Felling.....	13
Wrench, Spanner.....	9
Wye Connection, Fire Hose, Valved.....	9
Wye, Garden Hose.....	10



# NSN Index

## Class 1670

1670-00-797-4495 .....	31
1670-01-029-8554 .....	31
1670-01-029-8555 .....	31

## Class 4210

4210-00-085-2291 .....	4, 8
4210-00-126-5108 .....	9
4210-00-177-6135 .....	9
4210-00-181-8872 .....	8
4210-00-203-3512 .....	4
4210-00-203-3845 .....	9
4210-00-203-3855 .....	9
4210-00-204-3358 .....	9
4210-00-204-3386 .....	9
4210-00-294-2648 .....	7
4210-00-540-4512 .....	4
4210-00-568-9904 .....	12
4210-00-595-1838 .....	6
4210-00-640-1892 .....	8
4210-00-767-7123 .....	9
4210-00-889-1774 .....	6
4210-00-889-1775 .....	6
4210-00-975-2969 .....	7
4210-00-984-3475 .....	9
4210-01-079-9283 .....	7
4210-01-079-9284 .....	7
4210-01-079-9285 .....	7
4210-01-079-9286 .....	7
4210-01-080-1457 .....	7
4210-01-080-1458 .....	7
4210-01-080-1459 .....	8
4210-01-080-1460 .....	8
4210-01-080-6531 .....	8
4210-01-080-6532 .....	8
4210-01-081-0417 .....	8
4210-01-081-0418 .....	8
4210-01-081-0419 .....	7
4210-01-081-8749 .....	7
4210-01-081-8751 .....	7
4210-01-082-0575 .....	7
4210-01-165-6597 .....	6
4210-01-165-6599 .....	9
4210-01-165-6600 .....	9
4210-01-165-6603 .....	8
4210-01-166-8122 .....	6
4210-01-167-1061 .....	6

4210-01-167-1123 .....	8
4210-01-321-4206 .....	9, 10
4210-01-387-1392 .....	4
4210-01-412-5683 .....	10
4210-01-412-5684 .....	10
4210-01-412-5688 .....	10
4210-01-412-6335 .....	10
4210-01-508-8818 .....	7
4210-01-521-1691 .....	7
4210-01-526-2977 .....	6
4210-01-526-3000 .....	6
4210-01-529-8489 .....	6
4210-01-558-9951 .....	30

## Class 4235

4235-01-586-8307 .....	12
------------------------	----

## Class 4240

4240-01-292-2816 .....	20
4240-01-292-2817 .....	20
4240-01-292-5055 .....	20
4240-01-498-3184 .....	17
4240-01-498-3194 .....	17
4240-01-504-7863 .....	20
4240-01-527-5248 .....	17

## Class 4320

4320-00-595-0762 .....	12
4320-00-890-5879 .....	12
4320-01-495-3633 .....	12

## Class 4730

4730-00-595-1103 .....	8
4730-01-057-0136 .....	11
4730-01-057-4210 .....	11

## Class 4820

4820-00-126-5114 .....	9
------------------------	---

## Class 5110

5110-00-242-5384 .....	13
5110-00-242-5385 .....	13
5110-00-242-5386 .....	13
5110-00-263-0341 .....	13
5110-00-263-0342 .....	13
5110-00-782-7491 .....	13
5110-00-965-0608 .....	13

5110-01-046-5031 ..... 13  
 5110-01-137-7507 ..... 5

**Class 5120**

5120-00-293-3467 ..... 4  
 5120-00-596-1426 ..... 9  
 5120-00-596-1427 ..... 9  
 5120-00-965-0609 ..... 4  
 5120-01-240-2120 ..... 4  
 5120-01-296-3592 ..... 5

**Class 5210**

5210-01-324-2776 ..... 4

**Class 5330**

5330-00-239-1873 ..... 6  
 5330-00-239-1875 ..... 6  
 5330-00-239-1877 ..... 6  
 5330-00-720-2621 ..... 6

**Class 5340**

5340-00-901-8105 ..... 29

**Class 5510**

5510-01-045-9198 ..... 13

**Class 6135**

6135-00-826-4798 ..... 14  
 6135-00-835-7210 ..... 14  
 6135-00-985-7845 ..... 14  
 6135-00-985-7846 ..... 14  
 6135-01-616-2203 ..... 15

**Class 6230**

6230-01-603-6874 ..... 15

**Class 6260**

6260-00-294-1279 ..... 30  
 6260-01-074-4229 ..... 15  
 6260-01-178-5559 ..... 15  
 6260-01-196-0136 ..... 15

**Class 6515**

6515-00-137-6345 ..... 20  
 6515-01-376-7247 ..... 16  
 6515-01-585-1975 ..... 16

6515-01-585-1976 ..... 16

**Class 6545**

6545-00-656-1092 ..... 15  
 6545-00-656-1094 ..... 16  
 6545-01-010-7754 ..... 16

**Class 6605**

6605-00-171-5121 ..... 30  
 6605-00-553-8795 ..... 30

**Class 6660**

6660-01-024-2638 ..... 29

**Class 6680**

6680-00-833-7010 ..... 30

**Class 6685**

6685-00-826-1662 ..... 29

**Class 6930**

6930-01-499-0605 ..... 17  
 6930-01-499-0608 ..... 18  
 6930-01-499-0614 ..... 18  
 6930-01-499-0618 ..... 19  
 6930-01-529-8805 ..... 18  
 6930-01-529-8807 ..... 18

**Class 7210**

7210-01-029-0370 ..... 27

**Class 7240**

7240-01-044-5523 ..... 12  
 7240-01-351-2133 ..... 14  
 7240-01-616-2202 ..... 12

**Class 7310**

7310-00-128-6837 ..... 24

**Class 7360**

7360-00-139-0480 ..... 25  
 7360-00-139-1063 ..... 27  
 7360-01-606-2663 ..... 23  
 7360-01-606-2670 ..... 24

**Class 8115**

8115-00-139-0652 .....	27
8115-00-139-0673 .....	28
8115-00-139-0689 .....	28
8115-00-139-0690 .....	28
8115-00-139-0691 .....	28
8115-00-139-0706 .....	28
8115-00-139-0722 .....	27
8115-00-139-0749 .....	28
8115-00-145-0038 .....	24
8115-00-183-9481 .....	28
8115-00-292-0123 .....	28
8115-00-417-9318 .....	28
8115-01-219-5749 .....	28
8115-01-290-9543 .....	27
8115-01-307-2951 .....	28
8115-01-504-1463 .....	28

### Class 8340

8340-00-102-6370 .....	26
8340-00-753-6574 .....	26
8340-01-107-5694 .....	26
8340-01-185-5512 .....	26

### Class 8415

8415-00-286-7507 .....	13
8415-01-028-5575 .....	13
8415-01-294-7717 .....	13
8415-01-394-0208 .....	20
8415-01-394-0209 .....	20
8415-01-394-0210 .....	20
8415-01-394-0215 .....	20
8415-01-397-3937 .....	20
8415-01-483-6075 .....	19
8415-01-504-9042 .....	19
8415-01-504-9044 .....	19
8415-01-504-9045 .....	19
8415-01-504-9047 .....	19
8415-01-504-9048 .....	19
8415-01-504-9050 .....	19
8415-01-565-0618 .....	20
8415-01-565-0620 .....	20
8415-01-565-0623 .....	20
8415-01-565-0624 .....	20
8415-01-565-0625 .....	20
8415-01-695-4334 .....	13

### Class 8465

8465-00-102-6381 .....	23
8465-00-128-6928 .....	29
8465-00-205-3493 .....	23
8465-00-521-3057 .....	29
8465-01-109-3369 .....	26
8465-01-310-1259 .....	23
8465-01-310-5130 .....	23
8465-01-369-2147 .....	24
8465-01-369-2148 .....	24
8465-01-369-2149 .....	24
8465-01-369-3557 .....	24
8465-01-463-4648 .....	19
8465-01-498-3190 .....	17
8465-01-498-3191 .....	17
8465-01-503-4476 .....	14
8465-01-503-4479 .....	23
8465-01-503-4482 .....	23
8465-01-503-4484 .....	23
8465-01-503-4488 .....	23
8465-01-592-1365 .....	5
8465-01-602-3355 .....	25
8465-01-647-6670 .....	23
8465-01-656-2497 .....	11
8465-01-656-5111 .....	11
8465-01-656-8915 .....	11

### Class 8520

8520-01-609-2831 .....	27
------------------------	----

### Class 8540

8540-01-169-9010 .....	27
------------------------	----

### Class 8970

8970-00-149-1094 .....	25
------------------------	----

### Class 9905

9905-00-196-1068 .....	31
9905-01-458-2059 .....	31
9905-01-458-2060 .....	31
9905-01-523-2324 .....	31
9905-01-523-2578 .....	31
9905-01-595-8872 .....	32
9905-01-595-8873 .....	32
9905-01-595-8875 .....	32
9905-01-595-8876 .....	32
9905-01-595-8877 .....	32
9905-01-595-8879 .....	32
9905-01-595-8881 .....	32

9905-01-595-8884 .....	32	9905-01-595-8888 .....	32
9905-01-595-8885 .....	32	9905-01-595-8889 .....	32
9905-01-595-8886 .....	32	9905-01-595-8890 .....	32
9905-01-595-8887 .....	32		

# Notes

---



**DLA HQ J313I**  
8725 John J. Kingman Road  
Fort Belvoir, VA 22060



## **DLA Wildland Fire Program Points of Contact**

### **DLA CIC**

Toll Free: 1-877-DLA-CALL (1-877-352-2255)

Commercial: 1-269-961-7766

Email: [dlacontactcenter@dla.mil](mailto:dlacontactcenter@dla.mil)

\*\*The DLA CIC can address order and shipping status questions\*\*

### **DLA Troop Support Fire Program Coordinators**

\*\* All supply assistance requests may be directed to the collective Enterprise mailbox: [TrpSptWFPP@dla.mil](mailto:TrpSptWFPP@dla.mil) \*\*

\*\* Supply chain specific inquiries may be directed to the individual Points of Contact. After normal business hours contact the DLA CIC. \*\*

Donna M. Graham (Construction & Equipment)

Office Phone: 215-737-0668

Email: [Donna.Graham@dla.mil](mailto:Donna.Graham@dla.mil)

Colleen Ford (Clothing & Textiles)

Office Phone: 215-737-5115,

Email: [Colleen.Ford@dla.mil](mailto:Colleen.Ford@dla.mil)

Timothy Curran (Subsistence)

Office Phone: 215-737-2895

Email: [Timothy.curran1@dla.mil](mailto:Timothy.curran1@dla.mil)

Eileen Freeborn (Medical)

Office Phone: 215-737-5774

Email: [Eileen.Freeborn@dla.mil](mailto:Eileen.Freeborn@dla.mil)

Gary Waltrich (Industrial Hardware)

Office Phone: 215-737-5979

Email: [Gary.Waltrich@dla.mil](mailto:Gary.Waltrich@dla.mil)

DLA Troop Support Collective Enterprise Cell

Phone: 215-737-9158

### **DLA Wildland Fire Program Liaison – Jeff Crosson**

Office Phone: 571-767-0590

Email: [Jeffrey.Crosson@dla.mil](mailto:Jeffrey.Crosson@dla.mil)

### **DLA Wildland Fire Program State/Local Liaison – Tracy Shepherd**

Office Phone: 571-767-1547

Email: [tracy.shepherd@dla.mil](mailto:tracy.shepherd@dla.mil)

